



**UG 14**

# **Joint Energy Scheduling System User's Guide**

**Issued: September 2022**

**Version: 2.6**

**Effective Date: 9/22/2022**

**Prepared By: NYISO Stakeholder Services**

New York Independent System Operator  
10 Krey Boulevard  
Rensselaer, NY 12144  
(518) 356-6060  
[www.nyiso.com](http://www.nyiso.com)

**Disclaimer: The information contained within this guide, along with other NYISO guides, is intended to be used for information purposes only, and is subject to change. The NYISO is not responsible for the user's reliance on these publications, or for any erroneous or misleading material.**

# Table of Contents

<b>TABLE OF FIGURES</b> .....	<b>V</b>
<b>TABLE OF TABLES</b> .....	<b>V</b>
<b>REVISION HISTORY</b> .....	<b>VII</b>
<b>RELATION OF THIS GUIDE TO NYISO’S TARIFFS AND AGREEMENTS</b> .....	<b>IX</b>
<b>1. INTRODUCTION</b> .....	<b>1</b>
1.1 NYISO Overview.....	1
1.2 NYISO Electricity Market.....	1
1.3 What is the Joint Energy Scheduling System? .....	1
1.4 What are External Transactions .....	1
1.4.1 Proxy Bus.....	4
1.4.2 Merchant Transmission Facilities:.....	5
1.4.3 Available Scheduling Options at External Proxy Buses .....	6
1.4.4 Scheduling Process.....	6
1.5 NERC E-Tag.....	10
1.5.1 NYISO Bid/Offer .....	10
1.5.2 Scheduling in NYISO .....	11
1.5.3 E-Tag Request .....	13
1.5.4 NYISO Response to an E-Tag Request .....	15
<b>2. NYISO USER ACCESS TO THE JESS APPLICATION</b> .....	<b>20</b>
2.1 User Roles .....	20
2.2 User Details.....	20
2.2.1 Change Password.....	20
2.2.2 Organization Details .....	20
2.3 Digital Certificates.....	20
2.4 NYISO User Customer Support.....	21
2.4.1 Contacting NYISO Stakeholder Services .....	21
2.4.2 Real-Time Curtailments Support .....	21
<b>3. ISO-NE USER ACCESS TO THE JESS APPLICATION</b> .....	<b>22</b>
3.1 ISO-NE User Roles .....	22
3.2 ISO-NE User Digital Certificates.....	22
3.3 ISO-NE User Password Management .....	22
3.4 ISO-NE User Customer Support.....	24

<b>4. OPERATOR/USER ACTIONS</b> .....	<b>25</b>
4.1 Contracts.....	25
4.1.1 <i>Searching for Contracts</i> .....	25
4.1.2 <i>Reassigning Contracts</i> .....	26
4.1.3 <i>Delete a Contract</i> .....	27
4.1.4 <i>Create a Contract</i> .....	28
4.2 Bids.....	30
4.2.1 <i>Searching for Bids</i> .....	30
4.2.2 <i>Search for Current Day's Bids from a Contract</i> .....	32
4.2.3 <i>Delete a Bid</i> .....	34
4.2.4 <i>Modify or View a Bid</i> .....	35
4.2.5 <i>Clone a Bid</i> .....	38
4.2.6 <i>Changing a Bid's Confirmation Flags</i> .....	40
4.2.7 <i>Create a Bid</i> .....	41
4.2.8 <i>Create a Bid from an Existing Contract</i> .....	44
4.3 Managing CTS Confirmed Trust Relationships.....	46
4.3.1 <i>Creating and Removing CTS Confirmed Trust Relationships</i> .....	47
4.3.2 <i>Application of CTS Confirmed Trust Relationships to Transaction Bids at the CTS Enabled Proxy Bus with ISO-NE</i> .....	48
<b>5. UPLOAD/DOWNLOAD BATCH PROCEDURES</b> .....	<b>50</b>
5.1 Upload/Download Template Overview.....	50
5.2 Upload/Download Field Definitions.....	53
5.3 Submit External Transaction Bids.....	56
5.3.1 <i>Submit External Transaction Bids –Request</i> .....	56
5.3.2 <i>Submit External Transaction Bids –Response</i> .....	59
5.4 Confirm External Transaction.....	63
5.4.1 <i>Confirm External Transaction –Request</i> .....	63
5.4.2 <i>Confirm External Transaction –Response</i> .....	64
5.5 Delete External Transaction.....	65
5.5.1 <i>Delete External Transaction–Request</i> .....	65
5.5.2 <i>Delete External Transaction–Response</i> .....	65
5.6 Download External Transaction Bids and Schedules.....	67
5.6.1 <i>Download External Transaction Bids and Schedules–Request</i> .....	67
5.6.2 <i>Download External Transaction Bids and Schedules–Response</i> .....	68
5.7 Download Transaction Contracts.....	72
5.7.1 <i>Download Transaction Contracts–Request</i> .....	72
5.7.2 <i>Download Transaction Contracts–Response</i> .....	73
5.8 Upload/Download Error Processing.....	74

## Table of Figures

Figure 1-1	LBMP Import Transactions .....	3
Figure 1-2	LBMP Export Transactions .....	3
Figure 1-3	Bilateral Transactions.....	4
Figure 1-4	E-Tagging Timeline - DAM .....	14
Figure 1-5	E-Tagging Timeline – HAM Intra-Hourly Schedules .....	14
Figure 1-6	E-Tagging Timeline – HAM Hourly Schedules.....	14
Figure 3-1	Change Password.....	23
Figure 4-1	Contracts Search Screen.....	25
Figure 4-2	Contracts Search Screen – Results.....	26
Figure 4-3	Reassigning Contracts Screen .....	27
Figure 4-4	Deleting a Contract Screen .....	28
Figure 4-6	Creating a Contract Screen .....	28
Figure 4-7	Entering Contract Details Screen .....	29
Figure 4-8	Contract Details Screen.....	30
Figure 4-9	Bids Search Screen .....	31
Figure 4-10	Bids Search Screen – Results.....	32
Figure 4-11	Viewing Bids from Contracts Screen .....	33
Figure 4-12	Viewing Bids from Contracts Screen – Results .....	34
Figure 4-13	Deleting a Bid – Contracts Screen .....	35
Figure 4-14	Modifying or Viewing a Bid Screen .....	36
Figure 4-15	Modifying or Viewing a Bid Screen – Can be Modified.....	37
Figure 4-16	Modifying or Viewing a Bid Screen – Cannot be Modified .....	38
Figure 4-17	Cloning a Bid Screen .....	39
Figure 4-18	Cloning a Bid Screen – Results.....	39
Figure 4-19	Changing a Bid’s Confirmation Flag Screen .....	40
Figure 4-20	Creating a Bid – Search Screen .....	41
Figure 4-21	Creating a Bid – Contract Details Screen.....	42
Figure 4-22	Creating a Bid – Bid Creation Details Screen (A) .....	43
Figure 4-23	Creating a Bid – Bid Creation Details Screen (B) .....	44
Figure 4-24	Creating a Bid from an Existing Contract Screen .....	45
Figure 4-25	Creating a Bid from an Existing Contract Screen – Results .....	46
Figure 4-26	Managing CTS Confirmed Trust Relationships.....	48
Figure 5-1	Submitting an Upload/Download Request.....	51
Figure 5-2	Upload/Download Error Example .....	75

## Table of Tables

Table 1-1	Control Area/Proxy Bus - Imports .....	4
Table 1-2	Control Area/Proxy Bus - Exports.....	5
Table 1-3	RTC Timesteps.....	12
Table 1-4	E-Tag Transaction Type Table.....	15
Table 1-5	E-Tag Request Criteria.....	17
Table 1-6	E-Tag Examples .....	18
Table 3-1	Submitting an External Transaction Bid – Headers Fields.....	56
Table 3-2	Submitting an External Transaction Bid – Body Fields .....	56
Table 3-3	Submitting an External Transaction Bid Response– Header Fields.....	59
Table 3-4	Submitting an External Transaction Bid Response– Body Fields .....	60
Table 3-5	Confirming an External Transaction Bid– Header Fields.....	63
Table 3-6	Confirming an External Transaction Bid – Body Fields .....	64

Table 3-7	Confirming an External Transaction Bid Response– Header Fields (Example).....	64
Table 3-8	Confirming an External Transaction Bid Response– Body Fields (Example).....	64
Table 3-9	Deleting an External Transaction Bid Request– Header Fields .....	65
Table 3-10	Deleting an External Transaction Bid Request– Body Fields .....	65
Table 3-11	Deleting an External Transaction Bid Response– Header Fields (Example).....	65
Table 3-12	Deleting an External Transaction Bid Response– Body Fields (Example).....	66
Table 3-13	Download External Transaction Bids and Schedule Request - Header.....	67
Table 3-14	Download External Transaction Bids and Schedule Request - Body.....	67
Table 3-15	Download External Transaction Bids and Schedule Response - Header .....	68
Table 3-16	Download External Transaction Bids and Schedule Response - Body.....	68
Table 3-17	Download Transaction Contracts Request - Header .....	72
Table 3-18	Download Transaction Contracts Request - Body.....	73
Table 3-19	Download Transaction Contracts Response - Header.....	73
Table 3-20	Download Transaction Contracts Response - Body.....	74

## Revision History

Version	Date	Revisions
1.0	03/26/2014	Initial Release
2.0	10/23/2014	<p>Section 1.4.3</p> <ul style="list-style-type: none"> <li>➤ Inserted section to indicate available scheduling options at external proxy buses by reference to the MST</li> </ul> <p>Section 1.4.4</p> <ul style="list-style-type: none"> <li>➤ Inserted descriptions for the evaluation of CTS bids</li> <li>➤ Inserted description of 15-minute bid curve feature</li> </ul> <p>Section 3</p> <ul style="list-style-type: none"> <li>➤ Inserted table consolidating Upload/Download field definitions</li> <li>➤ Inserted revised template structure for submission of an external transaction bid</li> <li>➤ Inserted revised template structure for downloading external transaction bids and schedules</li> </ul>
2.1	10/29/2015	<p>Global</p> <ul style="list-style-type: none"> <li>➤ Replaced screenshots throughout document to reflect additional features associated with CTS with ISO-NE.</li> </ul> <p>Section 2</p> <ul style="list-style-type: none"> <li>➤ Revised section title to differentiate between NYISO user access and ISO-NE user access.</li> </ul> <p>Section 3</p> <ul style="list-style-type: none"> <li>➤ New section. Describes process for ISO-NE users to access the JESS application</li> </ul> <p>Section 4</p> <ul style="list-style-type: none"> <li>➤ Revisions to incorporate JESS enhancements to support ISO-NE user access to the JESS application</li> </ul> <p>Section 4.3</p> <ul style="list-style-type: none"> <li>➤ New section. Describes the process for managing CTS Confirmed Trust Relationships and the application of these trust relationships to the Bid confirmation process.</li> </ul>
2.2	06/23/2016	<p>Section 2.3</p> <ul style="list-style-type: none"> <li>➤ Replaced all detailed instructions for obtaining and using a digital certificate to now refer to the Market Participant User's Guide</li> <li>➤ Clarified that digital certificates will no longer be NYISO issued and must be NAESB compliant</li> </ul>
2.3	02/24/2017	<p>Section 2</p> <ul style="list-style-type: none"> <li>➤ Provided link to the NYISO Market Access Login page to access JESS</li> </ul> <p>Section 3</p> <ul style="list-style-type: none"> <li>➤ Provided link to the NYISO Market Access Login page to access JESS</li> </ul>

		<p>Section 3.3</p> <ul style="list-style-type: none"> <li>➤ Updated instructions for ISO-NE users to now use the Self-Service Account Management (SSAM) application when creating a password to access the JESS application</li> </ul>
2.4	01/17/2018	<p>Section 1.4.4.1.1</p> <ul style="list-style-type: none"> <li>➤ Include a note in this section explaining that Real-Time Market (RTM) Bids at the CTS Enabled Proxy Bus with ISO-NE employing a Schedule Type of either 15-Min CTS or Hourly CTS may only supply a single point bid curve.</li> </ul>
2.4	08/11/2020	<p>Recertification</p> <ul style="list-style-type: none"> <li>➤ Updated branding and formatting</li> <li>➤ Updated hyperlinks</li> </ul>
2.5	11/11/2020	<p>Section 1.4.1.1</p> <ul style="list-style-type: none"> <li>➤ Table 1-1 Updated Proxy Bus OH_GEN_BRUCE to OH_GEN_PROXY</li> <li>➤ Table 1-2 Updated Proxy Bus OH_LOAD_BRUCE to OH_LOAD_PROXY</li> </ul> <p>Section 1.5.4</p> <ul style="list-style-type: none"> <li>➤ Table 1-4 Updated Proxy Bus OH_GEN_BRUCE to OH_GEN_PROXY and OH_LOAD_BRUCE to OH_LOAD_PROXY</li> </ul>
2.6	9/22/2022	<p>Recertified</p> <p>Section 2</p> <ul style="list-style-type: none"> <li>➤ Updated link to the NYISO Market Access Login page to access JESS</li> </ul> <p>Section 3</p> <ul style="list-style-type: none"> <li>➤ Updated link to the NYISO Market Access Login page to access JESS</li> </ul> <p>Section 3.3</p> <ul style="list-style-type: none"> <li>➤ Updated link to the NYISO Market Access Login page to access JESS</li> </ul>



*-- This page intentionally left blank --*

## Relation of this Guide to NYISO's Tariffs and Agreements

To the extent that information in this Joint Energy Scheduling System User Guide is inconsistent with the NYISO's tariffs or agreements, the NYISO's tariffs and agreements shall control. This guide is intended solely for informational purposes and is subject to change.

Capitalized terms used in this guide shall have the meanings established in this guide and shall neither define nor prescribe a party's rights or obligations under the NYISO's tariffs or agreements.

*- - This page intentionally left blank - -*

# 1. Introduction

## 1.1 NYISO Overview

The principal mission of the NYISO is to direct the operation of the New York Control Area power system in order to supply power to loads while maintaining safety and reliability in compliance with the reliability rules established by the New York State Reliability Council (NYSRC). The NYSRC rules incorporate standards and operating policies enacted by the North American Electric Reliability Council (NERC) as well as guidelines and procedures enacted by the Northeast Power Coordinating Council (NPCC).

## 1.2 NYISO Electricity Market

The NYISO facilitates and administers the markets for installed capacity, energy, ancillary services, and transmission congestion contracts. The NYISO also administers the scheduling of firm point-to-point transmission service and Network Integration Transmission Service.

Market Participants may submit offers on a day-ahead and real-time basis for generation, and bilateral transactions. The NYISO facilitates a Day-Ahead Market (DAM) and a Real-Time Market (RTM) using Market Participants' bid data. Loads may submit bids only in the DAM.

At the close of each market, the NYISO initiates a bid evaluation process. The process involves retrieving bids from the Market Information System (MIS), analyzing the bids according to prescribed rules, making adjustments to ensure that reliability requirements are met, and posting results to the MIS.

The energy market provides a mechanism for Market Participants to buy and sell Locational Based Marginal Price (LBMP) energy and to bid various kinds of bilateral transactions. Suppliers may sell energy directly into the market at LBMP or be party to a bilateral contract selling directly to purchasers. LSEs and others may purchase energy at LBMP by submitting bids and/or they may be party to a bilateral contract purchasing directly from a supplier. Parties to a bilateral contract may elect to bid a transaction as a firm point-to-point transaction, in which case they are agreeing to pay congestion charges to secure delivery of the requested energy.

## 1.3 What is the Joint Energy Scheduling System?

The Joint Energy Scheduling System (JESS) is the platform used by Market Participants to manage interregional transaction bidding and scheduling functions in the NYISO energy markets.

## 1.4 What are External Transactions

External energy transactions involve the purchase or sale of energy where the source (import), sink (export), or both the source and sink (wheel through) are located outside of the New York control Area (NYCA).

Market Participants may purchase energy from the NYISO market for withdrawal at an external proxy bus. This type of transaction is referred to as an LBMP export transaction. To schedule an LBMP export transaction the JESS user would select the NYISO reference bus as the source of the transaction and an external proxy bus as the sink for the transaction.

Market Participants may sell energy into the NYISO markets at an external proxy bus. This type of transaction is referred to as an LBMP import transaction. To schedule an LBMP import transaction the JESS user would select an external proxy bus as the source of the transaction and the NYISO reference bus as the sink for the transaction.

Market Participants may schedule a transaction to withdraw energy at an external proxy bus sourced from an internal NYCA generator. This type of transaction is referred to as a bilateral export transaction. To schedule a bilateral export transaction the JESS user would select an internal NYCA generator bus as the source of the transaction and an external proxy bus as the sink for the transaction.

Market Participants may schedule a transaction to deliver to an internal NYISO load bus sourced from an external proxy bus. This type of transaction is referred to as a bilateral import transaction. To schedule a bilateral import transaction the JESS user would select an external proxy bus as the source of the transaction and an internal NYISO load bus as the sink for the transaction.

Market Participants may also schedule a transaction to deliver energy sourced at an external proxy bus for withdrawal at another external proxy bus. This type of transaction is referred to as a wheel through transaction. To schedule a wheel through transaction the JESS user would select both an external proxy bus as the source of the transaction and an external proxy bus as the sink for the transaction.

Figure 1-1 LBMP Import Transactions

# LBMP Import Transactions

Source is external proxy and Sink is NYISO Ref bus





Figure 1-2 LBMP Export Transactions

# LBMP Export Transactions

Source is NYISO Ref bus and Sink is external proxy



Figure 1-3 Bilateral Transactions



1.4.1 Proxy Bus

Definition: A proxy bus located outside the NYCA that is selected by the ISO to represent a typical bus in an adjacent Control Area and for which LBMP prices are calculated. There may be more than one Proxy Generator Bus at a particular Interface with a neighboring Control Area to enable the NYISO to distinguish the bidding, treatment and pricing of products and services at the Interface.

1.4.1.1 Proxy bus selection when entering a bid:

To place Bids for Imports, the appropriate proxy bus from the following table should be used. If the NYISO Reference Bus is the sink, you must select the appropriate external proxy bus as the source. These external proxy buses may represent multiple generators (sources) outside the NYCA.

Table 1-1 Control Area/Proxy Bus - Imports

Control Area-Interface	Source Proxy Bus
Hydro Quebec -Chateaugay Import/Export	HQ_GEN_IMPORT
-Chateaugay Wheels Through	HQ_GEN_WHEEL
HQ-Dennison	HQ_GEN_CEDARS_PROXY
ISO New England	N.E._GEN_SANDY PD
ISO New England Northport-Norwalk Sched. Line	NPX_GEN_1385_PROXY
ISO New England Cross-Sound Scheduled Line	NPX_GEN_CSC

Ontario Independent Market Operator	OH_GEN_PROXY
PJM Interconnection	PJM_GEN_KEYSTONE
PJM Neptune Scheduled Line	PJM_GEN_NEPTUNE_PROXY
PJM Linden VFT Scheduled Line	PJM_GEN_VFT_PROXY
PJM HTP Scheduled Line	PJM_GEN_HTP_PROXY

To place Bids for Exports, the appropriate proxy bus from the following table should be used. If the NYISO Reference Bus is the source, you must select the appropriate external proxy bus as the sink. These external proxy buses (sink) represent the Load outside of the NYCA.

**Table 1-2 Control Area/Proxy Bus - Exports**

Control Area-Interface	Sink Proxy Bus
Hydro Quebec -Chateauguay Import/Export	HQ_LOAD_EXPORT
-Chateauguay Wheels Through	HQ_LOAD_WHEEL
HQ-Dennison	HQ_LOAD_CEDARS_PROXY
ISO New England	NE_LOAD_SANDY PD
ISO New England Northport-Norwalk Sched. Line	NPX_LOAD_1385_PROXY
ISO New England Cross-Sound Scheduled Line	NPX_LOAD_CSC
Ontario Independent Market Operator	OH_LOAD_PROXY
PJM Interconnection	PJM_LOAD_KEYSTONE
PJM Neptune Scheduled Line	PJM_LOAD_NEPTUNE
PJM Linden VFT Scheduled Line	PJM_LOAD_VFT_PROXY
PJM HTP Scheduled Line	PJM_LOAD_HTP_PROXY

#### 1.4.2 Merchant Transmission Facilities:

The following Merchant Transmission Facilities exist as separate proxy bus interfaces in addition to the PJM interface: These facilities are managed by PJM Interconnection, L.L.C. (PJM). Please see PJM's tariff schedules for information on transmission rights and curtailment protocols.

\*<http://www.pjm.com/markets-and-operations/etools/oasis/merch-trans-facilities.aspx>

- Hudson Transmission Project (HTP)
- Linden VFT (VFT)
- Neptune (Neptune)

The following Merchant Transmission Facilities exist as separate proxy bus interfaces in addition to the New England Interface. These facilities are managed by ISO-New England (ISO-NE).

- Cross Sound Cable
- 1385 Norwalk-Northport line



### 1.4.3 Available Scheduling Options at External Proxy Buses

For a list of available scheduling options for each of the above mentioned proxy buses see Section 4.4.4 of the Market Services Tariff.

### 1.4.4 Scheduling Process

#### 1.4.4.1 Bid curve

The eleven point bid curve is the structure used to submit the economic scheduling preference associated with all Day-Ahead and real-time Firm External Transaction bids (Imports, Exports, Wheels Through) and for all transaction scheduling frequencies, both hourly and intra-hour. The manner in which the bid will be evaluated by the scheduling process is determined by the direction (import/export/wheel-through) and market (DAM/RTM) and Real Time Bid Schedule Type of the bid. These details are noted below.

##### 1.4.4.1.1 Bid Curve for LBMP Imports and Wheels Through

The values on the transaction bid curve for LBMP Imports and Wheels Through represent the number of MWs the transaction bidder is willing to sell at various price points. Please see the example listed below:

<b>Bid Curve Point*</b>	1	2	3
<b>MW</b>	27	61	111
<b>\$/MW</b>	8	16	23

\*This table represents a Transaction bid curve for an Import Transaction with 3 curve points.

**Note:** Real-Time Market (RTM) Bids at the CTS Enabled Proxy Bus with ISO-NE employing a Schedule Type of either 15-Min CTS or Hourly CTS may only supply a single point bid curve. Bid curve points 2-11 must be left blank

The bid curve will be evaluated as follows:

- If the LBMP is less than \$8 at the time Transaction schedules are determined, then 0 MWs may be sold
- If the LBMP is between \$8 and \$15.99 at the time Transaction schedules are determined, then up to 27 MWs may be sold
- If the LBMP is between \$16 and \$22.99 at the time Transaction schedules are determined, then up to 61 MW may be sold
- If the LBMP is \$23 or greater at the time Transaction schedules are determined, then up to 111 MW may be sold

Criteria for a valid Import or Wheel Through

The bid curve transaction is subject to the following validation requirements:

1. MWs must be ascending from point 1 through the last point supplied
2. \$/MW must be ascending from point 1 through the last point supplied
3. Last MW value on the bid curve must be equal to or greater than the Energy Profile MW of the bid curve.
4. All bid curve points must be contiguous (example: cannot provide data in point 1 and point 3 without also providing data in point 2).
5. Bid curve point 1 must have data.
6. Bid curve MW values must be whole numbers

#### 1.4.4.1.2 Bid Curve for LBMP Exports

<b>Bid Curve Point*</b>	1	2	3
<b>MW</b>	50	34	27
<b>\$/MW</b>	12	22	32

\*This table represents a transaction bid curve for an Export transaction with 3 curve points.

The curve will be evaluated as follows:

- If the LBMP is less than or equal to \$12 at the time Transaction schedules are determined, then up to 111 MWs (*i.e.*, 50 +34+27) may be purchased
- If the LBMP is between \$12.01 and \$22.00 at the time Transaction schedules are determined, then up to 61 MWs (*i.e.*, 34 +27) may be purchased
- If the LBMP is between \$22.01 and \$32.00 at the time Transaction schedules are determined, then up to 27 MWs may be purchased
- If the LBMP is \$32.01 or greater at the time Transaction schedules are determined, 0 MWs may be purchased

Criteria for a valid Export bid curve

The transaction is subject to the following validation requirements:

1. \$/MW must be ascending from point 1 through the last point supplied
2. The sum of MWs across all bid curve points must be equal to or greater than the Energy Profile MW of the bid curve.
3. All bid curve points must be contiguous (example: cannot provide data in point 1 and point 3 without also providing data in point 2).
4. Bid curve point 1 must have data.
5. Bid curve MW values must be whole numbers.

### 1.4.4.1.3 Bid Curve for Real-Time CTS Imports

The values on the transaction bid curve for CTS Imports represent the number of MWs the transaction bidder is willing to sell so long as the projected price difference between the NYISO price and the neighboring ISO price at the interface is greater than or equal to the dollar value specified value. Please see the example listed below:

<b>Bid Curve Point*</b>	1	2	3
<b>MW</b>	30	40	50
<b>\$/MW</b>	2	4	6

\*This table represents a Transaction bid curve for a Real-Time CTS Import Transaction with 3 curve points.

The bid curve will be evaluated as follows:

- If the NYISO price minus the neighboring ISO price is less than \$2 at the time Transaction schedules are determined, then 0 MWs may be sold
- If the NYISO price minus the neighboring ISO price is between \$2 and \$3.99 at the time Transaction schedules are determined, then up to 30 MWs may be sold
- If the NYISO price minus the neighboring ISO price is between \$4 and \$5.99 at the time Transaction schedules are determined, then up to 40 MWs may be sold
- If the NYISO price minus the neighboring ISO price is \$6 or greater at the time Transaction schedules are determined, then up to 50 MW may be sold

Validation criteria for a valid Real-Time CTS Import:

1. MWs must be ascending from point 1 through the last point supplied
2. \$/MW must be ascending from point 1 through the last point supplied
3. Last MW value on the bid curve must be equal to or greater than the Energy Profile MW of the bid curve.
4. All bid curve points must be contiguous (example: cannot provide data in point 1 and point 3 without also providing data in point 2).
5. Bid curve point 1 must have data.
6. Bid curve MW values must be whole numbers

### 1.4.4.1.4 Bid Curve for Real-Time CTS Exports

<b>Bid Curve Point*</b>	1	2	3
<b>MW</b>	50	30	10
<b>\$/MW</b>	3	5	7

\*This table represents a transaction bid curve for an Export transaction with 3 curve points.

The curve will be evaluated as follows:

- If the neighboring ISO price minus the NYISO price is less than \$3 at the time Transaction schedules are determined, then 0 MWs will be purchased
- If the neighboring ISO price minus the NYISO price is between \$3.00 and \$4.99 at the time Transaction schedules are determined, then up to 50 MWs may be purchased
- If the neighboring ISO price minus the NYISO price is between \$5.00 and \$6.99 at the time Transaction schedules are determined, then up to 80 MWs (*i.e.*, 50 +30) may be purchased
- If the neighboring ISO price minus the NYISO price is \$7.00 or greater at the time Transaction schedules are determined, then up to 90 MWs (*i.e.*, 50 +30+10) may be purchased

Validation criteria for a valid Real-Time CTS Export:

1. \$/MW must be ascending from point 1 through the last point supplied
2. The sum of MWs across all bid curve points must be equal to or greater than the Energy Profile MW of the bid curve.
3. All bid curve points must be contiguous (example: cannot provide data in point 1 and point 3 without also providing data in point 2).
4. Bid curve point 1 must have data.
5. Bid curve MW values must be whole numbers.

#### 1.4.4.2 15-Minute Transaction Bid Curves

Certain Real-Time Market transaction bids have the option to provide either a single bid curve that will be applicable to the entire hour or individual 15-minute bid curves for each of the four quarter hours. When electing the 15-minute bid curves feature, users must specify a valid bid curve for each of the four quarter hours. Users must specify an Energy Profile MW value for each bid curve provided.

The 15-minute bid curve feature is available for Real-Time Market transaction bids. The feature cannot be used with Day Ahead Market transaction bids. The 15-minute bid curve feature is available to use for Real-Time Market Bids with a Real Time Market Bid Schedule Type of 15-Min LBMP or 15-Min CTS. Real-Time Market transaction bids designated for hourly evaluation are not eligible to use the 15-minute bid curve feature. The 15-minute bid curve feature is available at any proxy bus that supports 15-minute transaction scheduling.

When using the 15-minute bid curve feature the user must designate one of the four bid curves as the default bid curve to be used in the event that 15-minute scheduling is disabled. The NYISO will evaluate these bids on an hourly basis using the default bid curve designated by the MP while 15-minute scheduling is disabled.

## 1.5 NERC E-Tag

An E-Tag contains important details concerning external energy transactions. An E-Tag must be created by a Market Participant (MP) for each External Transaction, including all imports to the NYISO, exports from the NYISO, and wheels-through the NYISO. In this Technical Bulletin, the party who writes or submits E-Tags is referred to as the Purchasing Selling Entity (PSE). E-Tags are maintained in a centralized database and administered by a Tagging Authority. Balancing Authorities and Market Participants have electronic access to the E-Tags and the data they contain for their creation, update, and viewing through the Tagging Authority. The centralized database of E-Tags also automatically notifies relevant Balancing Authorities each time an E-Tag is created or modified. Balancing Authorities, including the NYISO, use this database to retrieve the information associated with E-Tags. In limited cases, a Balancing Authority may modify the information associated with an E-Tag. Balancing Authorities also approve or deny a proposed transaction based on the information contained in that transaction's E-Tag.

Each E-Tag is identified by a unique E-Tag Identifier. The E-Tag Identifier contains:

- Source Balancing Authority Entity (SCA) Code - the Balancing Authority in which the source is located or energy is purchased from. For transactions originating in NY, the Source Balancing Authority Code is "NYIS".
- PSE Code (Tag Author PSE) - the Purchasing/Selling Entity who is writing and submitting the Tag to the Tag Authority
- Unique transaction identifier (e-Tag Code/Unique #) - 7 Character code used as part of the Tag ID to identify a transaction
- Sink (Receiving) Balancing Authority Entity (RCA) Code - the receiving Balancing Authority in which the load is located, or where the energy is imported into. For transactions delivered into NY, the Sink Balancing Authority Code is "NYIS".

### 1.5.1 NYISO Bid/Offer

For each proposed External Transaction involving the NYISO, an hourly bid to purchase energy or offer to sell energy must exist in the JESS. In some cases the hourly bid/offer is created automatically; in other cases a Market Participant must create the bid/offer. Among the data required in the bid/offer is an E-Tag Identifier. The E-Tag Identifier provides a unique and unambiguous link between the bid/offer submitted to the NYISO and the E-Tag created by the PSE. Note that the SCA and RCA components of the E-Tag Identifier are not necessarily the same as the source and sink values of the bid/offer in the NYISO's MIS. Nevertheless, the MIS bid/offer and the E-Tag contain some common information. This common data must be separately provided to the bid/offer in the MIS and the E-Tag.

The associated E-Tag for a Real-Time External Transaction must be submitted no later than seventy-

five minutes prior to the scheduling hour in order to be evaluated for that scheduling hour in the Real-Time Market. Each time an External Transaction bid/offer is submitted or updated in the MIS, it will be checked for a valid corresponding E-Tag. All External Transaction bids in the MIS will have a current E-Tag status which designates the state of the last E-Tag check. The MIS E-Tag status on an MIS bid/offer will be one of the following:

- Pending – This indicates that a successful E-Tag check has not yet taken place between NYISO and the tagging authority
- Valid – This indicates that a successful E-Tag check has occurred and the E-Tag Energy Profile MW is equal to or greater than the MIS bid/offer Energy Profile MW for the upcoming dispatch hour
- Invalid – This indicates that a successful E-Tag check has occurred but the E-Tag does not match the MIS bid/offer

If, at the time of the hourly market close (i.e. seventy-five minutes in advance of the dispatch hour), a transaction bid/offer has an E-Tag status of “Invalid” or “Pending”, then the transaction bid’s bid status will be marked as “Validation Failed”, the transaction bid/offer will not be evaluated in the Real-Time Market for that hour, the transaction bid/offer will not receive a schedule from the NYISO, and the transaction bid/offer will not flow. In the event the NYISO is unable to verify the existence of a NERC E-Tag due to technical issues, the NYISO bid validation rules will assume that the Market Participant has properly submitted the E-Tag and will allow the MIS transaction bid/offer to be economically evaluated by the scheduling software.

### **1.5.2 Scheduling in NYISO**

The NYISO uses a two-step process, evaluation and checkout, to schedule External Transactions. The evaluation step, performed during the Real-Time Commitment (RTC) process, determines whether a proposed transaction meets economic criteria established by the Market Participant and honors all relevant capacity and ramp limitations. A transaction may pass the evaluation step whether or not information in the E-Tag is consistent with results of the evaluation. Upon passing the evaluation step, a transaction is given a MIS status of “advisory accepted.”

After an MIS schedule is posted from the evaluation step, the E-Tag is updated to reflect that MIS schedule if that schedule differs from the E-Tag’s Energy Profile. For hourly transaction schedules, this will typically occur approximately 30 – 45 minutes prior to the dispatch hour. E-Tags corresponding to hourly transaction schedules will have the Energy Profile values updated to match the schedule from the RTC15 run that scheduled the hourly transaction. For intra-hour transaction schedules at Variably Scheduled

Proxy Generator Buses, this will typically occur approximately 5-15 minutes prior to the dispatch interval. E-Tags corresponding to intra-hour (15 minute) transaction schedules will have its Energy Profile MW values updated if necessary for at least 3 RTC time steps 1-3 and at most 6 RTC timesteps 1-6. The number of RTC timesteps will depend on which RTC run is providing the data as illustrated in the tables below.

**Table 1-3 RTC Timesteps**

### Intra-Hourly Schedules (15min)

RTC Timestep		1	2	3	4	5	6	7	8	9	10	
RTC run time	RTC run	aa:30	aa:45	bb:00	bb:15	bb:30	bb:45	cc:00	cc:15	cc:30	cc:45	dd:00
aa:00 - aa:15	RTC15	X	X	X	X	X	X					
aa:15 - aa:30	RTC30		X	X	X	X	X					
aa:30 - aa:45	RTC45			X	X	X	X					
aa:45 - bb:00	RTC00				X	X	X					
bb:00 - bb:15	RTC15					X	X	X	X	X	X	
bb:15 - bb:30	RTC30						X	X	X	X	X	
bb:30 - bb:45	RTC45							X	X	X	X	
bb:45 - cc:00	RTC00								X	X	X	

### Hourly Schedules

RTC Timestep		1	2	3	4	5	6	7	8	9	10	
RTC run time	RTC run	aa:30	aa:45	bb:00	bb:15	bb:30	bb:45	cc:00	cc:15	cc:30	cc:45	dd:00
aa:00 - aa:15	RTC15			X	X	X	X					
aa:15 - aa:30	RTC30											
aa:30 - aa:45	RTC45											
aa:45 - bb:00	RTC00											
bb:00 - bb:15	RTC15							X	X	X	X	
bb:15 - bb:30	RTC30											
bb:30 - bb:45	RTC45											
bb:45 - cc:00	RTC00											

"X" denotes timesteps that may be updated to match their MIS schedules

During the checkout step, which follows the evaluation step, the NYISO verifies that the transaction is acceptable to all relevant Balancing Authorities, and that the information in the transaction's E-Tag is consistent with the results of the evaluation step. Since Market Participants must enter redundant data in the bid/offer and in E-Tag, care must be taken to assure consistency prior to checkout. Upon passing the checkout step, the transaction is given a MIS status of "accepted" and the transaction will flow. If the NYISO

checkout step results in changes to the requested transaction's MIS schedule, the NYISO automatically creates curtailment requests to ensure that the E-Tag reflects the MIS schedule. The mechanism used during the checkout step to update an E-Tag is also used to update an E-Tag when an in-hour curtailment is applied.

### **1.5.3 E-Tag Request**


Each time an E-Tag is created or modified by a PSE, a notification is automatically sent to all relevant parties of the E-Tag (e.g., a Balancing Authority or a Market Participant). That notification is called an E-Tag Request. Balancing Authorities may respond to an E-Tag Request in one of three ways:

- APPROVE – The Balancing Authority has actively agreed to implement the request.
- STUDY – The Balancing Authority has actively decided to defer its decision to approve or deny until a later time within its approval window, but wishes to communicate its acknowledgement of the request.
- DENY – The Balancing Authority, either actively or passively, has decided not to implement the request.


Market Participants may respond to E-Tags in two ways – CREATE (including CORRECTIONS) or ADJUST. CREATE refers to the process by which PSEs submit E-Tags. ADJUST is the process by which PSEs may change values in the E-Tag. Any changes to the E-Tag Energy Profile MW (including new tags or withdrawal of an existing tag) that are initiated by the PSE after the hourly market close will be denied. Note that changes initiated by Balancing Authorities (BA) will not be automatically denied. The timelines for each of these actions are depicted below:




**Figure 1-4 E-Tagging Timeline - DAM**



**Figure 1-5 E-Tagging Timeline - RTM Intra-Hourly Schedules**



**Figure 1-6 E-Tagging Timeline - RTM Hourly Schedules**



**Note:** These timings do not reflect the NERC TLR timings for e-Tags.

All OATI E-Tags created by PSEs shall be no longer than 31 days due to an OATI limit on E-Tag updates.

If a new E-Tag is submitted with a duration longer than 31 days it will be DENIED. If an existing E-Tag is adjusted, and the adjustment makes an E-Tag longer than 31 days, that adjustment shall be DENIED.

If an E-Tag has more than 2,995 updates (near the OATi limit of E-Tag updates of 3,000), the E-Tag Energy Profile MW will be curtailed 0MW for its remaining duration by the NYISO.

#### 1.5.4 NYISO Response to an E-Tag Request

The NYISO's response to an E-Tag Request (APPROVE, STUDY, or DENY) depends on two criteria (i) the alignment of future hours of the E-Tag's energy profile with the NYISO real-time processes, and (ii) whether information in the associated E-Tag is consistent with information in the MIS bid/offer. The specific reason behind why the NYISO issues any of these responses (APPROVE, STUDY, or DENY) is provided to customers through the "Reason" field of the E-Tag. A single E-Tag can specify a transaction period of one hour to many days. Upon receipt of an E-Tag Request, the NYISO compares each upcoming hour of the E-Tag to the matching MIS bid/offer for consistency. Any upcoming hour of the transaction specified in an E-Tag may be:

- Prior to the close of the hourly Real-Time Market, that is, more than 75 minutes before the transaction is to flow (prior to T-75).
- After close of the hourly Real-Time Market but before the checkout period begins. The checkout period nominally begins 40 minutes before the transaction is to flow (after T-75 but before approximately T-40).
- After the checkout period begins but before the checkout period ends. The checkout period ends 20 minutes before the transaction is to flow (after approximately T-40 but before T-20).
- After the checkout period ends (after T-20).

The consistency check compares the schedule and transaction type for upcoming hours of the E-Tag's proposed transaction with those hours of the bid/offer. The E-Tag is consistent with the bid/offer for a particular hour if the bid/offer MWs for each quarter hour is less than or equal to the E-Tag energy profile and the E-Tag transaction type matches the type allowed for intra-hour transaction scheduling. See below for a chart of allowable transaction types. If the schedules and/or transaction type differ for an hour, or if the bid/offer does not yet exist for that hour, the E-Tag is not consistent with the bid/offer for that hour.

**Table 1-4 E-Tag Transaction Type Table**

Proxy Generator Bus	E-Tag Transaction Type	
	Hourly Bid Type	Intra-hour Bid Type
<b>Hydro Quebec</b>		
HQ_GEN_IMPORT	NORMAL	DYNAMIC
HQ_LOAD_EXPORT	NORMAL	DYNAMIC
HQ_GEN_CEDARS_PROXY	NORMAL	Not Currently Available
HQ_LOAD_CEDARS_PROXY	NORMAL	Not Currently Available
HQ_GEN_WHEEL	NORMAL	Not Currently Available
HQ_LOAD_WHEEL	NORMAL	Not Currently Available
<b>PJM</b>		
PJM_GEN_KEYSTONE	NORMAL	NORMAL
PJM_LOAD_KEYSTONE	NORMAL	NORMAL
PJM_GEN_NEPTUNE_PROXY	NORMAL	NORMAL
PJM_LOAD_NEPTUNE_PROXY	NORMAL	NORMAL
PJM_GEN_VFT_PROXY	NORMAL	NORMAL
PJM_LOAD_VFT_PROXY	NORMAL	NORMAL
PJM_HTP_GEN	NORMAL	NORMAL
HUDSONTP_345KV_HTP_LOAD	NORMAL	NORMAL
<b>ISO New England</b>		
N.E._GEN_SANDY_POND	NORMAL	Not Currently Available
NE_LOAD_SANDY_PD	NORMAL	Not Currently Available
NPX_GEN_CSC	NORMAL	Not Currently Available
NPX_LOAD_CSC	NORMAL	Not Currently Available
NPX_GEN_1385_PROXY	NORMAL	Not Currently Available
NPX_LOAD_1385_PROXY	NORMAL	Not Currently Available
<b>Ontario</b>		
OH_GEN_PROXY	NORMAL	Not Currently Available
OH_LOAD_PROXY	NORMAL	Not Currently Available

It is important to note that an E-Tag with a 0 MW energy profile for an hour(s) will be placed in study, since the MIS does not permit 0 MW transaction bids. In this case, the absence of a bid in the MIS that corresponds to an E-Tag with a 0 MW energy profile will result in the E-Tag being given a status of Study, and it will be passively denied within the OATI system if the E-Tag is not corrected within the applicable

study window.

**Table 1-5 E-Tag Request Criteria**

<b>E-Tag schedule hour (T)</b> An E-Tag Request for a new schedule or schedule change for hour T that is received:	<b>NYISO evaluation of the E-Tag schedule hour</b> The NYISO will respond to the E-Tag request for a new schedule or a change in schedule for hour T depending on results of the consistency check.
<b>Before T-75 (including DAM)</b>	Consistent: <b>APPROVE</b> Not consistent: <b>STUDY</b>
<b>After T-75 and before T-20</b>	Consistent: <b>DENY</b> Not consistent: <b>DENY</b> Any changes to the E-Tag that cause the state to be study and aren't corrected by T-75 will be DENIED. Any changes to the E-Tag Energy Profile MW (including new tags or withdrawal of an existing tag) that are initiated by the PSE after T-75 will be DENIED. In the event that RTC or the real-time transaction checkout process results in a transaction schedule less than the full amount requested, the NYISO will modify the bid/offer to reflect the amount scheduled; and will curtail the E-Tag schedule to match the schedule associated with the MIS bid/offer. The NYISO sets the bid/offer schedule for hour T to zero for any transaction that fails real-time checkout or fails to be bid scheduled in the real-time process. In the event the NYISO is unable to verify the existence of a NERC E-Tag due to technical issues, NYISO schedules may be approved by the NYISO scheduling process even when those schedules contain a NERC TagID that does not correspond to any E-Tag in OATI. If a matching E-Tag has not been implemented at least 20 minutes prior to flow, the NYISO's Operators will cut the transaction in MIS (and it will fail inter-Balancing Authority checkout), unless the Operators determine that (a) the transaction is likely to flow if scheduled, and (b) cutting the transaction would significantly impair reliability. A Market Participant that fails to get a matching E-Tag implemented at least 20 minutes prior to flow will be subject to Financial Impact Charges for transactions that do not flow. In special cases, when requested by a neighboring Balancing Authority, and when sufficient time permits, a transaction that failed checkout may be reinstated in an attempt to make the bid/offer consistent with the E-Tag.
<b>After T-20</b>	Consistent: <b>DENY</b> Not consistent: <b>DENY</b> NERC categorizes requests received less than 15 minutes prior to the start of the interchange ramp (typically 20 minutes prior to the start of the operating hour) as "late." The NERC "late" categorization is irrelevant to the NYISO scheduling mechanisms.

E-Tag requests that span multiple hours will be given as an overall status the worst rating of each of its hours. For example, if some hours would have been assigned a status of APPROVED but other hours would

have been assigned a status of STUDY or DENIED, then the entire E-Tag Request will be given the status STUDY or DENIED.

E-Tags in the Study state will default to “passively denied” within the OATI system (this is not a NYISO MIS function) if the discrepancies are not corrected by the MP within the applicable Study window.

Transactions that are passively denied within the OATI system will not flow.

#### 1.5.4.1 Examples

Each of the following examples describes transactions that involve the NYISO. Examples 1 through 3 describe transactions that occur prior to T -75. Examples 4 through 7 describe transactions that occur after T -75. These examples use MW values from the MIS that are the Real-Time Market (RTM) bid MW values. Although Tagging Authorities are not explicitly mentioned in these examples, it is assumed that after a PSE creates the E-Tag the Tagging Authority sends the relevant E-Tag request to the NYISO.

**Table 1-6 E-Tag Examples**

<b>E-Tag Schedule Hour</b>	<b>Scenario</b>	<b>Resolution</b>
<b>Before T -75 (including DAM)</b>	1. In the DAM, a PSE creates an E-Tag prior to Hour 5 (DAM close) with a MW profile of 100MW.	The E-Tag request is approved and the PSE may ADJUST the MW profile after the DAM posts at 11AM, but not later than 10 PM.
	2. In-Day, a PSE creates an E-Tag with an energy profile of 100 MW before T -75. A corresponding bid exists in the MIS.	The request is APPROVED by the NYISO because the bid matches the request.
	3. A PSE creates an E-Tag with an energy profile of 75 MW. A bid exists in the MIS for 100 MW.	The request is placed in STUDY by the NYISO because the energy profiles do not match. Provided that the E-Tag is corrected within the applicable study window, the transaction is scheduled at 100 MW. However, if the E-Tag is not corrected prior to T-75, the MIS bid will fail validation and will not be evaluated.
<b>After T - 75 (RTM Close)</b>	4. After RTM close, a PSE creates an E-Tag with an energy profile of 100 MW. A corresponding bid exists in the MIS for 100 MW.	All E-Tag requests submitted/updated by the PSE subsequent to T-75 are DENIED.
	5. A PSE creates an E-Tag with an energy profile of 75 MW. The corresponding MIS bid is for 100 MW.	All E-Tag requests submitted/updated by the PSE subsequent to T-75 are DENIED.

<b>E-Tag Schedule Hour</b>	<b>Scenario</b>	<b>Resolution</b>
	<p>6. After RTM close, a PSE updates an E-Tag with an energy profile MW that no longer matches the bid/offer that was in the MIS at the time of RTM close.</p>	<p>All E-Tag requests submitted/updated by the PSE subsequent to T-75 are DENIED.</p>

NERC rules do not permit E-Tags to default to Passive Approval from Study in the OATI system. The default E-Tag state is Passive Denial. Market Participants must actively correct either their MIS Transaction bid or their NERC E-Tag, as appropriate, before NYISO’s RTM Close, so that the NYISO and other Balancing Authorities may actively approve the E-Tag request.

## 2. NYISO User Access to the JESS Application

This section of the JESS User Guide provides information for NYISO Market Participant users accessing the JESS application. ISO-NE Market Participant users accessing the JESS application should refer to Section 3 of this JESS User Guide.

The JESS application is accessed by navigating to the JESS application login located on the NYISO Market Access Login page at:

<https://www.nyiso.com/market-access-login1>

### 2.1 User Roles

For information related to user roles please see Section 7 of the *Market Participants User Guide* (MPUG) available from the NYISO Web site at the following URL:

<https://www.nyiso.com/manuals-tech-bulletins-user-guides>

### 2.2 User Details

For information related to user details please see section 6.2.7 of the *Market Participants User Guide* (MPUG) available from the NYISO Web site at the following URL:

<https://www.nyiso.com/manuals-tech-bulletins-user-guides>

#### 2.2.1 Change Password

For information related to changing your password please see section 6.2.2 of the *Market Participants User Guide* (MPUG) available from the NYISO Web site at the following URL:

<https://www.nyiso.com/manuals-tech-bulletins-user-guides>

#### 2.2.2 Organization Details

For information related to organization details please see sections 6.2.2, 6.2.3, 6.2.4, 6.2.5, and 6.2.6 of the *Market Participants User Guide* (MPUG) available from the NYISO Web site at the following URL:

<https://www.nyiso.com/manuals-tech-bulletins-user-guides>

### 2.3 Digital Certificates

All users must have a NAESB compliant digital certificate linked to their MIS user name in order to access NYISO applications.

For instructions on obtaining and using a NAESB compliant digital certificate refer to section 4.4 of the *NYISO Market Participant User's Guide* (MPUG), available from the NYISO Web site at the following URL:

<https://www.nyiso.com/manuals-tech-bulletins-user-guides>

**Note:** Digital certificates are not application-specific. If the user already has an active certificate in conjunction with other NYISO secured systems, that same certificate can be used to access JESS, assuming appropriate system use privileges are in place.

In addition to having a NAESB compliant digital certificate, those representatives of the MP organization who require access to this application must also be assigned via MIS the JESS-specific privilege appropriate to their role.

## **2.4 NYISO User Customer Support**

### **2.4.1 Contacting NYISO Stakeholder Services**

Stakeholder Services help desk is available to address any JESS bidding and scheduling inquiries:

8:00 a.m. until 5:00 p.m., Monday through Friday

Phone: 518-356-6060

E-mail: stakeholder\_services@nyiso.com

Fax: 518-356-7572

The Help Desk telephone will be answered 24-hours-a-day to address urgent, real-time issues, such as problems with access to JESS.

### **2.4.2 Real-Time Curtailments Support**

Customers currently receive e-mail notification of transactions that have been curtailed in real-time by the Interchange Scheduler Plus (IS+). These notifications provide the reason for the curtailment. More detailed information about real-time interface conditions is posted on the NYISO Web site at <http://mis.nyiso.com/public/htm/OperMessages/CurrentOperMessages.htm#disp>

Urgently needed clarification about real-time curtailments is available from the Operations Department 24-hours-a-day at 518-356-7540. This telephone number is for real-time curtailment inquiries only; all other requests will be directed to the Stakeholder Services Help Desk 518-356-6060.

The real-time curtailment telephone line will be answered unless system conditions are such that all operators are otherwise engaged. In that event, the telephone line will be answered with a message that no operators are available. The caller can either try again within a few minutes or call the Stakeholder Services Help Desk line 518-356-6060.



### 3. ISO-NE User Access to the JESS Application

ISO-NE users may be granted access the JESS application. This access will be made available to ISO-NE Market Participants for use in conjunction with scheduling external energy transactions at the CTS enabled proxy bus with ISO-NE, *i.e.*, Sandy Pond.

Within the JESS application the ISO-NE Market Participant organization is referred to as the “Non-NYISO FRP.” The NYISO Market Participant organization is referred to as the “NYISO FRP.”

ISO-NE users will be granted access the JESS application as a function of their participation in the ISO-NE market. ISO-NE will provide the NYISO with a list of authorized users, the role for each user, organization, contact information, and associated details.

The JESS application is accessed by navigating to the JESS application login located on the NYISO Market Access Login page at:

<https://www.nyiso.com/market-access-login1>

#### 3.1 ISO-NE User Roles

ISO-NE users may access the JESS application using either a *Manage* or *View* role.

The *Manage* role will authorize users to execute functions within the JESS application including submitting and deleting Bids and contracts, confirming Bids, and the administration of trust relationships.

The *View* role will authorize users to be able to review Bid and contract related information in the JESS application. The *View* role will not allow users to execute any functions to modify transaction related data within the JESS application.

#### 3.2 ISO-NE User Digital Certificates

ISO-NE users must have a valid ISO-NE digital certificate that will be used as part of the authentication process for accessing the JESS application. This digital certificate is separate and distinct from the digital certificate issued by the NYISO, which is required for users to access the JESS application as a NYISO MP. This digital certificate is obtained through ISO-NE.

#### 3.3 ISO-NE User Password Management

ISO-NE users will be required to provide a password to access the JESS application. This requirement is in addition to the requirement to present a valid digital certificate issued by ISO-NE.


ISO-NE users will create the password used to access the JESS application through a process administered by the NYISO within the NYISO Self-Service Account Management (SSAM) application. ISO-

NE users should access the SSAM application by navigating to the SSAM application login located on the NYISO Market Access Login page at:

<https://www.nyiso.com/market-access-login1>

Once in the SSAM application, if prompted, ISO-NE users should select their digital certificate issued by ISO-NE and then follow the prompts to create a password for use with their digital certificate. A new password is required each time the ISO-NE user’s digital certificate expires and a new digital certificate is being established.

**Figure 3-1 Change Password**



NYISO Account Services

## Change Password

**Change Existing Password**

Please note, user profile changes may not register with NYISO systems immediately. Please allow up to 10 minutes for changes to become effective.

Your password must meet the following criteria:

- Must be between 8 and 18 characters
- Must contain at least one letter, one number, and one special character (e.g., !#\$%()+,-./:;<=>?\_)

If you are a first time user and need to create a password, or an existing user who has forgotten their password, click the button below.

**Create or Reset Password**

**User Name**  
Sample User (1234) ⓘ

**Current Password**  
Current Password

**New Password**  
New Password

**Confirm New Password**  
Confirm New Password

**Change Password**

©2015 New York Independent System Operator (NYISO) | ALL RIGHTS RESERVED

To create a password select the “Create or Reset Password” option and follow the on screen instructions. This process will generate a PIN number that will be sent to the user and the user will enter to establish a password. The user will be prompted to select a phone number and a delivery method which will be used to send the PIN. Note that the user must have a valid phone number registered with ISO-NE to establish a password. The user may select to have the PIN delivered via either an SMS text message or an automated voice message delivered to the phone number.

Users whose ISO-NE digital certificate has expired, and are establishing a new digital certificate, should use the process for creating an initial password.

Users who have forgotten their password should use the process for creating an initial password to reset a forgotten password.

Users who would like to change their password and already know their existing password may use a different process that does not require a PIN. Instead they may enter their current password, enter a new password, confirm the new password and then click on the “Change Password” button on the screen.

### **3.4 ISO-NE User Customer Support**

ISO-NE users accessing JESS as ISO-NE Market Participants should contact ISO-NE with any inquiries.


## 4. Operator/User Actions

### 4.1 Contracts

#### 4.1.1 Searching for Contracts

After logging into JESS the system will auto search and display the first 25 contracts you have access to. This search will not apply specific search criteria.

**Figure 4-1 Contracts Search Screen**



Logged in as: DEMO USER | Manage Trusts | Upload/Download | Visit Marketplace | Logout

**Joint Energy Scheduling System** | ISO NEW YORK INDEPENDENT SYSTEM OPERATOR

Contracts | Bids

Contract Search Results (31) | Create Contract | Show/Hide Columns

ID	Source	Sink	User Ref	Non-NYISO FRP	GIS ID	Assigned Contact User	Action(s)
100002	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
100003	NIAGARA___	NE_LOAD_SANDY PD	Sample User Ref	ISONE Org 4	GIS4	Sample User	Action(s)
100004	NIAGARA___	NE_LOAD_SANDY PD	Sample User Ref	ISONE Org 5	GIS5	Sample User	Action(s)
100005	ST LAWRENCE___	NE_LOAD_SANDY PD	Sample User Ref	ISONE Org 6	GIS6	Sample User	Action(s)
100006	ST LAWRENCE___	NE_LOAD_SANDY PD	Sample User Ref	ISONE Org 7	GIS7	Sample User	Action(s)
100007	ST LAWRENCE___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
100008	ST LAWRENCE___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
100009	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000010	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000011	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000012	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000013	ST LAWRENCE___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000014	ST LAWRENCE___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000015	ST LAWRENCE___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000016	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)

Search Contracts

Transaction ID:

Transaction Type:

Source:

Sink:

User Ref:


reset search

Actions for Selected: Delete Reassign | Page 1 of 2 | Displaying 1 - 25 of 31

© 1999 - 2015 New York Independent System Operator. All Rights Reserved.

To submit a new search, add one or more criteria using the right panel of the screen. When you are finished adding the search criteria press the Search Button.

**Figure 4-2 Contracts Search Screen – Results**



The system will return contracts that meet your search criteria.

In the event that no contracts return using the search criteria, please revise your search parameters and press the Search Button. A result of zero contracts is not an error.

#### 4.1.2 Reassigning Contracts


Once you have successfully searched for contracts (see Searching Contracts) and there are results on the screen you can reassign one or more contracts.

Reassigning the contract changes the designated point of contact who will receive information, including notices of transaction curtailments, to the user who has selected this option. The reassignment of a contract can only be executed by a user who is a member of the NYISO FRP designated on the contract. ISO-NE users do not have the ability to reassign a contract.

To reassign one or more contracts, click the check box to the left of each contract. Once you have selected one or more contracts you can click the Reassign Button located at the bottom left of the screen.

**Note:** If you do not see a checkbox next to a contract you do not have sufficient privileges to reassign that contract.

**Figure 4-3 Reassigning Contracts Screen**



Alternatively, you can reassign a contract by using the action menu for each contract. If you have sufficient privileges you will see this as an option within the drop down menu.

#### 4.1.3 Delete a Contract


Once you have successfully searched for contracts (see Searching Contracts), and there are results on the screen, you can delete one or more contracts.

To delete contracts, click the check box to the left of each contract you wish to delete. Once you have selected one or more contracts you can click the Delete Button located at the bottom left of the screen.

**Note:** If you do not see a checkbox next to a contract you do not have sufficient privileges to delete that contract.



**Figure 4-4 Deleting a Contract Screen**




Alternatively, you can delete a contract by using the action menu for each contract. If you have sufficient privileges you will see this as an option within the drop down menu.

#### 4.1.4 Create a Contract

Click on the Create Contract Button.

**Figure 4-5 Creating a Contract Screen**



Supply the required fields for creating a contract and click the Save Button.

Notes:

Transaction contracts specifying a CTS Enabled Proxy Bus with ISO-NE as either the source or sink must include both a NYISO FRP and a Non-NYISO FRP for the contract.


When a NYISO MP creates this type of contract they must specify an ISO-NE organization as the Non-NYISO FRP for the contract. The NYISO FRP for this contract, as with all contracts at any of the proxies, will be the organization of the user that creates the contract.

When an ISO-NE MP creates a contract they must specify a NYISO organization as the NYISO FRP for the contract. The Non-NYISO FRP for this contract will be the ISO-NE organization of the user that creates the contract.


Contracts that do not include a CTS Enabled Proxy Bus with ISO-NE will not have the option to specify a Non-NYISO FRP.

Contracts that do not specify a CTS Enabled Proxy Bus with ISO-NE will not have the option to provide a GIS Identifier.

**Figure 4-6 Entering Contract Details Screen**



Logged in as: DEMO USER Manage Trusts Upload/Download Visit Marketplace Logout

**Joint Energy Scheduling System**  NEW YORK INDEPENDENT SYSTEM OPERATOR

Dashboard > Bidding

---

**Contract Details** *In Progress*

Transaction Type: External LBMP Multi-Hour Block Transaction: No

Source: NYISO\_LBMP\_REFERENCE Sink: NE\_LOAD\_SANDY PD User Ref: Demo User Ref

Non-NYISO FRP: Great Bay Energy IV, LLC - 89257 (PRGBE4)

GIS: MyGISID

---

**New Bid**

Submit Transaction Contract to continue...


© 1999 - 2015 New York Independent System Operator. All Rights Reserved.



If a contract with the same details already exists the system will automatically return it to you without creating a new contract.


The system will give you the opportunity to create one or more Bids off of this contract (see Create a Bid).

**Figure 4-7 Contract Details Screen**



Logged in as: DEMO USER Manage Trusts Upload/Download Visit Marketplace Logout

---

**Joint Energy Scheduling System**  NEW YORK INDEPENDENT SYSTEM OPERATOR

Dashboard > Bidding

---

**Contract Details** *New Contract created*

**Transaction ID:** 12010232 You are receiving curtailment notifications for this Contract.

**Source:** NYISO\_LBMP\_REFERENCE **Sink:** NE\_LOAD\_SANDY PD

**User Reference:** DEMO USER REF **Multi-Hour Block Transaction:** No

**NYISO FRP:** (1234) New York ISO MP

**Non-NYISO FRP:** (89257) Great Bay Energy IV, LLC - 89257 (PRGBE4)

**GIS:** MyGISID

*In Progress*

---

**New Bid**

**Bid Date:**

**Num Hours:**

**Market:**

**Schedule Type:**

**NERC Tag:**

**Curve Time Frame:** n/a **Energy Profile MW:**  **RTM Bid Price:**

Point	1	2	3	4	5	6	7	8	9	10	11
MW	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
\$ Price:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

---


© 1999 - 2015 New York Independent System Operator. All Rights Reserved.

## 4.2 Bids

### 4.2.1 Searching for Bids

When you click on the Bids Tab the system will automatically display the first 50 Bids of the current day.

**Figure 4-8 Bids Search Screen**



Logged in as: DEMO\_USER | Manage Trusts | Upload/Download | Visit Marketplace | Logout

**Joint Energy Scheduling System**

Contracts | Bids

**Bid Search Results (136)** Create Bid Show/Hide Columns

Transact...	Date HR	Market	Source	Sink	Bid Status	Confirmations				Action(s)
						NYIS...	Non-...	Buyer	Seller	
100001	07/06/2015 00:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100002	07/06/2015 00:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100003	07/06/2015 00:00 ...	DAM	ST LAWRENCE...	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100004	07/06/2015 00:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100005	07/06/2015 01:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100006	07/06/2015 01:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100007	07/06/2015 01:00 ...	DAM	ST LAWRENCE...	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100008	07/06/2015 01:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100009	07/06/2015 02:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100010	07/06/2015 02:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100011	07/06/2015 02:00 ...	DAM	ST LAWRENCE...	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100012	07/06/2015 02:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100013	07/06/2015 03:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
100014	07/06/2015 03:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)

Actions for Selected: Delete Confirm Unconfirm | Page 1 of 3 | Displaying 1 - 50 of 136

© 1999 - 2015 New York Independent System Operator. All Rights Reserved.

**Search Bids**

Start Date: 07/06/2015 00:00 EDT

End Date: 07/06/2015 23:00 EDT

Market: DAM

Bid Schedule Type: Hourly LBMP

NERC Tag: SCA, PSE, Unique #, RCA


Contract Filters: Transaction ID, User Ref, Transaction Type, Source, Sink

Status Filters: Bid Status, NERC Tag Status

reset search

To submit a new search, add one or more criteria using the right panel of the screen. When you are finished adding the search criteria press the Search Button.

**Figure 4-9 Bids Search Screen – Results**



The system will return Bids that meet your search criteria.


In the event that no Bids return using the supplied search criteria please revise your search parameters and press the Search Button. A result of zero Bids is not an error.

#### **4.2.2 Search for Current Day's Bids from a Contract**

Once you have successfully searched for contracts (see [Searching for Contracts](#)) and there are results on the screen you can view Bids associated with any of the displayed contracts.

Using the Action menu for any contract on the screen, select the View Today's Bids menu item.

**Figure 4-10 Viewing Bids from Contracts Screen**



Logged in as: DEMO\_USER | Upload/Download | Visit Marketplace | Logout

**Joint Energy Scheduling System**

Contracts | **Bids**

**Contract Search Results (47)** [Create Contract](#)


ID	Source	Sink	User Ref	Last Update User	Last Update	Type	Action(s)
100002	SAMPLE_SOURCE_GEN	SAMPLE_SINK_BUS	SAMPLE_USERREF	SAMPLE_UPDATEREF	01/01/2014 11:11 EST	Transaction	Action(s)
100003	SAMPLE_SOURCE_GEN	SAMPLE_SINK_BUS	SAMPLE_USERREF	SAMPLE_UPDATEREF	01/01/2014 11:12 EST	Transaction	Action(s)
100004	SAMPLE_SOURCE_GEN	SAMPLE_SINK_BUS	SAMPLE_USERREF	SAMPLE_UPDATEREF	01/01/2014 11:13 EST	Transaction	Action(s)
100005	SAMPLE_SOURCE_GEN	SAMPLE_SINK_BUS	SAMPLE_USERREF	SAMPLE_UPDATEREF	01/01/2014 11:14 EST	Transaction	Action(s)
100006	SAMPLE_SOURCE_GEN	SAMPLE_SINK_BUS	SAMPLE_USERREF	SAMPLE_UPDATEREF	01/01/2014 11:15 EST	Transaction	Action(s)
100007	SAMPLE_SOURCE_GEN	SAMPLE_SINK_BUS	SAMPLE_USERREF	SAMPLE_UPDATEREF	01/01/2014 11:16 EST	Transaction	Action(s)
100008	SAMPLE_SOURCE_GEN	SAMPLE_SINK_BUS	SAMPLE_USERREF	SAMPLE_UPDATEREF	01/01/2014 11:17 EST	Transaction	Action(s)
100009	SAMPLE_SOURCE_GEN	SAMPLE_SINK_BUS	SAMPLE_USERREF	SAMPLE_UPDATEREF	01/01/2014 11:18 EST	Transaction	Action(s)
100010	SAMPLE_SOURCE_GEN	SAMPLE_SINK_BUS	SAMPLE_USERREF	SAMPLE_UPDATEREF	01/01/2014 11:19 EST	Transaction	Action(s)
100011	SAMPLE_SOURCE_GEN	SAMPLE_SINK_BUS	SAMPLE_USERREF	SAMPLE_UPDATEREF	01/01/2014 11:20 EST	Transaction	Action(s)

Actions for Selected: [Delete](#) [Reassign](#) | Page 1 of 2 | Displaying 1 - 25 of 47

© 1999 - 2014 New York Independent System Operator. All Rights Reserved.

This will automatically create a search using the contract’s Transaction ID and the current day as the date range.

**Figure 4-11 Viewing Bids from Contracts Screen – Results**



**Joint Energy Scheduling System**

Logged in as: DEMO\_USER | Manage Trusts | Upload/Download | Visit Marketplace | Logout

**Contracts** | **Bids**

**Bid Search Results (136)** | Create Bid | Show/Hide Columns

	Transact...	Date HR	Market	Source	Sink	Bid Status	Confirmations				Action(s)
							NYIS...	Non-...	Buyer	Seller	
<input type="checkbox"/>	100001	07/06/2015 00:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100002	07/06/2015 00:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100003	07/06/2015 00:00 ...	DAM	ST LAWRENCE...	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100004	07/06/2015 00:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100005	07/06/2015 01:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100006	07/06/2015 01:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100007	07/06/2015 01:00 ...	DAM	ST LAWRENCE...	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100008	07/06/2015 01:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100009	07/06/2015 02:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100010	07/06/2015 02:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100011	07/06/2015 02:00 ...	DAM	ST LAWRENCE...	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100012	07/06/2015 02:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100013	07/06/2015 03:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)
<input type="checkbox"/>	100014	07/06/2015 03:00 ...	DAM	NIAGARA___	NE_LOAD_SAN...	BID ACCEPTED	Y	Y	Y	Y	Action(s)

Actions for Selected:    | Page 1 of 3 | Displaying 1 - 50 of 136

© 1999 - 2015 New York Independent System Operator. All Rights Reserved.


### 4.2.3 Delete a Bid

Once you have successfully searched for Bids (see [Searching for Bids](#)) and there are results on the screen you can delete one or more Bids.

To delete one, or more, Bids click the check box to the left of each bid. Once you have selected one or more Bids you can click the Delete Button located at the bottom left of the screen.

**Note:** If you do not see a checkbox next to a Bid this Bid cannot be deleted.

**Figure 4-12 Deleting a Bid – Contracts Screen**



Alternatively you can delete a Bid by using the action menu for each Bid. If you can delete the Bid the menu will contain the appropriate menu item.

**Note:** Only users with sufficient privileges to delete a Bid will see the delete bid button.


#### 4.2.4 Modify or View a Bid

**Note:** The following actions all use the same screen in the system. The difference between modifying or viewing a Bid involves a number of factors, such as: market close, user privileges, etc.

Once you have successfully searched for Bids (see [Searching for Bids](#)) and there are results on the screen, you can Modify or View a Bid.

To Modify or View a Bid select the View Bid menu option from the Action(s) menu for any Bid on the screen. The menu item will always be labeled View Bid regardless of your ability to modify the Bid.

**Figure 4-13 Modifying or Viewing a Bid Screen**



The screenshot displays the 'Joint Energy Scheduling System' interface. At the top, it shows 'Logged in as: DEMO\_USER' and navigation links for 'Upload/Download', 'Visit Marketplace', and 'Logout'. The main header includes 'Contracts' and 'Bids' tabs, and the 'ISO NEW YORK INDEPENDENT SYSTEM OPERATOR' logo.

The primary content is the 'Bid Search Results (928)' section, which contains a table with the following columns: Transaction ID, Date HR, Market, Source, Sink, Bid Status, User Ref, and Confirmations (sub-columns: FRP, Buyer, Seller). Each row includes an 'Action(s)' dropdown menu. A callout bubble points to one of these dropdowns.

Below the table are 'Actions for Selected:' buttons (Delete, Confirm, Unconfirm) and a pagination bar showing 'Page 1 of 19' and 'Displaying 1 - 50 of 928'.

On the right side, the 'Search Bids' panel includes:
 

- Start Date: 10/16/2014 00:00 EDT
- End Date: 10/16/2014 23:01 EDT
- Market: None Selected
- Bid Schedule Type: None Selected
- HERC Tag: SCA, PSE, Unique #, RCA
- Contract Filters: Transaction ID, User Ref, Transaction Type

If the Bid can be modified, the screen will present the current values for the Bid in the corresponding form fields. The contract is not editable and is displayed as read only information on screen. Fields may vary based on the type of Bid.


**Figure 4-14 Modifying or Viewing a Bid Screen – Can be Modified**

Logged in as: DEMO USER
Manage Trusts | Upload/Download | Visit Marketplace | Logout

---

## Joint Energy Scheduling System

Dashboard > Bidding



---

Clone Bid Delete Bid Unconfirm Bid

### Contract Details

---

**Transaction ID:** 1234567890

**Source:** NIAGARA\_\_\_\_\_

**User Reference:** My Unique Ref

**NYISO FRP:** (1234) NYISO MP

**Non-NYISO FRP:** (4567) ISO-NE Organization

**GIS:** *Missing the optional GIS identifier*

**Sink:** NE\_LOAD\_SANDY PD

**Multi-Hour Block Transaction:** No

Your Organization is a Financially Responsible Party ("FRP") for this Contract.

---

*This configuration will overwrite one or more existing bids*

### Modify Bid

---

**Bid Date:** 07/06/2015 23:00 EDT

**Num Hours:** 1

**Market:** HAM

**Schedule Type:** Hourly LBMP

**NERC Tag (valid):**

SCA: NYIS | PSE: MMWESD | Unique Num: 0000890 | RCA: ISNE

---

Confirmations			
NYISO FRP	Non-NYISO FRP	Buyer	Seller
Y	Y	Y	Y

**Bid Messages (1)**

- HAM bid created from approved DAM schedule.

---

**Curve Time Frame:** 23:00 - 23:59

**Energy Profile MW:** 1

Point	1	2	3	4	5	6	7	8	9	10	11
MW	1										
\$ Price: 1000											

Clear Curve

---

Reset Submit Bid

---

© 1999 - 2015 New York Independent System Operator. All Rights Reserved.


If the Bid cannot be modified, the screen will present all the data for the Bid, and contract, as read only fields. Fields may vary based on the type of Bid.



**Figure 4-15 Modifying or Viewing a Bid Screen – Cannot be Modified**

Logged in as: DEMO USER Manage Trusts Upload/Download Visit Marketplace Logout

---

**Joint Energy Scheduling System** 

Dashboard > Bidding

---

### Contract Details

**Transaction ID:** 1234567890 Your Organization is a Financially Responsible Party ("FRP") for this Contract.

**Source:** ST LAWRENCE\_\_\_\_ **Sink:** NE\_LOAD\_SANDY PD  
**User Reference:** My Unique Ref **Multi-Hour Block Transaction:** No  
**NYISO FRP:** (1234) NYISO MP  
**Non-NYISO FRP:** (4567) ISO-NE Organization  
**GIS:** *Missing the optional GIS identifier*

---

### Bid Details

Bid Status: BID ACCEPTED		Nerc Tag Status: VALID		Confirmations			
Bid Date	07/06/2015 23:00 EDT	SCA:	NYIS	NYISO FRP	Non-NYISO FRP	Buyer	Seller
Market	DAM	PSE:	VLCOPA	Y	Y	Y	Y
Schedule Type	Hourly LBMP	Unique Num:	SWK0224				
		RCA:	ISNE				

---

### Bid Schedules & Curve

DAM	Scheduled	Energy Profile														
		1	2	3	4	5	6	7	8	9	10	11	12			
	Checked Out	1														

Bid Curve	Time	Energy Profile MW	MW	Price												
				1	2	3	4	5	6	7	8	9	10	11	12	
	23:00	1	1	\$999.70												

© 1999 - 2015 New York Independent System Operator. All Rights Reserved.

#### 4.2.5 Clone a Bid

The purpose of cloning a Bid is to allow a new Bid, or Bids, to use another Bid's preexisting details without having to re-enter the same data. Cloning starts you off with all the details from the original Bid. It is important to note that cloning a Bid can result in overwriting the original Bid, overwriting other Bids, and/or creating new Bids. The system will notify you before submission that this is a possibility.

Once you have successfully searched for Bids (see [Searching for Bids](#)) and there are results on the screen, you can clone a Bid. Any Bid you are authorized to see can be cloned.

To clone a Bid, select the Clone Bid menu option from the Action(s) menu for any Bid on the screen.

Figure 4-16 Cloning a Bid Screen

The cloned Bid will inherit the same contract as the original Bid and pre-populate the Bid fields for modification.

Figure 4-17 Cloning a Bid Screen – Results

#### 4.2.6 Changing a Bid's Confirmation Flags

Once you have successfully searched for Bids (see [Searching for Bids](#)) and there are results on the screen you can change the confirmation status flags for one, or more, Bids.


There are four confirmation flags (columns) for a bid: NYISO FRP (NYISO Financially Responsible Party), Non-NYISO FRP, Buyer, and Seller. The current status for each is marked with a 'Y' or 'N'. Flags that you can change the status of will be highlighted in yellow.

To change the confirmation flag status for one, or more, Bids click the check box to the left of each Bid. Once you have selected one or more Bids you can click the Confirm Button or Unconfirm Button located at the bottom left of the screen. Clicking the Confirm/Unconfirm Button will set all the confirmation flags that you can change to the corresponding button's status.

For example: If you can change the confirmation flags for FRP and Seller of a Bid and their current status is 'N' and 'N', pressing the Confirm Button will make both flags a 'Y'.

**Note:** If you do not see a checkbox next to a Bid that means that this Bid's confirmation status flags cannot be altered.

**Figure 4-18 Changing a Bid's Confirmation Flag Screen**




Alternatively you can change a bids confirmation flags' statuses by using the action menu for each Bid.

### 4.2.7 Create a Bid

Click on the Create Bid Button.

**Figure 4-19 Creating a Bid – Search Screen**



The screenshot displays the 'Joint Energy Scheduling System' interface. At the top, it shows the user is logged in as 'DEMO\_USER' and provides navigation links for 'Manage Trusts', 'Upload/Download', 'Visit Marketplace', and 'Logout'. The main header includes the system name and the 'ISO NEW YORK INDEPENDENT SYSTEM OPERATOR' logo. Below the header, there are tabs for 'Contracts' and 'Bids', with 'Bids' being the active tab. A 'Create Bid' button is visible next to the 'Bid Search Results (136)' header. A 'Show/Hide Columns' button is also present.

The central part of the screen features a table of bid search results. The table has the following columns: Transact., Date HR, Market, Source, Sink, Bid Status, and Confirmations (subdivided into NYIS..., Non..., Buyer, and Seller). Each row represents a bid, with a 'Bid Status' of 'BID ACCEPTED' and a yellow background for the 'Confirmations' columns. An 'Action(s)' dropdown menu is available for each bid.

On the right side, there is a 'Search Bids' panel with various filters:
 

- Start Date:** 07/06/2015 00:00 EDT
- End Date:** 07/06/2015 23:00 EDT
- Market:** DAM
- Bid Schedule Type:** Hourly LBMP
- NERC Tag:** SCA, PSE, Unique #, RCA
- Contract Filters:** Transaction ID, User Ref, Transaction Type, Source, Sink
- Status Filters:** Bid Status, NERC Tag Status

At the bottom of the table, there are 'Actions for Selected' buttons: Delete, Confirm, and Unconfirm. A pagination bar shows 'Page 1 of 3' and 'Displaying 1 - 50 of 136'. A footer at the very bottom reads '© 1999 - 2015 New York Independent System Operator. All Rights Reserved.'

Supply the required fields for creating a contract, see Create a Contract for full details.


**Figure 4-20 Creating a Bid – Contract Details Screen**

Logged in as: DEMO USER

[Manage Trusts](#)
[Upload/Download](#)
[Visit Marketplace](#)
[Logout](#)

## Joint Energy Scheduling System

[Dashboard](#) > [Bidding](#)



---

### Contract Details

In Progress

**Transaction Type:** 
**Multi-Hour Block Transaction:**

**Source:** 
**Sink:** 
**User Ref:**

**Non-NYISO FRP:**

**GIS:**

---

### New Bid

Submit Transaction Contract to continue...

© 1999 - 2015 New York Independent System Operator. All Rights Reserved.


After a contract has been created, or retrieved, the bottom half of the screen will become active with all the fields needed to create a Bid corresponding to the current contract.

**Figure 4-21 Creating a Bid – Bid Creation Details Screen (A)**

Logged in as: DEMO USER
Manage Trusts | Upload/Download | Visit Marketplace | Logout

**Joint Energy Scheduling System**

Dashboard > Bidding



**NEW YORK INDEPENDENT SYSTEM OPERATOR**

**Contract Details**

**Transaction ID:** 12010232

**Source:** NYISO\_LBMP\_REFERENCE      **Sink:** NE\_LOAD\_SANDY PD

**User Reference:** DEMO USER REF      **Multi-Hour Block Transaction:** No

**NYISO FRP:** (1234) New York ISO MP

**Non-NYISO FRP:** (89257) Great Bay Energy IV, LLC - 89257 (PRGBE4)

**GIS:** MyGISID

*New Contract created*

You are receiving curtailment notifications for this Contract.  
Your Organization is a Financially Responsible Party ("FRP") for this Contract.

**New Bid**

*In Progress*

**Bid Date:**

**Num Hours:**

**Market:**

**Schedule Type:**

**NERC Tag:**

**Curve Time Frame:** n/a      **Energy Profile MW:**       **RTM Bid Price:**

Point	1	2	3	4	5	6	7	8	9	10	11
MW	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
\$ Price	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

© 1999 - 2015 New York Independent System Operator. All Rights Reserved.


If the Schedule Type and Proxy selected support multiple bid curves, the interface will provide the ability to supply a bid curve for each quarter hour of the bid. See Figure 4-22.

**Note:** Only users with sufficient privileges to create a Bid will see the Create Bid button.

**Figure 4-22 Creating a Bid – Bid Creation Details Screen (B)**

Logged in as: DEMO USER Manage Trusts Upload/Download Visit Marketplace Logout

---

**Joint Energy Scheduling System** 

Dashboard > Bidding

Transaction ID: 1234567890 Your Organization is a Financially Responsible Party ("FRP") for this Contract.

Source: ST LAWRENCE Sink: NE\_LOAD\_SANDY PD  
 User Reference: My Unique Value Multi-Hour Block Transaction: No  
 NYISO FRP: (1234) NYISO MP  
 Non-NYISO FRP: (4567) ISO-NE Organization  
 GIS: *Missing the optional GIS Identifier*

**New Bid (from existing bid)** *This configuration will overwrite one or more existing bids*

---

**Bid Date:** 07/06/2015 23:00 EDT

**Num Hours:** 1

**Market:** HAM

**Schedule Type:** 15-Min CTS

**NERC Tag:** SCA: NYIS  PSE: MYPSE  Unique Num: 123456  RCA: ISNE

**Curve Time Frame:** 23:00 - 23:14 **Energy Profile MW:** 1

Point	1	2	3	4	5	6	7	8	9	10	11
MW	1 <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
\$ Price	999.7 <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

use single curve:   default curve:

---

**Curve Time Frame:** 23:15 - 23:29 **Energy Profile MW:**

Point	1	2	3	4	5	6	7	8	9	10	11
MW	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
\$ Price	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

default curve:

---

**Curve Time Frame:** 23:30 - 23:44 **Energy Profile MW:**

Point	1	2	3	4	5	6	7	8	9	10	11
MW	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
\$ Price	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

© 1999 - 2015 New York Independent System Operator. All Rights Reserved.

**Note:** Real-Time Market (RTM) Bids at the CTS Enabled Proxy Bus with ISO-NE employing a Schedule Type of either 15-Min CTS or Hourly CTS may only supply a single point bid curve. Bid curve points 2-11 must be left blank

#### 4.2.8 Create a Bid from an Existing Contract


Once you have successfully searched for contracts (see [Searching for Contracts](#)) and there are results on the screen you can reassign one, or more, contracts.

Using the Action menu for any contract on the screen select the Create Bid menu item.

**Figure 4-23 Creating a Bid from an Existing Contract Screen**

Logged in as: DEMO USER Manage Trusts Upload/Download Visit Marketplace Logout

---

**Joint Energy Scheduling System** 

Contracts **Bids**

**Contract Search Results (31)** Create Contract Show/Hide Columns

ID	Source	Sink	User Ref	Non-NYISO FRP	GIS ID	Assigned Contact User	
100002	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
100003	NIAGARA___	NE_LOAD_SANDY PD	Sample User Ref	ISONE Org 4	GIS4	Sample User	Action(s)
100004	NIAGARA___	NE_LOAD_SANDY PD	Sample User Ref	ISONE Org 5	GIS5	Sample User	Action(s)
100005	ST LAWRENCE___	NE_LOAD_SANDY PD	Sample User Ref	ISONE Org 6	GIS6	Sample User	Action(s)
100006	ST LAWRENCE___	NE_LOAD_SANDY PD	Sample User Ref	ISONE Org 7	GIS7	Sample User	Action(s)
100007	ST LAWRENCE___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
100008	ST LAWRENCE___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
100009	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000010	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000011	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000012	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000013	ST LAWRENCE___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000014	ST LAWRENCE___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000015	ST LAWRENCE___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)
1000016	NIAGARA___	PJM_LOAD_KEYSTONE	Sample User Ref			Sample User	Action(s)

**Search Contracts**

Transaction ID:

Transaction Type:

Source:

Sink:

User Ref:

reset search

Actions for Selected:


Page 1 of 2 | Displaying 1 - 25 of 31

© 1999 - 2015 New York Independent System Operator. All Rights Reserved.

The new Bid will automatically use the contract from the contracts screen. All the fields needed to create a Bid corresponding to the current contract will be available.



**Figure 4-24 Creating a Bid from an Existing Contract Screen – Results**



Logged in as: DEMO USER | Manage Trusts | Upload/Download | Visit Marketplace | Logout

**Joint Energy Scheduling System**  
Dashboard > Bidding

**Contract Details** New Contract created

Transaction ID: 12010232  
 Source: NYISO\_LBMP\_REFERENCE Sink: NE\_LOAD\_SANDY PD  
 User Reference: DEMO USER REF Multi-Hour Block Transaction: No  
 NYISO FRP: (1234) New York ISO MP  
 Non-NYISO FRP: (89257) Great Bay Energy IV, LLC - 89257 (PRGBE4)  
 GIS: MyGISID

You are receiving curtailment notifications for this Contract.  
 Your Organization is a Financially Responsible Party ("FRP") for this Contract.

**New Bid** In Progress

Bid Date:  Num Hours:  Market:  Schedule Type:  NERC Tag: SCA  PSE  Unique Num  RCA

Curve Time Frame: n/a Energy Profile MW:  RTM Bid Price:

Point	1	2	3	4	5	6	7	8	9	10	11
MW	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
\$ Price:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Clear Curve

Reset Submit Bid

© 1999 - 2015 New York Independent System Operator. All Rights Reserved.

### 4.3 Managing CTS Confirmed Trust Relationships

The JESS application supports the ability of users to administer CTS Confirmed Trust Relationships. These relationships allow users to automate the confirmation process for transaction Bids that involve the CTS Enabled Proxy Bus with ISO-NE.

A NYISO FRP can extend a CTS Confirmed Trust Relationship to an ISO-NE FRP. This relationship will allow an ISO-NE MP user to create or modify a Bid without the NYISO FRP having to access the JESS application to actively confirm the Bid.

Likewise, an ISO-NE FRP can extend a CTS Confirmed Trust Relationship to a NYISO FRP. This relationship will allow a NYISO MP user to create or modify a Bid without the ISO-NE FRP having to access the JESS application to actively confirm the Bid.

CTS Confirmed Trust Relationships are granted from one organization to another organization in a single direction meaning that the relationship is not reciprocal. For example, Org A can extend a trust

relationship to Org B meaning that Org A “trusts” Org B. This does not mean that Org B “trusts” Org A. Org B must grant a separate trust relationship to Org A to effectively establish a reciprocal trust relationship.


CTS Confirmed Trust Relationships will not authorize an ISO-NE user to modify the “Buyer” or Seller” confirmation status flags.

#### **4.3.1 Creating and Removing CTS Confirmed Trust Relationships**

To view or make changes to existing CTS Confirmed Trust Relationships users should select the “Manage Trusts” link at the top of the JESS screen. Selecting this link will present the user with a list of their existing CTS Confirmed Trust Relationships.

To create a new CTS Confirmed Trust Relationship the user should select an organization from the dropdown list of organizations and click the “Add” button.

To remove an existing CTS Confirmed Trust Relationship the user should select the “remove” button next to the name of the organization for which they would like to remove the CTS Confirmed Trust Relationship.

**Figure 4-25 Managing CTS Confirmed Trust Relationships**

It should be noted that removing a CTS Confirmed Trust Relationship has no impact on the confirmation status of any previously submitted Bids. If the user would like to change the confirmation status of any previously submitted Bids the user must manually update the confirmation status of these Bids in the JESS application.

#### **4.3.2 Application of CTS Confirmed Trust Relationships to Transaction Bids at the CTS Enabled Proxy Bus with ISO-NE**

When a transaction Bid is submitted in the JESS application any CTS Confirmed Trust Relationships in effect at that time will be taken into consideration when determining the confirmation status of the Bid. This process includes DAM transaction Bids as well as RTM transaction Bids.

ISO-NE FRP confirmation is not required for a DAM Bid to reach the VALIDATION PASSED bid status that is required for the Bid to be included in the Day-Ahead Market evaluation. Both NYISO FRP and Non-

NYISO FRP confirmation are required for a RTM Bid to reach the VALIDATION PASSED Bid status to be included in the Real-Time Market evaluation.

When the NYISO creates RTM transaction bids following the DAM checkout process with ISO-NE the ISO-NE FRP confirmation status for the RTM transaction Bid will be established based on any CTS Confirmed Trust Relationships in place at the time the DAM Bid was submitted.

## 5. Upload/Download Batch Procedures

In addition to entering and retrieving External Transaction information through the web based JESS user interface, Market Participants have the capability to submit and retrieve this data using file upload/download functions. This method of data exchange allows users to more quickly and efficiently exchange large amounts of information and configure their own customized applications to manage transaction bidding.

This section of the user guide provides details on each of the functions which can be executed using the upload/download batch procedures. For each function there is a template detailing the data exchanged in the file and the position of each field within the template.


The User can access the upload/download function by selecting the link located in the upper right corner of the JESS user log in screen and the main JESS dashboard page. The URL is <https://jess.nyiso.com/updown/>.

### 5.1 Upload/Download Template Overview

To submit an upload/download request through a web browser the user will select the Browse button as noted in the figure below and select the file containing the upload/download request details. Once the file has been selected, the User will click the Upload button to initiate the data exchange with the JESS application. The web browser will present the user with a response which the user may view on the page and save. The content and structure of the response file is specific to each of the templates. In the event that the file submitted by the user fails any validations steps, the user will be presented with an error. Details regarding error messages are noted below in Section [5.4](#)

Note that in order to access the upload function in JESS, the user must have a valid NYISO digital certificate (see Section 2.3) or a valid ISO-NE issued digital certificate (see Section 3.2 ).

**Figure 5-1 Submitting an Upload/Download Request**



← Log into JESS

**ISO** NEW YORK INDEPENDENT SYSTEM OPERATOR

**JESS Upload/Download**

File:

Each Market Participant is responsible for entering bid information into the Market Information System accurately, completely, and in a timely fashion. Each Market Participant is responsible for the results, intended or otherwise, of its individual bidding strategies. The NYISO's liability for damages to any Market Participant or other party that may result from its administration of the wholesale energy markets in New York is strictly limited under Section 12.3 of the NYISO Market Administration and Control Area Services Tariff to direct damages resulting from gross negligence or intentional misconduct.

JESS employs the following Upload Templates:

- **Submit External Transaction**--Used to submit or update External Transaction Bids
- **Confirm External Transaction**--Used to update source, sink, and FRP confirmation status for External Transaction Bids
- **Delete External Transaction**--Used to delete External Transaction Bids

JESS employs the following Download Templates:

- **Download External Transaction Bids and Schedules**--Used to retrieve transaction Bids and schedule related information
- **Download Transaction Contracts**--Used to retrieve transaction contract related information

Each template includes a defined structure for both a Request and a Response. The Request defines the structure of the file the user is sending to the JESS application. The Response defines the structure of the file the user receives from the JESS application.

Each Request and Response file is divided into two sections: a Header and a Body. The structure of the Body for each of the files is specific to the particular template. Details on the Body structures are defined below specifically for each template in Section 5.

The Header sections of these files employ a common structure with the following mandatory fields.

For an Upload Template the Request file Header will include:

1. **BID\_TYPE** – Indicates the type of information requested or the Bid being supplied
2. **USERID** – To log on to MIS (Note: ISO-NE users may not specify a USERID value)
3. **PASSWORD** – To log on to MIS
4. **DATA ROWS** – The number of records that follow

For an Upload Template the Response file Header will include:

1. **TIME\_STAMP** – An indication of the time that the MIS processed the information
2. **BID\_TYPE** – An indication of the type of information requested or the Bid that is being supplied (See valid Bid types above)
3. **DATA ROWS** – The number of records that follow

For a Download Template the Request file Header will include:

1. **USERID** – To log on to MIS (Note: ISO-NE users may not specify a USERID value)
2. **PASSWORD** – To log on to MIS
3. **QUERY\_TYPE** – Indicates the type of information requested or bid that is being supplied

For a Download Template the Response file Header will include:

1. **TIME\_STAMP** – An indication of the time that the MIS processed information
2. **BID\_TYPE** – An indication of the type of information requested (see valid bid types above)
3. **DATA ROWS** – The number of records that follow

In addition to the mandatory fields noted above there are a number of optional fields that may be specified in the Header of each of the templates. These fields are noted in the relevant sections for each of the templates.

Each field in the Header section of the file should be placed on a separate line (separated by a carriage return.) Each field in the body of the file should be placed on the same line separated by a comma between each field.

## 5.2 Upload/Download Field Definitions

Please note that the acronym "HAM," which originally indicated the "Hour Ahead Market," currently indicates a Real-Time Market (RTM) transaction. The term "HAM" is preserved here because it is still present in the data flow.

Parameter	Data Type	Description
<b>Real Time Bid Schedule Type ID</b>	NUM(1)	A number indicating the bid type. Valid Bid Types are: 2 – Hourly LBMP 3 – 15-Min LBMP 4 – Hourly CTS 5 – 15-Min CTS
<b>Date &amp; Time</b>	CHAR(16)	Starting time of bid (MM/DD/YYYY HH24:00).
<b>Duration</b>	NUM(3)	Number of hours the bid is good for (beginning with the submitted Date & time)
<b>Source Name</b>	CHAR(36)	Generator name, exactly as shown in the MIS, that is the source for the External Transaction.
<b>Source PTID</b>	NUM(6)	Generator PTID, exactly as shown in the MIS, that is the source for the External Transaction.
<b>Sink Name</b>	CHAR(36)	Load name, exactly as shown in the MIS, that is the sink for the External Transaction.
<b>Sink PTID</b>	NUM(6)	PTID for a load, exactly as shown in the MIS, that is the sink for the External Transaction.
<b>Market</b>	CHAR(9)	Market associated with bid (HAM , DAM)
<b>Sending Control Area</b>	CHAR(4)	Sending control area specified in the NERC e-Tag.
<b>MHBT</b>	CHAR(1)	Header parameter indicating whether all the bids in the file are Multi-Hour Block Transactions (MHBT) or are all non-MHBT. This is an optional header parameter for the file that, if not provided, is treated as if the value was "N". Valid values: Y – all bids in the file are MHBTs N – all bids in the file are <u>not</u> MHBTs
<b>PSE</b>	CHAR(6)	Purchase selling entity specified in the NERC e-Tag.
<b>PSE Number</b>	CHAR(7)	Unique number assigned by PSE that is specified in the NERC e-Tag.
<b>Receiving Control Area</b>	CHAR(4)	Receiving control area specified in the NERC e-Tag.
<b>NERC Priority</b>	NUM(2)	NERC Priority of transaction.
<b>User Reference</b>	CHAR(16)	A reference used by the User to uniquely identify this transaction.



Parameter	Data Type	Description
<b>NERC e-Tag Status Check</b>	CHAR(20)	A value which shows the current state of the NYISO's e-Tag check, which ensures a valid NERC e-Tag has been submitted to the tagging authority by the time NYISO's RTM Close occurs.
<b>Energy Profile MW Curve 1</b>	NUM(5)	For all DAM and HAM External Transaction bids employing a single hourly curve; the Maximum Energy MW that can be scheduled against the bid for the hour.  For HAM External Transaction bids employing multiple bid curves; the Maximum Energy MW that can be scheduled against the bid for minutes :00-:15 of the bid hour
<b>Energy Profile MW Curve 2</b>	NUM(5)	For HAM External Transaction bids employing multiple bid curves; the Maximum Energy MW that can be scheduled against the bid for minutes :15-:30 of the bid hour.
<b>Energy Profile MW Curve 3</b>	NUM(5)	For HAM External Transaction bids employing multiple bid curves; the Maximum Energy MW that can be scheduled against the bid for minutes :30-:45 of the bid hour.
<b>Energy Profile MW Curve 4</b>	NUM(5)	For HAM External Transaction bids employing multiple bid curves; the Maximum Energy MW that can be scheduled against the bid for minutes :45-:00 of the bid hour.
<b>Bid Curve MW Points</b>	NUM(5)	Up to eleven MW values may be specified for each block of time (hour or quarter-hour) in a bid.
<b>Bid Curve \$/MW Points</b>	NUM(5)	Up to eleven \$/MW values may be specified for each block of time (hour or quarter-hour) in a bid.
<b>Minimum Runtime</b>	NUM(3)	Minimum number of hours that must be selected if bid is accepted. This is only applicable to MHBT.
<b>RTM Bid Price</b>	NUM(6,2)	A price submitted with a DAM bid to indicate the price to be used in Real-Time Market (RTM) evaluation, should the DAM bid be accepted.
<b>Bid ID</b>	NUM(32)	The NYISO's internal unique identifier for the bid.
<b>Hourly Evaluation Default Bid Block</b>	NUM(1)	For HAM bids with a BID Schedule Type equal to 15-Min LBMP or 15-Min CTS this value identifies which of the four quarter-hour bid curves (MW , \$/MW, Energy Profile MW) should be used as the default bid curve when 15-minute scheduling has been disabled and the NYISO is scheduling on an hourly basis.
<b>Transaction ID</b>	NUM(32)	The NYISO's unique identifier of the static contract data associated with the bid.
<b>Confirm Status</b>	CHAR(1)	Status of confirmation the bid should be set to "Y" or "N".
<b>NYISO FRP Confirm Status</b>	CHAR(1)	Flag indicating if NYISO FRP has agreed to transaction bid.
<b>Non-NYISO FRP Confirm Status</b>	CHAR (1)	Flag indicating if Non-NYISO FRP (organization) has agreed to transaction bid (if applicable.)

Parameter	Data Type	Description
<b><i>Seller Confirm Status</i></b>	CHAR(1)	Flag indicating if seller has agreed to transaction bid.
<b><i>Buyer Confirm Status</i></b>	CHAR(1)	Flag indicating if buyer has agreed to transaction bid.
<b><i>Scheduled Energy</i></b>	NUM(5,1)	Amount of energy scheduled (MW)
<b><i>Checkout MW</i></b>	NUM(5)	Schedule confirmed between control areas during checkout
<b><i>Schedule Timestamp</i></b>	DATE	Timestamp of the schedule, if any, associated with the row of data.
<b><i>Schedule Type</i></b>		<p>If the MARKET header parameter indicates HAM, this optional SCHEDULES header parameter further restricts the resulting rows to either RTC schedules only or RTD schedules only. If this parameter is not specified, both RTC and RTD schedules will be provided in the download. Valid values for this header parameter:</p> <ul style="list-style-type: none"> <li>• RTC</li> <li>• RTD</li> </ul>
<b><i>Bid Status</i></b>	CHAR (20)	Current status of the bid (validation failed, validation passed, accepted, etc.)
<b><i>Message</i></b>	CHAR (1000)	Validation messages providing bid details. Multiple messages are separated by a semi-colon.
<b><i>NYISO Org</i></b>	CHAR/NUM	Identifies NYISO organization responsible for the bid Formatted as "NYISO Org Name (Org ID)"
<b><i>Non-NYISO Org</i></b>	CHAR/NUM	Identifies Non-NYISO organization, i.e. the ISO-NE organization, responsible for the bid, if applicable. Formatted as "Non-NYISO Org Name (Org ID)"
<b><i>NYISO Org ID</i></b>	NUM(32)	<p>Used to specify organization ID of the NYISO Organization responsible for the Bid.</p> <p>This field may only be specified for Bids at the CTS Enabled Proxy Bus with ISO-NE.</p> <p>For Bids submitted by a NYISO user this value must be null.</p> <p>For Bids submitted by an ISO-NE user at the CTS Enabled Proxy Bus with ISO-NE user must provide a valid NYISO Org ID.</p>
<b><i>Non-NYISO Org ID</i></b>	NUM(32)	<p>Used to specify organization ID of the Non-NYISO Organization responsible for the Bid.</p> <p>This field may only be specified for Bids at the CTS Enabled Proxy Bus with ISO-NE.</p> <p>For Bids submitted by an ISO-NE user this value must be null.</p> <p>For Bids submitted by a NYISO user at the CTS Enabled Proxy Bus with ISO-NE user must provide a valid ISO-NE Org ID.</p>
<b><i>GIS Identifier</i></b>	CHAR(35)	NEPOOL Generation Information System identifier.

Parameter	Data Type	Description
<i>Assigned Contact User</i>	CHAR (50)	User designated to receive messages associated with contract, if applicable.
<i>Last Update Time</i>	CHAR(16)	Time at which contract was last updated (MM/DD/YYYY HH24:00).

### 5.3 Submit External Transaction Bids

#### 5.3.1 Submit External Transaction Bids –Request

The *BID\_TYPE/QUERY TYPE* for this template is: EXT\_TRAN\_BID

**Table 5-1 Submitting an External Transaction Bid – Headers Fields**

Field	Mandatory	Description
BID_TYPE	Y	EXT_TRAN_BID
USERID	Y-for NYISO users	ISO-NE users may not specify a USERID value
PASSWORD	Y	
DATA ROWS	Y	Number of rows contained in upload request body.
UPLOAD_RESPONSE	N	"Y" or "N"; allows user to specify details included in Upload Response
MHBT	N	Header parameter indicating whether all the bids in the file are Multi-hour Block Transactions (MHBT) or are all non-MHBT. This is an optional header parameter for the file that, if not provided, is treated as if the value was "N". Valid values: Y – bids in the file are MHBTs N – bids in the file are not MHBTs

**Table 5-2 Submitting an External Transaction Bid – Body Fields**

Column #	Parameter
1	<a href="#">Date &amp; Time</a>
2	<a href="#">Source Name/Source PTID</a>
3	<a href="#">Sink Name/Sink PTID</a>
4	<a href="#">Market</a>
5	<a href="#">NYISO Org ID</a>
6	<a href="#">Non-NYISO Org ID</a>
7	spare
8	<a href="#">Sending Control Area</a>
9	<a href="#">PSE</a>
10	<a href="#">PSE Number</a>
11	<a href="#">Receiving Control Area</a>

Column #	Parameter
12	spare
13	<a href="#">User Reference</a>
14	<a href="#">GIS Identifier</a>
15	<a href="#">Hourly Evaluation Default Bid Block</a>
16	<a href="#">Real Time Bid Schedule Type ID</a>
17	<a href="#">Minimum Runtime</a>
18	<a href="#">RTM Bid Price</a>
19	<a href="#">Duration</a>
20	spare
21	spare
22	<a href="#">Energy Profile MW Curve 1</a>
23	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 1
24	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 2
25	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 3
26	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 4
27	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 5
28	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 6
29	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 7
30	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 8
31	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 9
32	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 10
33	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 11
34	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 1
35	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 2
36	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 3
37	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 4
38	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 5
39	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 6
40	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 7
41	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 8
42	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 9
43	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 10
44	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 11
45	<a href="#">Energy Profile MW Curve 2</a>
46	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 1
47	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 2
48	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 3
49	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 4
50	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 5
51	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 6
52	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 7

Column #	Parameter
53	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 8
54	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 9
55	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 10
56	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 11
57	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 1
58	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 2
59	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 3
60	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 4
61	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 5
62	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 6
63	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 7
64	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 8
65	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 9
66	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 10
67	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 11
68	<a href="#">Energy Profile MW Curve 3</a>
69	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 1
70	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 2
71	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 3
72	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 4
73	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 5
74	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 6
75	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 7
76	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 8
77	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 9
78	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 10
79	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 11
80	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 1
81	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 2
82	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 3
83	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 4
84	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 5
85	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 6
86	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 7
87	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 8
88	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 9
89	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 10
90	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 11
91	<a href="#">Energy Profile MW Curve 4</a>
92	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 1
93	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 2

Column #	Parameter
94	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 3
95	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 4
96	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 5
97	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 6
98	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 7
99	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 8
100	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 9
101	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 10
102	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 11
103	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 1
104	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 2
105	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 3
106	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 4
107	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 5
108	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 6
109	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 7
110	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 8
111	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 9
112	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 10
113	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 11

**Submit External Transaction Bid Request Example:**

```

BID_TYPE=EXT_TRAN_BID&
USERID= testusr&
PASSWORD= testpw1!&
MHBT= &
Upload_Response =Y&
DATA_ROWS=1&
10/20/2014 15:00:00,NYISO_LBMP_REFERENCE,NE_LOAD_SANDY PD,HAM,,1038760,,NYIS,Test
PSE,1234,ISNE,,ABC123,GIS123,3,3,,1,,10,2,4,6,8,10,,,,,1.2,1.4,1.6,1.8,2,,,,,26,20,22,24,26,,,,,2.1,2.2,2.3,2.4,,,,,36,30,
32,34,36,,,,,3.1,3.2,3.3,3.4,,,,,46,40,42,44,46,,,,,4.1,4.2,4.3,4.4

```

**5.3.2 Submit External Transaction Bids -Response**

**Table 5-3 Submitting an External Transaction Bid Response- Header Fields**

Field	Mandatory	Description
TIME_STAMP	N/A	
BID_TYPE	N/A	EXT_TRAN_BID
DATA ROWS	N/A	

**Table 5-4 Submitting an External Transaction Bid Response – Body Fields**

Column #	Parameter
1	<a href="#">Date &amp; Time</a>
2	<a href="#">Source Name</a>
3	<a href="#">Source PTID</a>
4	<a href="#">Sink Name</a>
5	<a href="#">Sink PTID</a>
6	<a href="#">Market</a>
7	<b>Error! Reference source not found.</b>
8	<b>Error! Reference source not found.</b>
9	spare
10	<a href="#">Sending Control Area</a>
11	<a href="#">PSE</a>
12	<a href="#">PSE Number</a>
13	spare
14	<a href="#">Receiving Control Area</a>
15	<a href="#">NERC Priority</a>
16	<a href="#">User Reference</a>
17	<a href="#">GIS Identifier</a>
18	<a href="#">NERC e-Tag Status Check</a>
19	<a href="#">Checkout MW</a>
20	<a href="#">Bid ID</a>
21	<a href="#">Transaction ID</a>
22	<a href="#">NYISO FRP Confirm</a> <b>Status</b>
23	<a href="#">Seller Confirm Status</a>
24	<a href="#">Buyer Confirm Status</a>
25	<a href="#">Non-NYISO FRP Confirm Status</a>
26	<a href="#">Scheduled Energy</a>
27	<a href="#">Minimum Runtime</a>
28	<a href="#">RTM Bid Price</a>
29	<a href="#">Hourly Evaluation Default Bid Block</a>
30	<a href="#">Real Time Bid Schedule Type ID</a>
31	<a href="#">Schedule Timestamp</a>
32	<a href="#">Bid Status</a>
33	<a href="#">Message</a>
34	spare
35	spare
36	<a href="#">Energy Profile MW Curve 1</a>
37	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 1
38	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 2
39	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 3
40	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 4

Column #	Parameter
41	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 5
42	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 6
43	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 7
44	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 8
45	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 9
46	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 10
47	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 11
48	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 12
49	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 1
50	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 2
51	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 3
52	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 4
53	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 5
54	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 6
55	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 7
56	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 8
57	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 9
58	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 10
59	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 11
60	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 12
61	<a href="#">Energy Profile MW Curve 2</a>
62	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 1
63	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 2
64	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 3
65	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 4
66	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 5
67	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 6
68	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 7
69	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 8
70	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 9
71	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 10
72	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 11
73	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 12
74	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 1
75	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 2
76	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 3
77	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 4
78	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 5
79	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 6
80	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 7
81	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 8



Column #	Parameter
82	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 9
83	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 10
84	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 11
85	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 12
86	<a href="#">Energy Profile MW Curve 3</a>
87	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 1
88	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 2
89	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 3
90	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 4
91	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 5
92	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 6
93	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 7
94	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 8
95	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 9
96	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 10
97	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 11
98	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 12
99	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 1
100	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 2
101	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 3
102	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 4
103	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 5
104	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 6
105	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 7
106	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 8
107	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 9
108	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 10
109	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 11
110	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 12
111	<a href="#">Energy Profile MW Curve 4</a>
112	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 1
113	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 2
114	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 3
115	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 4
116	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 5
117	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 6
118	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 7
119	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 8
120	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 9
121	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 10
122	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 11

Column #	Parameter
123	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 12
124	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 1
125	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 2
126	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 3
127	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 4
128	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 5
129	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 6
130	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 7
131	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 8
132	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 9
133	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 10
134	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 11
135	<b><i>Bid Curve \$/MW Point</i></b> : Curve 4, Point 12

### Submit External Transaction Bid Response Example:

TIME\_STAMP=10/17/2014 10:33

BID\_TYPE=EXT\_TRAN\_BID

DATA\_ROWS=1

```
"10/20/2014 15:00","NYISO_LBMP_REFERENCE",24008,"NE_LOAD_SANDY_PD",55858,"HAM","NY ORG
A (202460)","NE ORG B (1038760)",,"NYIS","Test
PSE","0001234",,"ISNE",7,"ABC123","GIS123","PENDING",,611828432,11566186,"Y","Y","Y
","Y",,,,3,3,"10/20/2014 15:00:00","VALIDATION PASSED","Validation Passed Subject
to Credit
Evaluation.",,,,10,2,4,6,8,10,,,,,,,,,,,,,1.2,1.4,1.6,1.8,2,,,,,,,,,,,,,26,20,22,24,26,,,,,,,,,,,,
,2.1,2.2,2.3,2.4,,,,,,,,,,,,,36,30,32,34,36,,,,,,,,,,,,,3.1,3.2,3.3,3.4,,,,,,,,,,,,,46,40,42,44
,46,,,,,,,,,,,,,4.1,4.2,4.3,4.4,,,,,,,,,,,,,
```

## 5.4 Confirm External Transaction

### 5.4.1 Confirm External Transaction -Request

The **BID\_TYPE/QUERY TYPE** for this template is: EXT\_TRAN\_BID

**Table 5-5 Confirming an External Transaction Bid- Header Fields**

Field	Mandatory	Description
BID_TYPE	Y	CONFIRM_EXT_TRAN_BID
USERID	Y-for NYISO users	ISO-NE users may not specify a USERID value
PASSWORD	Y	
DATA_ROWS	Y	Number of rows contained in upload request body.
UPLOAD_RESPONSE	N	"Y" or "N"; allows user to specify details included in Upload Response
PROCESS_UNIDENTIFIED_BIDS	N	An optional header parameter which instructs the MIS continue to process the entire submission file when bids are specified in the file that do not exist in the MIS.

**Table 5-6 Confirming an External Transaction Bid – Body Fields**

Position #	Field
1	<i>Bid ID</i>
2	<i>Transaction ID</i>
3	<i>Date &amp; Time</i>
4	spare
5	<i>Confirm Status</i>

**Confirm External Transaction -Request Example:**

BID\_TYPE=CONFIRM\_EXT\_TRAN\_BID&  
 USERID=testusr&  
 PASSWORD=testpw1!&  
 DATA\_ROWS=1&,,,  
 UPLOAD\_RESPONSE=Y&,,,  
 PROCESS\_UNIDENTIFIED\_BIDS=N&  
 577247784,10671000,3/13/2014 19:00,,N

**5.4.2 Confirm External Transaction –Response**

**Table 5-7 Confirming an External Transaction Bid Response– Header Fields (Example)**

Field	Mandatory	Description
TIME_STAMP	N/A	
BID_TYPE	N/A	CONFIRM_EXT_TRAN_BID
DATA ROWS	N/A	

**Table 5-8 Confirming an External Transaction Bid Response– Body Fields (Example)**

Position #	Field
1	<i>Bid ID</i>
2	<i>Transaction ID</i>
3	<i>Date &amp; Time</i>
4	<i>NYISO FRP Confirm Status</i>
5	<i>Buyer Confirm Status</i>
6	<i>Seller Confirm Status</i>
7	<i>Bid Status</i>
8	<i>Message</i>
9	Non-NYISO FRP Confirm Status

**Confirm External Transaction -Response Example:**

TIME\_STAMP=03/13/2014 15:36  
 BID\_TYPE=CONFIRM\_EXT\_TRAN\_BID

DATA\_ROWS=1

577247784,10671002,"03/13/2014 19:00","N","Y","N","WAITING CONFIRMATION","HAM bid created from approved DAM schedule.,"N"

## 5.5 Delete External Transaction

### 5.5.1 Delete External Transaction-Request

The *BID\_TYPE/QUERY TYPE* for this template is: DELETE\_EXT\_TRAN\_BID

**Table 5-9 Deleting an External Transaction Bid Request- Header Fields**

Field	Mandatory	Description
BID_TYPE	Y	DELETE_EXT_TRAN_BID
USERID	Y-for NYISO users	ISO-NE users may not specify a USERID value
PASSWORD	Y	
DATA_ROWS	Y	Number of rows contained in upload request body.
UPLOAD_RESPONSE	N	"Y" or "N"; allows user to specify details included in Upload Response
PROCESS_UNIDENTIFIED_BIDS	N	An optional header parameter which instructs the MIS continue to process the entire submission file when bids are specified in the file that do not exist in the MIS.

**Table 5-10 Deleting an External Transaction Bid Request- Body Fields**

Position #	Field
1	<i>Bid ID</i>
2	<i>Transaction ID</i>
3	<i>Date &amp; Time</i>
4	<i>Market</i>

#### Delete External Transaction -Request Example:

BID\_TYPE=DELETE\_EXT\_TRAN\_BID&  
 USERID=testusr&  
 PASSWORD=testpw1!&  
 DATA\_ROWS=1&  
 UPLOAD\_RESPONSE=Y&  
 PROCESS\_UNIDENTIFIED\_BIDS=Y&  
 576756704,5049913,3/15/2014 13:00,DAM

### 5.5.2 Delete External Transaction-Response

**Table 5-11 Deleting an External Transaction Bid Response- Header Fields (Example)**

Field	Mandatory	Values
TIME_STAMP	N/A	
BID_TYPE	N/A	DELETE_EXT_TRAN_BID

Field	Mandatory	Values
DATA ROWS	N/A	

**Table 5-12 Deleting an External Transaction Bid Response– Body Fields (Example)**

Position #	Field
1	<i>Date &amp; Time</i>
2	<i>Source Name</i>
3	<i>Source PTID</i>
4	<i>Sink Name</i>
5	<i>Sink PTID</i>
6	<i>Market</i>
7	spare
8	spare
9	spare
10	spare
11	spare
12	<i>NERC Priority</i>
13	<i>User Reference</i>
14	spare
15	spare
16	spare
17	spare
18	<i>Bid ID</i>
19	<i>Transaction ID</i>
20	spare
21	spare
22	spare
23	spare
24	spare
25	spare
26	<i>Bid Status</i>
27	<i>Message</i>
28	<b>Error! Reference source not found.</b>
29	<b>Error! Reference source not found.</b>

**Delete External Transaction -Response Example:**

TIME\_STAMP=03/13/2014 15:48  
 BID\_TYPE=DELETE\_EXT\_TRAN\_BID  
 DATA\_ROWS=1

"03/15/2014 13:00","NYISO\_LBMP\_REFERENCE",24008," NE\_LOAD\_SANDY\_PD ",55858,"DAM",",",",",",",",",",7,"TEST REF" ,,,,,576756704,5049913,"",",",",",",", "VALIDATION PASSED",",", " NY ORG A (202460)", " NE ORG B (1038760)"

## 5.6 Download External Transaction Bids and Schedules

### 5.6.1 Download External Transaction Bids and Schedules-Request

The **BID\_TYPE/QUERY TYPE** for this template is: EXT\_TRAN\_SCH

**Table 5-13 Download External Transaction Bids and Schedule Request - Header**

Field	Mandatory	Description
USERID	Y-for NYISO users	ISO-NE users may not specify a USERID value
PASSWORD	Y	
QUERY_TYPE	Y	EXT_TRAN_SCH
MARKET_TYPE	Y	DAM, HAM
DATE	Y	MM/DD/YYYY HH24:MI
TRANSACTION_ID	N	The NYISO unique identifier of the static contract data associated with the bid
SOURCE	N	Generator name or PTID shown in MIS
SINK	N	Load name or PTID shown in MIS
USER_REFERENCE	N	As defined in bid
STATUS	N	Pick one from list (see <b>Reasons to Review Transaction Bids</b> under Section 7.6.2 in the <a href="#">MPUG</a> )
NUM_HOURS	N	A whole number between 1 and 23 which limits your query to a specified number of hours.
MODIFIED_DATE	N	A date in MM/DD/YYYY HH24:MI format which restricts your query to only that data which has been modified since the specified date. Can be used to reduce the amount of unchanged data being retrieved more than once.
BID_SCHEDULE_TYPE_ID	N	A number indicating the bid type. Valid Bid Types are: 2 - Hourly LBMP 3 - 15-Min LBMP 4 - Hourly CTS5 - 15-Min CTS
SCHEDULES	N	If the MARKET header parameter indicates HAM, this optional SCHEDULES header parameter further restricts the resulting rows to either RTC schedules only or RTD schedules only. If this parameter is not specified, both RTC and RTD schedules will be provided in the download. Valid values for this header parameter: RTC RTD

**Table 5-14 Download External Transaction Bids and Schedule Request - Body**

Position #	Field	Description
N/A	N/A	N/A

### Download External Transaction Bids and Schedules -Request Example:

USERID= testusr&  
 PASSWORD= testpw1!&  
 QUERY\_TYPE=EXT\_TRAN\_SCH&  
 DATE=10/10/2014 09:00&  
 MARKET\_TYPE= HAM&  
 TRANSACTION\_ID=11566124&  
 SOURCE=NYISO\_LBMP\_REFERENCE&  
 SINK= NE\_LOAD\_SANDY\_PD&  
 USER\_REFERENCE=TEST1&  
 STATUS=BID ACCEPTED&  
 NUM\_HOURS=1&  
 MODIFIED\_DATE= 10/10/2014 00:00:00&  
 BID\_SCHEDULE\_TYPE\_ID=5&  
 SCHEDULES=RTC&

### 5.6.2 Download External Transaction Bids and Schedules-Response

**Table 5-15 Download External Transaction Bids and Schedule Response - Header**

Field	Mandatory	Description
TIME_STAMP	N/A	
BID_TYPE	N/A	EXT_TRAN_SCH
DATA ROWS	N/A	

**Table 5-16 Download External Transaction Bids and Schedule Response - Body**

Column #	Parameter
1	<a href="#">Date &amp; Time</a>
2	<a href="#">Source Name</a>
3	<a href="#">Source PTID</a>
4	<a href="#">Sink Name</a>
5	<a href="#">Sink PTID</a>
6	<a href="#">Market</a>
7	<b>Error! Reference source not found.</b>
8	<b>Error! Reference source not found.</b>
9	spare
10	<a href="#">Sending Control Area</a>
11	<a href="#">PSE</a>
12	<a href="#">PSE Number</a>
13	spare
14	<a href="#">Receiving Control Area</a>
15	<a href="#">NERC Priority</a>
16	<a href="#">User Reference</a>

Column #	Parameter
17	<a href="#">GIS Identifier</a>
18	<a href="#">NERC e-Tag Status Check</a>
19	<a href="#">Checkout MW</a>
20	<a href="#">Bid ID</a>
21	<a href="#">Transaction ID</a>
22	<a href="#">NYISO FRP Confirm Status</a>
23	<a href="#">Seller Confirm Status</a>
24	<a href="#">Buyer Confirm Status</a>
25	<a href="#">Non-NYISO FRP Confirm Status</a>
26	<a href="#">Scheduled Energy</a>
27	<a href="#">Minimum Runtime</a>
28	<a href="#">RTM Bid Price</a>
29	<a href="#">Hourly Evaluation Default Bid Block</a>
30	<a href="#">Real Time Bid Schedule Type ID</a>
31	<a href="#">Schedule Timestamp</a>
32	<a href="#">Bid Status</a>
33	<a href="#">Message</a>
34	spare
35	spare
36	<a href="#">Energy Profile MW Curve 1</a>
37	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 1
38	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 2
39	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 3
40	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 4
41	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 5
42	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 6
43	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 7
44	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 8
45	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 9
46	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 10
47	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 11
48	<a href="#">Bid Curve MW Point</a> : Curve 1, Point 12
49	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 1
50	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 2
51	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 3
52	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 4
53	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 5
54	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 6
55	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 7
56	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 8
57	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 9



Column #	Parameter
58	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 10
59	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 11
60	<a href="#">Bid Curve \$/MW Point</a> : Curve 1, Point 12
61	<a href="#">Energy Profile MW Curve 2</a>
62	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 1
63	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 2
64	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 3
65	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 4
66	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 5
67	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 6
68	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 7
69	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 8
70	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 9
71	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 10
72	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 11
73	<a href="#">Bid Curve MW Point</a> : Curve 2, Point 12
74	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 1
75	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 2
76	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 3
77	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 4
78	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 5
79	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 6
80	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 7
81	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 8
82	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 9
83	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 10
84	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 11
85	<a href="#">Bid Curve \$/MW Point</a> : Curve 2, Point 12
86	<a href="#">Energy Profile MW Curve 3</a>
87	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 1
88	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 2
89	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 3
90	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 4
91	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 5
92	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 6
93	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 7
94	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 8
95	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 9
96	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 10
97	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 11
98	<a href="#">Bid Curve MW Point</a> : Curve 3, Point 12

Column #	Parameter
99	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 1
100	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 2
101	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 3
102	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 4
103	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 5
104	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 6
105	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 7
106	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 8
107	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 9
108	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 10
109	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 11
110	<a href="#">Bid Curve \$/MW Point</a> : Curve 3, Point 12
111	<a href="#">Energy Profile MW Curve 4</a>
112	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 1
113	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 2
114	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 3
115	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 4
116	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 5
117	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 6
118	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 7
119	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 8
120	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 9
121	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 10
122	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 11
123	<a href="#">Bid Curve MW Point</a> : Curve 4, Point 12
124	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 1
125	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 2
126	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 3
127	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 4
128	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 5
129	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 6
130	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 7
131	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 8
132	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 9
133	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 10
134	<a href="#">Bid Curve \$/MW Point</a> : Curve 4, Point 11
135	<b><i>Bid Curve \$/MW Point</i></b> : Curve 4, Point 12

**Download External Transaction Bids and Schedules -Response Example:**

TIME\_STAMP=10/17/2014 11:14

BID\_TYPE=EXT\_TRAN\_SCH

DATA\_ROWS=4

```
"10/10/2014 09:00","NYISO_LBMP_REFERENCE",24008," NE_LOAD_SANDY_PD",55858,"HAM"," NY
ORG A (202460)"," NE ORG B
(1038760)",,"NYIS","TEST_PSE","0012345",,"ISNE",7,"TEST1","
GIS123","INVALID",40,608474758,11566124,"Y","Y","Y","Y",40,,,1,5,"10/10/2014
09:00:00","BID ACCEPTED","Evaluation fully accepted
transaction.",,,40,30,40,,,,,,,,,,,,-100,-
90,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
,,,,
"10/10/2014 09:00","NYISO_LBMP_REFERENCE",24008," NE_LOAD_SANDY_PD",55858,"HAM"," NY
ORG A (202460)"," NE ORG B
(1038760)",,"NYIS","TEST_PSE","0012345",,"ISNE",7,"TEST1","
GIS123","INVALID",40,608474758,11566124,"Y","Y","Y","Y",40,,,1,5,"10/10/2014
09:15:00","BID ACCEPTED","Evaluation fully accepted
transaction.",,,40,30,40,,,,,,,,,,,,-100,-
90,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
,,,,
"10/10/2014 09:00","NYISO_LBMP_REFERENCE",24008," NE_LOAD_SANDY_PD",55858,"HAM"," NY
ORG A (202460)"," NE ORG B
(1038760)",,"NYIS","TEST_PSE","0012345",,"ISNE",7,"TEST1","
GIS123","INVALID",40,608474758,11566124,"Y","Y","Y","Y",40,,,1,5,"10/10/2014
09:30:00","BID ACCEPTED","Evaluation fully accepted
transaction.",,,40,30,40,,,,,,,,,,,,-100,-
90,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
,,,,
"10/10/2014 09:00","NYISO_LBMP_REFERENCE",24008," NE_LOAD_SANDY_PD",55858,"HAM"," NY
ORG A (202460)"," NE ORG B
(1038760)",,"NYIS","TEST_PSE","0012345",,"ISNE",7,"TEST1","
GIS123","INVALID",40,608474758,11566124,"Y","Y","Y","Y",40,,,1,5,"10/10/2014
09:45:00","BID ACCEPTED","Evaluation fully accepted
transaction.",,,40,30,40,,,,,,,,,,,,-100,-
90,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
,,,,
```

**5.7 Download Transaction Contracts**

**5.7.1 Download Transaction Contracts-Request**

The *BID\_TYPE/QUERY TYPE* for this template is: EXT\_TRAN\_CONTRACT

**Table 5-17 Download Transaction Contracts Request - Header**

Field	Mandatory	Description
USERID	Y-for NYISO users	ISO-NE users may not specify a USERID value
PASSWORD	Y	
QUERY_TYPE	Y	EXT_TRAN_CONTRACT
TRANSACTION_ID	N	The NYISO unique identifier of the static contract data associated with the bid
SOURCE	N	Generator name or PTID shown in MIS
SINK	N	Load area bus name or PTID shown in MIS

Field	Mandatory	Description
USER_REFERENCE	N	As defined in bid.
NUM_ROWS	N	Number of rows to return in response
NYISO_ORG_ID	N	Organization ID of the NYISO Organization responsible for the Bid
NON_NYISO_ORG_ID	N	Organization ID of the Non-NYISO Organization responsible for the Bid

**Table 5-18 Download Transaction Contracts Request - Body**

Position #	Field	Description
N/A	N/A	N/A

**Download Transaction Contracts -Request Example:**

USERID= testusr&  
 PASSWORD= testpw1!&  
 QUERY\_TYPE=EXT\_TRAN\_CONTRACT&  
 TRANSACTION\_ID=5049913&  
 SOURCE= NYISO\_LBMP\_REFERENCE&  
 SINK=NE\_LOAD\_SANDY\_PD&  
 USER\_REFERENCE=TEST\_REF&  
 NERC\_PRIORITY=7&  
 NUM\_ROWS=50&  
 NYISO\_ORG\_ID=202460&  
 NON\_NYIOS\_ORG\_ID=1038760&

**5.7.2 Download Transaction Contracts-Response**

**Table 5-19 Download Transaction Contracts Response - Header**

Field	Mandatory	Description
TIME_STAMP	N/A	
BID_TYPE	N/A	EXT_TRAN_CONTRACT
DATA ROWS	N/A	

**Table 5-20 Download Transaction Contracts Response - Body**

Position #	Field
1	<b>Transaction ID</b>
2	<b>Source Name</b>
3	<b>Sink Name</b>
4	<b>User Reference</b>
5	spare
6	spare
7	<b>NYISO Org</b>
8	<b>Error! Reference source not found.</b>
9	<b>GIS Identifier</b>
10	Assigned Contact User
11	<b>Last Update Time</b>

**Download Transaction Contracts -Response Example:**

5049913," NYISO\_LBMP\_REFERENCE ","NE\_LOAD\_SANDY\_PD"," TEST\_REF "," NY ORG A (202460)"," NE ORG B (1038760)","GIS123"," testusr ","03/13/2014 11:29"

## 5.8 Upload/Download Error Processing

JESS uses initial file validation logic that looks at the entire submitted file for the existence of an error. If there are any errors during the initial validation (denoted with an error code beginning with "JUPD"), the entire file is rejected and no data is committed to the system. For example, if row#781 of an upload file contains an error, the system will return an error for row#781, and no other rows from the file are committed to the system.

After initial file validation, which occurs on the entire file at one time, NYISO's JESS business rule validation logic checks for business rule violations in collections of 250 rows at a time. The collection will be committed to the system only after all rows in the collection pass all of the business rule checks. If the process encounters a business rule violation (denoted with an error code beginning with "JESS"), no data in the current or subsequent collections of 250 rows will be committed to the system; however, all data from previous collections will remain committed to the system. For example, if a business rule violation occurs on row 781 of the input file, only the first 750 rows of data from the input file are committed to the system.

Errors will be structured as follows:

**Figure 5-2 Upload/Download Error Example**

