

# 2020 RNA: Additional Topology Updates

---

Ken Layman

Resource Planning

**Joint ESPWG/TPAS**

April 6, 2020

# Background


- Preliminary draft MARS topology was presented at the March 16 ESPWG/TPAS meeting
- Subsequent updates are described in the following slides, and also posted as a separate draft topology file

# Additional Topology Changes

- Removal of PJM-SENY Group Interface
- Updates to Zone K Imports/Exports

# PJM-SENY Group Interface Removal


- This interface group was used to limit total imports from PJM into Zones G & J
  - Due to changes in the system and MARS topology, this interface group is no longer limiting in a majority of situations
- Removal of this interface group has no impact on the observed LOLE



# Updates to Zone K Topology

- **The NYISO received updates from PSEG-LI**
  - These values are considered preliminary pending final application of the inclusion rules
- **System Changes**
  - Reduced load forecast for western Long Island
  - Additional East Garden City – Valley Stream 138 kV circuit
- **Topology limit changes**
  - Increased ability to export power from Long Island
  - The J\_TO\_K (Jamaica ties) limit is no longer dependent on Barrett availability

# Updates to Zone K Topology



# Our mission, in collaboration with our stakeholders, is to serve the public interest and provide benefit to consumers by:

- Maintaining and enhancing regional reliability
- Operating open, fair and competitive wholesale electricity markets
- Planning the power system for the future
- Providing factual information to policymakers, stakeholders and investors in the power system



# Questions?