

2021 Market Project Candidates

Product and Project Management

April 30, 2020

This document represents potential 2021 Market project candidates. Market projects are associated with market rule(s) including market design and study projects as well as any project implementing market rule changes. They are identified through (1) the State of the Market (SOM) Report; (2) internal NYISO discussions; and (3) discussions with Market Participants in the stakeholder process. These project candidates and their corresponding descriptions reflect information known about each of the project candidates as of the date of this document.

Table of Contents

TABLE OF CONTENTS	2
INTRODUCTION	4
BUSINESS AND FINANCE PRODUCTS	6
1 CREDIT PRICE SPREAD UPDATES - VIRTUAL & EXTERNAL TRANSACTIONS	6
CAPACITY MARKET PRODUCTS	6
2 BSM RENEWABLES EXEMPTION STUDY.....	6
3 CRIS TRACKING	7
4 DEMAND CURVE RESET.....	8
5 TAILORED AVAILABILITY METRIC.....	9
6 ENHANCED BSM FORECASTS ASSUMPTIONS (SOM).....	9
7 COMPREHENSIVE MITIGATION REVIEW	10
8 CAPACITY DEMAND CURVE ADJUSTMENTS.....	11
9 CAPACITY TRANSFER RIGHTS FOR INTERNAL TRANSMISSION UPGRADES (SOM)	11
10 LOCATIONAL MARGINAL PRICING OF CAPACITY (SOM).....	12
DER PRODUCTS.....	12
11 CLIMATE CHANGE IMPACT AND RESILIENCE STUDY	12
12 DER PARTICIPATION MODEL	13
13 EXPANDING CAPACITY ELIGIBILITY	14
14 ENGAGING THE DEMAND SIDE.....	15
15 GRID IN TRANSITION.....	16
16 HYBRID STORAGE MODEL	17
17 ONGOING TSO AND DSO COORDINATION.....	17
ENERGY MARKET PRODUCTS.....	18
18 ANCILLARY SERVICES SHORTAGE PRICING (SOM).....	18
19 RESERVES FOR RESOURCE FLEXIBILITY	19
20 5 MINUTE TRANSACTION SCHEDULING—REQUESTED BY HQUS.....	19
21 CARBON PRICING	20
22 CONSTRAINT SPECIFIC TRANSMISSION SHORTAGE PRICING (SOM).....	21

23	LARGE SCALE SOLAR ON DISPATCH	22
24	MITIGATION THRESHOLDS REVIEW	22
25	MULTI-LEVEL REFERENCES	23
26	RESERVE ENHANCEMENTS FOR CONSTRAINED AREAS (SOM)	23
27	ADJUSTMENT OF ENERGY OFFER/BID FLOOR (SOM)	25
28	ELIMINATE FEES FOR CTS TRANSACTIONS WITH PJM (SOM)	25
29	ENHANCED PAR MODELING (SOM)	26
30	LONG ISLAND PAR OPTIMIZATION AND FINANCIAL RIGHTS (SOM)	27
31	LONG ISLAND RESERVE CONSTRAINT PRICING (SOM)	28
32	RTC-RTD CONVERGENCE IMPROVEMENTS (SOM)	28
	TCC PRODUCTS	29
33	RESERVING CAPACITY FOR BALANCE-OF-PERIOD (BOP) AUCTIONS.....	29
34	ON-PEAK/OFF-PEAK TCCS—REQUESTED BY CALPINE	30

Introduction

This document represents potential 2021 Market project candidates. Market projects are associated with market rule(s) including market design and study projects as well as any project implementing market rule changes. They are identified through (1) the State of the Market (SOM) Report; (2) internal NYISO discussions; and (3) discussions with Market Participants in the stakeholder process. These project candidates and their corresponding descriptions reflect information known about each of the project candidates as of the date of this document. Projects are classified as four project types.

Project Type	Description
Mandatory	Strategic Initiatives and FERC Orders. These projects will be included in the budget
Continuing	Approved in a prior year and have progressed to either software design or Development Complete. Additional projects may be classified as Continuing based on stakeholder feedback. These projects will be included in the budget
Future	Consensus from stakeholder discussions of this projects priority relative to other projects has resulted in these projects NOT being prioritized and initiated in the coming budget year. Resources, time constraints, stakeholder feedback, and other project dependencies have been taken in to consideration
Prioritize	Projects to be prioritized and included in the budget based on a feasibility assessment taking into consideration resources, time constraints, stakeholder feedback, priority score, and other project dependencies. Market projects are included in the stakeholder survey

Market projects that are Prioritize (not Mandatory, Continuing, or Future) are included in the stakeholder survey and scored by the NYISO during the prioritization phase. These projects are included in the budget based on a feasibility assessment taking into consideration resources, time constraints, stakeholder feedback, priority score, and other project dependencies. The table that follows identifies project type for each of the projects included in this document.

Item	Project Name	Product Area	Project Type
1	Credit Price Spread Updates - Virtual & External Transactions	Business and Finance Products	Prioritize
2	BSM Renewables Exemption Study	Capacity Market Products	Mandatory
3	CRIS Tracking	Capacity Market Products	Mandatory
4	Demand Curve Reset	Capacity Market Products	Mandatory
5	Tailored Availability Metric	Capacity Market Products	Prioritize
6	Enhanced BSM Forecasts Assumptions (SOM)	Capacity Market Products	Prioritize
7	Comprehensive Mitigation Review	Capacity Market Products	Continuing
8	Capacity Demand Curve Adjustments	Capacity Market Products	Prioritize
9	Capacity Transfer Rights for Internal Transmission Upgrades (SOM)	Capacity Market Products	Future
10	Locational Marginal Pricing of Capacity (SOM)	Capacity Market Products	Future
11	Climate Change Impact and Resilience Study	DER Products	Continuing
12	DER Participation Model	DER Products	Mandatory
13	Expanding Capacity Eligibility	DER Products	Mandatory
14	Engaging the Demand Side	DER Products	Prioritize
15	Grid in Transition	DER Products	Continuing
16	Hybrid Storage Model	DER Products	Prioritize
17	Ongoing TSO and DSO Coordination	DER Products	Continuing
18	Ancillary Services Shortage Pricing (SOM)	Energy Market Products	Prioritize
19	Reserves for Resource Flexibility	Energy Market Products	Prioritize
20	5 Minute Transaction Scheduling - Requested by HQUS	Energy Market Products	Prioritize
21	Carbon Pricing	Energy Market Products	Continuing
22	Constraint Specific Transmission Shortage Pricing (SOM)	Energy Market Products	Prioritize
23	Large Scale Solar on Dispatch	Energy Market Products	Prioritize
24	Mitigation Thresholds Review	Energy Market Products	Prioritize
25	Multi-Level References	Energy Market Products	Prioritize
26	Reserve Enhancement for Constrained Areas (SOM)	Energy Market Products	Prioritize
27	Adjustment of Energy Offer/Bid Floor (SOM)	Energy Market Products	Prioritize
28	Eliminate Fees for CTS Transactions with PJM (SOM)	Energy Market Products	Future
29	Enhanced PAR Modeling (SOM)	Energy Market Products	Future
30	Long Island PAR Optimization and Financial Rights (SOM)	Energy Market Products	Future
31	Long Island Reserve Constraint Pricing (SOM)	Energy Market Products	Prioritize
32	RTC-RTD Convergence Improvements (SOM)	Energy Market Products	Future
33	Reserving Capacity for TCC Balance-of-Period (BOP) Auctions	TCC Products	Prioritize
34	On-Peak/Off-Peak TCCs - Requested by Calpine	TCC Products	Prioritize

Business and Finance Products

1 Credit Price Spread Updates - Virtual & External Transactions

1.1 Problem / Opportunity

Credit requirements for Virtual & External Transactions rely on price differentials at the 97th percentile between the Energy price in the Day-Ahead Market and Real-Time Market. Price differentials are currently determined utilizing data from April 1, 2005 as set forth in the Services Tariff. To ensure credit requirements adequately cover market exposure, this methodology must be re-examined. This project would evaluate the appropriate timeframe of historical data to use to determine the price differentials used in both Virtual and External Transactions credit requirements.

1.2 Project Objective(s) & Anticipated Deliverable(s)

The objective of this project is to evaluate the timeframe of data to use to determine the price differentials for both Virtual and External Transactions' credit requirements. The outcome of the analysis will inform functional requirements.

The anticipated deliverable of this project includes:

- Q4 2021 Functional Requirements

1.3 Project Justification

This project will provide more accurate data inputs to the Virtual and External Transactions' credit requirement calculations.

Capacity Market Products

2 BSM Renewables Exemption Study

2.1 Problem / Opportunity

As the portfolio of resources participating in the NYISO's markets continues to grow and evolve, it is essential that all resources are periodically evaluated to determine which ones should or should not be considered exempt under the NYISO's proposed compliance revisions to its Services Tariff to implement a "Renewables Exemption" under the BSM Rules. This exemption would allow qualifying Exempt Renewable Technology resources that are "both purely intermittent and that have relatively low capacity factors and high development costs" to be exempt from the Class Year Buyer-side Mitigation (BSM) study.

2.2 Project Objective(s) & Anticipated Deliverable(s)

As part of the NYISO’s implementation of its BSM Rules found in Attachment H of the Services Tariff, the NYISO must periodically review and determine which renewable technologies qualify to be “Exempt Renewable Technology.” The Services Tariff requires this review to be completed every four years during the installed capacity (ICAP) Demand Curve Reset Filing Year to identify renewable technologies that have been shown to have limited or no incentive or ability to suppress capacity prices.

Under Section 23.4.5.7.13.2.1(b), for each candidate renewable technology evaluated, the NYISO will complete its study to consider the cost of new entry and costs to operate, all potential market revenues, and potential cost savings to Loads due to capacity market price reductions resulting from new entry by the candidate technology. The tariff provisions further provide that the NYISO will then use this information to determine which candidate technologies have high development costs and low capacity factors such that they have limited or no incentive to suppress capacity prices. The results of this review will be filed within 60 days of FERC’s acceptance of the ICAP Demand Curves. If the review determines that changes to the tariff definition of “Exempt Renewable Technology” are needed, the NYISO would propose them in this filing.

2.3 Project Justification

This review is mandated by Section 23.4.5.7.13.2 of the Services Tariff.

3 CRIS Tracking

3.1 Problem / Opportunity

The NYISO developed a group of interrelated proposals as part of the 2019 Class Year/Interconnection Queue Redesign project. The proposals aimed to redesign the deliverability process, Class Year procedures, and other interconnection processes in order to expedite the interconnection studies, particularly the Class Year Study and deliverability evaluations. As part of this project, the NYISO proposed more stringent CRIS expiration rules that have been accepted by FERC. More stringent CRIS rules may change the frequency and level to which CRIS-inactivity is tracked and CRIS rights are expired. The NYISO needs to be able to administer the new CRIS expiration rules.

3.2 Project Objective(s) & Anticipated Deliverable(s)

This 2021 project has a Q4 Development Complete commitment, and will design a new automated process for tracking resource's ICAP market participation on a rolling historic basis, consistent with new CRIS expiration rules, approved in the tariff as part of the larger Class Year/Interconnection Queue Redesign project.

3.3 Project Justification

FERC acceptance of these enhanced CRIS rules makes this a required project to meet the new tariff obligation.

Increased market efficiency will be realized by the implementation of automated tracking of resource participation, in the ICAP market, on a rolling historic basis. Automated tracking will reduce the risk of inappropriate market outcomes due to errors or delays that could arise via a manual tracking process..

4 Demand Curve Reset

4.1 Problem / Opportunity

Every four years, the NYISO, along with its stakeholder community, conducts a comprehensive review to determine the parameters used in establishing the ICAP Demand Curves. This process is referred to as the demand curve reset (DCR). As required by the tariff, the study includes an examination of potential peaking unit technologies and the capital and financial costs assumed in the construction and operation of that unit, along with an estimate of the projected profit earned in the Energy and Ancillary Service markets, to determine which unit has the “lowest fixed costs and highest variable costs among all other units’ technology that are economically viable.” The unit that satisfies this requirement is then used to determine the underlying parameters for each ICAP Demand Curve over the next four Capability Years.

4.2 Project Objective(s) & Anticipated Deliverable(s)

This periodic review of the ICAP Demand Curves seeks to ensure that the capacity market continues to efficiently support reliability and send accurate, transparent price signals. The review is performed by engaging an independent consultant to lead the DCR process. In addition to providing recommendations for the parameters and assumptions used in establishing the ICAP Demand Curves, the consultant’s efforts include evaluating the shape, slope, and zero crossing point for each ICAP Demand Curve.

The process culminates in a filing on or before November 30, 2020 of the proposed curves for the first year of the reset period (*i.e.*, the 2021/2022 Capability Year), along with the assumptions and methodology to be used to set demand curves for the subsequent three Capability Years of the reset period (*i.e.*, the 2022/2023, 2023/2024 and 2024/2025 Capability Years).

For 2021, the project would complete the DCR study by supporting any required regulatory activities and filings related to the filing required by November 30, 2020 addressing the results of the DCR, as well as preparation for the 2021/2022 Capability Year ICAP auctions and subsequent annual updates that will utilize the new parameters determined by the DCR.

4.3 Project Justification

The quadrennial DCR is mandated by the tariff. The DCR is a resource intensive process for both the NYISO and stakeholders that has a significant impact on the market as a whole.

5 Tailored Availability Metric

5.1 Problem / Opportunity

One of the issues identified in the Performance Assurance initiative in 2017 included ensuring the availability and performance of capacity suppliers during peak operating hours. The Tailored Availability Metric project addresses this by incentivizing resources to be available and perform during these critical operating periods. Analysis for this project will reassess the current metrics of the derating factors of all capacity resources in order to more accurately reflect performance or availability.

5.2 Project Objective(s) & Anticipated Deliverable(s)

The objective of this project is to implement a market design that reflects higher value to resources that are available and can perform during peak operating hours. For the current derating factors, all hours of operation are weighted equally, following the belief that outages occur randomly. Our design proposal is to adjust the GADS EFORD and UOL availability calculation to be seasonal while applying weighting factors to peak hours for performance based resources such as Wind and Solar.

The 2021 deliverable is Deployment consistent with approved modifications to these rules.

5.3 Project Justification

The completed market design for the Tailored Availability Metric project is important to maintain reliability of Installed Capacity Suppliers and transparency by enhancing accountability of capacity suppliers. These rule changes will be filed at FERC in 2020, resulting in a compliance obligation for 2021.

6 Enhanced BSM Forecasts Assumptions (SOM)

6.1 Problem / Opportunity

The “Part A” and “Part B” Test mitigation exemption tests require the NYISO to forecast energy and capacity market revenues. These forecasts are dependent on the generating units that are treated as in service (among other things) when forecasting market outcomes. Current revenue forecast inclusion rules inform the inclusion of new units and exit of existing units based upon certain market factors that inform the likelihood of the entry and exit.

6.2 Project Objective(s) & Anticipated Deliverable(s)

This project will propose to revise the forecast inclusion rules to improve the economic forecast. The project goal for 2021 would be Market Design Concept Proposed.

6.3 Project Justification

This project is a component of the Comprehensive Mitigation Review project. This project would seek to enhance the rules for including new entry and exit of generators in the forecasting

models in order to result in a more accurate BSM, which would improve the balance between over and under mitigation.

7 Comprehensive Mitigation Review

7.1 Problem / Opportunity

The Installed Capacity market has undergone significant changes in both design and resource mix since the NYISO’s BSM measures were first implemented in May of 2008. While there have been many incremental changes to align mitigation measures with changes in the market, there has not been a holistic evaluation of the BSM rules and methodology to evaluate whether the current framework will be adequate in a future with significant renewable resources and policy objectives that impact the capacity market.

The BSM rules were originally developed to evaluate traditional generation technologies funded primarily by privately owned capital, but new resource types such as battery storage, renewable generation, and distributed energy resources (DER) are fundamentally different in design and operation. Additionally, these resources are more likely than traditional generator technologies to be partially funded by governmental entities to meet policy goals or promote environmental attributes. New rules and tests may be required to provide a better evaluation of these resources for instances of buyer-side market power and thus result in more accurate BSM determinations.

7.2 Project Objective(s) & Anticipated Deliverable(s)

The NYISO will continue a comprehensive review to modify its Installed Capacity market framework in a balanced manner that (i) preserves competitive price signals and economically efficient market outcomes required to maintain system reliability, and (ii) enables the Climate Leadership and Community Protection Act (CLCPA) goals.

The 2020 objectives and deliverables for this project include discussions with stakeholders on the development of the MMU’s proposed enhancements to the Part A Exemption Test for state-sponsored “Public Policy Resources” as an initial phase. Following the Part A Exemption Test enhancements, several other concepts including Available Capacity Transfer (ACT) would be explored dependent on stakeholder feedback. The NYISO will then continue to explore additional modifications to the NYISO’s Installed Capacity market and BSM rules, possibly including the exploration of the Multiple Value Pricing (MVP) concept depending on additional stakeholder feedback.

The goals for 2021 extend to completing the market design for the additional modifications, as appropriate, and implementing any additional software changes that would facilitate the approved 2020 BSM rules.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 10 of 31

7.3 Project Justification

The NYISO identified the “comprehensive review of the NYISO’s existing market products and operational and planning practices” as a key strategic initiative. Evaluating the mitigation framework is an essential part to ensuring the efficiency of resource entry and exit as the generation mix rapidly changes in the coming years. The NYISO believes it is prudent to discuss options that can be designed and implemented consistent with the timeline necessary to support achievement of the CLCPA goals, while having a meaningful impact towards the comprehensive review of the NYISO’s Installed Capacity market.

8 Capacity Demand Curve Adjustments

8.1 Problem / Opportunity

The existing quadrennial ICAP DCR process includes consideration of the shape and slope of the ICAP Demand Curves. However, the NYISO recommends a targeted effort to review the efficacy of the ICAP Demand Curves to better evaluate whether alternative slopes and/or shapes would improve resource adequacy and grid reliability outside of the quadrennial DCR process.

8.2 Project Objective(s) & Anticipated Deliverable(s)

This project would evaluate what, if any, changes to the current shape and/or slope of the ICAP Demand Curves may warrant further consideration. The milestone for 2021 would be Study Complete.

8.3 Project Justification

The work effort and analysis required by the existing DCR process does not provide adequate time to conduct a detailed analysis of the efficacy of the existing structure of the ICAP Demand Curves and evaluate whether a modified structure may improve resource adequacy and grid reliability. This effort would allow the NYISO to conduct such analysis outside of the DCR process.

9 Capacity Transfer Rights for Internal Transmission Upgrades (SOM)

9.1 Problem / Opportunity

Granting internal capacity deliverability rights for transmission between zones would incentivize merchant investment in supply resources, demand resources, and transmission facilities, since right-holders would not be limited to a cost-of-service rate.

9.2 Project Objective(s) & Anticipated Deliverable(s)

This project would create a new process for granting capacity transfer rights based on internal transmission upgrades that increase transfer capability into areas with Locational Minimum

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 11 of 31

Installed Capacity Requirements that can be offered into the NYISO’s installed capacity market. The deliverable would be Market Design Concept Proposed.

9.3 Project Justification

Deliverability constraints create substantial barriers to entry for competitive new suppliers and imports, which reduces competition in the market. Transfer rights would increase market efficiency by creating a dynamic framework for incorporating system upgrade needs into capacity price signals.

10 Locational Marginal Pricing of Capacity (SOM)

10.1 Problem / Opportunity

An opportunity exists to better align capacity market clearing prices with the marginal reliability value of capacity in each Locality. Achieving this alignment could lower overall costs of satisfying capacity needs.

10.2 Project Objective(s) & Anticipated Deliverable(s)

The objective for this project would be to devise a capacity pricing framework where the clearing price at each location is set in accordance with the marginal reliability value of capacity at the location. The deliverable for 2020 would be a Market Design Concept Proposed.

10.3 Project Justification

This proposal could reduce the costs of satisfying resource adequacy needs, facilitate more efficient investment and retirement decisions, and be more adaptable to changes in resource mix (*i.e.*, increasing penetration of wind, solar, and energy storage).

DER Products

11 Climate Change Impact and Resilience Study

11.1 Problem / Opportunity

To inform the NYISO’s planning, forecasting, and operations, as well as the development of wholesale market mechanisms to enhance grid resilience.

11.2 Project Objective(s) & Anticipated Deliverable(s)

Phase III is expected to examine the identified impacts to the bulk power system under the conditions modeled in Phase I and Phase II and determine whether wholesale market design changes would be necessary for the wholesale markets to continue to support reliable grid operations under such future conditions. If wholesale market design changes are necessary to address specific impacts/issues identified under Phases I and/or II, then the NYISO would propose

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 12 of 31

concepts to address those impacts/issues based on the data and analysis performed in Phases I and II.

11.3 Project Justification

Continuation of this project will create the proper market mechanisms for any identified issues that would have otherwise impacted reliable grid operations in the future.

12 DER Participation Model

12.1 Problem / Opportunity

Technological advancements and public policy support are encouraging greater adoption of DER to meet consumer energy needs as well as system needs. DER offer the potential to make load more dynamic and responsive to wholesale market price signals, potentially improving overall system efficiencies.

12.2 Project Objective(s) & Anticipated Deliverable(s)

The 2019 deliverable for this project was Functional Requirements. In 2020, the NYISO plans to complete software design and start software development consistent with the FERC-accepted tariff. In 2021, the NYISO intends to complete software development and to deploy the software in the production environment.

This project's expected benefits are to allow the NYISO to cultivate a market that is accessible and competitive for DER, in line with Reforming the Energy Vision (REV) state policy goals.

12.3 Project Justification

Throughout 2018 and 2019, the NYISO worked through concepts, proposals, and Tariff edits to enhance its market rules for DER participation in NYISO's ICAP, Energy and Ancillary Services markets. The NYISO has also evaluated potential modifications to its existing Demand Response programs in order to enable this effort. Operational and performance changes to existing Emergency Demand Response Program and Special Case Resource programs are not required at this time, but payments to these resources will be impacted by the Expanding Capacity Eligibility rules that will become effective in 2021. The NYISO's Day-Ahead Demand Response Program and Demand Side Ancillary Services Program will be terminated when the DER participation model becomes effective.

This project has many facets that will ultimately support New York's REV goals and compliance with FERC Order Nos. 719, 745, and 841, while simplifying the operational matrix of rule sets for product offerings of both demand response and distributed resources. These changes more closely align the bidding and performance measurements for those resources mentioned with the rule sets for generators.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 13 of 31

The software development required to support the functional requirements includes new software and/or modifications to existing software that supports DER eligibility and enrollment, aggregations, bidding and scheduling, performance obligations, metering and telemetry requirements, measurement and verification of baselines and performance, modeling, settlements, ICAP market participation, interconnection, CRIS, incorporation into planning studies, market mitigation, simultaneous participation of DER in retail/distribution-level programs as well as the NYISO’s wholesale markets, and changes to the payment structure of existing demand response Capacity suppliers (SCRs) to enable this effort.

This project will continue the development effort started in 2020 with plans to complete development, testing, market trial, and production deployment in 2021.

13 Expanding Capacity Eligibility

13.1 Problem / Opportunity

The NYISO recognizes that resources of various durations provide different reliability benefits to the grid. The NYISO anticipates that shorter duration resources will increasingly enter the markets in the upcoming years, and conducted a study of the reliability benefit of duration limited resources and subsequently proposed rules to allow these shorter duration resources to participate in the markets and to value these resources based on the reliability benefit that they provide to the system. The NYISO will re-evaluate the identified Duration Adjustment Factors periodically to accurately reflect the reliability benefit of short duration resources in the As-Found System over time, and to send appropriate investment signals to developers. The implementation of the Duration Adjustment Factors requires software changes to the NYISO systems to allow shorter duration resources into the markets.

13.2 Project Objective(s) & Anticipated Deliverable(s)

The successful implementation of these market changes is dependent on developing software to account for short duration resources using the concepts (Peak Load Windows, Energy Duration Limitations, etc.) developed in 2019. The NYISO will implement the Duration Adjustment Factors from its first study for the 2021-2022 Capability Year.

13.3 Project Justification

This project is expected to have benefits, as the NYISO is expecting that a large number of short duration resources will enter the market in the coming years. This project seeks to improve the efficient operation of the grid with respect to these new resources.

The NYISO has been engaged in a multi-year effort to allow shorter duration resources to be eligible to participate in the NYISO markets. Implementation of the necessary software for this project will promote overall market efficiency.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 14 of 31

14 Engaging the Demand Side

14.1 Problem / Opportunity

Further engaging the wholesale demand side participation will become increasingly important as deployments of intermittent wind and solar resources increase to support New York’s decarbonization goals. The wholesale demand side is more than just Demand Response suppliers, it is that portion of the NYISO market resources modeled at load nodes including DER (Demand Response, Energy Storage Resources and generation) along with load that only consume energy. Today, suppliers are dispatched by the NYISO to meet load that has limited flexibility. Load is generally seen as “uncontrollable” by system operators, whereas generation resources are considered controllable. The NYISO-administered markets currently feature demand side participation opportunities through the SCR program, EDRP, DSASP, DADRP, price responsive load bids by Load Serving Entities in the Day-Ahead Market, and in the near future also through the DER participation model. Eventually, controllable and flexible load may be desirable to balance inflexible/intermittent supply and provide ancillary services. The net effect of a more engaged Demand Side will look like overall load modification in the NYISO-administered markets.

Animating load in the NYISO-administered markets will require close coordination with utilities and the New York State Department of Public Service. Improvements to consumer metering, communication platforms, and access to retail real-time rates will be necessary to improve load flexibility, and should be a focus of these efforts moving forward. These enhancements will provide consumers with visibility to real-time prices which offers them with the ability to make more informed decisions about when and how to consume energy.

14.2 Project Objective(s) & Anticipated Deliverable(s)

The NYISO will work with both internal and external stakeholders to identify opportunities to enable more demand side participation in the wholesale markets through issue discovery, such as including flexible load as supply in the price formation in the Installed Capacity and Energy markets. Further engaging load participation could allow for more robust price formation that reflects customers’ willingness to pay, consistent with their marginal benefit of consuming energy. Evaluation of potential changes to SCR program to better align with the operational needs may also be considered . Any opportunities identified to further engage demand side participation can be used to develop future market design enhancements.

14.3 Project Justification

The NYISO-administered markets may benefit from more robust demand side participation. Further enabling and encouraging loads to be more engaged in understanding their consumption patterns and responsive to real-time prices is not a trivial change to NYISO market design and operations, but will benefit grid reliability and improve market efficiency. Tangible benefits may not appear in the near term, however long-term trends point towards more customer engagement as technology supports more load interactivity. This is apparent with the state’s actions to encourage more customer engagement in their energy usage through its REV actions.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 15 of 31

The NYISO’s DER participation model, anticipated to be deployed in Q4 2021, is the next step toward animating load in the wholesale markets. That participation model builds upon the NYISO’s experience with demand response programs, and will begin the technological advances needed in the future.

15 Grid in Transition

15.1 Problem / Opportunity

In a time of unprecedented change in the electricity sector, New York’s competitive electricity markets are positioned to unleash the innovation and flexible energy solutions necessary for a reliable transformation towards a zero-emissions power grid. A rapid transition is underway in New York State from a power grid where energy is largely produced by central-station fossil fuel generation, towards a grid with increased intermittent renewable resources and distributed generation.

The pace of this transition is driven primarily by state policy, notably the CLCPA. In addition, technological advancements are expanding the capabilities of new resources and lowering their costs, further driving broader industry changes.

The NYISO is actively working on market enhancements to meet these future challenges. A grid characterized by high levels of intermittent renewable resources and distributed generation will require new thinking. We approach this work with two guiding principles: (1) all aspects of grid reliability must be maintained; and (2) competitive markets should continue to maximize economic efficiency and minimize the cost of maintaining reliability while supporting the achievement of New York’s climate policy codified in the CLCPA.

15.2 Project Objective(s) & Anticipated Deliverable(s)

Continue to study, investigate, discuss, and develop concepts described in the Reliability and Market Considerations for a Grid in Transition report that will position the wholesale markets to continue to support grid reliability as the mix of resources and system needs continues to evolve in New York.

15.3 Project Justification

The CLCPA includes the following goals:

- 100% of the state’s electricity must be emissions free by 2040
- 9,000MW of offshore wind energy must supply NY by 2035
- 6,000Mw of solar energy be installed in NY by 2025
- Statewide reduction of 185 trillion BTUs through energy efficiency
- 3,000MW of energy storage capacity must be installed to serve NY by 2030

Continuation of this project will help to identify means of addressing the state’s goals and mandates in a cost-effective way while continuing to reliably serve load in New York.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 16 of 31

16 Hybrid Storage Model

16.1 Problem / Opportunity

The NYISO's market rules do not currently allow two Generators of different types to be co-located at a single point of interconnection and share the same point identifier (PTID). Instead, where two or more resource types are co-located behind the same point of interconnection, each resource type must be separately metered and have its own PTID.

16.2 Project Objective(s) & Anticipated Deliverable(s)

This project is distinct from the DER and ESR Integration initiatives, but it will build on work completed as part of those initiatives. This is a continuation of the 2020 Hybrid Storage model Market Design Complete commitment. If the 2020 initiative results in necessary new market rules and/or software to integrate large-scale weather dependent and energy storage resources co-located behind a single interconnection point, this 2021 project will achieve those activities.

The 2021 project deliverable is a Q4 Development Complete for any software changes deemed necessary to support the market participation of front-of-the-meter renewable generators collocated with Energy Storage Resources, as approved from the 2020 Hybrid Storage Model project deliverable.

16.3 Project Justification

State and Federal initiatives such as REC procurements provide incentives for developers to couple storage and intermittent renewable assets. Such programs are aimed at reducing the output volatility and improving the availability of intermittent resources. The 2020 deliverable developed a market participation model(s) for front-of-the-meter generators plus storage that better align the NYISO's market procurement with state and federal efforts to integrate more clean energy into the grid. The 2021 delieverable will deploy the new market participation model(s) to improve grid flexibility and resilience by enabling new resource types to provide their full capabilities.

17 Ongoing TSO and DSO Coordination

17.1 Problem / Opportunity

Throughout the multi-year DER Roadmap effort, the NYISO has worked closely with the Joint Utilities (JU) of New York to develop processes that will facilitate DER participation in the wholesale markets. The NYISO recognizes that bulk system and distribution system operational coordination and situational awareness are necessary to successfully integrate DER. The NYISO must continue working with the JU as well as Long Island Power Authority (LIPA) and New York Power Authority (NYPA) to finalize coordination details in preparation for DER participation in Q4 2021.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 17 of 31

17.2 Project Objective(s) & Anticipated Deliverable(s)

Throughout the remainder of 2020 and 2021 the NYISO, the JU, LIPA, and NYPA will continue to coordinate in support of DER participation model topics, including but not limited to Transmission Nodes, Dual Participation, and operational tools. The NYISO will review the results of those efforts with it's stakeholders via NYISO market and operational working groups as an issue discovery effort.

17.3 Project Justification

This project will ensure that the NYISO and the New York transmission operators will have the proper tools, communication protocols, and procedures in place to maintain reliability as the penetration of DER on the grid increases.

Energy Market Products

18 Ancillary Services Shortage Pricing (SOM)

18.1 Problem / Opportunity

State energy and environmental policies are expected to encourage significant increases in intermittent generation. As intermittent penetration increases, the provision of ancillary services, such as reserves, will become increasingly important.

The NYISO's current shortage pricing structure and related demand curves were assessed in a 2019 study. The study identified considerations for potential changes to the current shortage pricing architecture. In 2020, the NYISO is working to develop proposed enhancements to the current reserve shortage prices and reserve demand curves, as well as further evaluating the potential procurement of reserves in excess of minimum requirements.

18.2 Project Objective(s) & Anticipated Deliverable(s)

The 2021 project deliverable will be Development Complete based on the market design expected to be approved in 2020.

18.3 Project Justification

This project will position the NYISO's markets to continue to provide efficient price signals reflecting the operational needs of the system as the grid transitions to higher intermittent penetration.

19 Reserves for Resource Flexibility

19.1 Problem / Opportunity

The Reserves for Resource Flexibility project has identified the opportunity for better aligning operational needs and conditions of the grid with reserve requirements. Specifically, two opportunities have been identified for enhancements. First, the project seeks to increase the 30 minute reserve requirement for the Southeastern New York (SENY) reserve region to levels that would enable transmission assets to be returned to Normal Transfer Criteria following a contingency. The second enhancement seeks to better align the pricing outcomes with real-time grid conditions. This would be achieved by replicating the current logic applied to the SENY 30-minute reserve requirement in real-time during a Thunderstorm Alert (TSA). Extending this logic to the NYC reserve region would reduce the 10-minute and 30-minute NYC reserve requirements to zero in real-time during a TSA.

19.2 Project Objective(s) & Anticipated Deliverable(s)

The deliverable for this project in 2021 will be Development Complete based on the market design expected to be approved in 2020.

19.3 Project Justification

Additional upward ramping capability in SENY will enhance the NYISO’s ability to more effectively manage the transmission system and real-time operations uncertainty. Procuring additional reserves in SENY is intended to facilitate the return of transmission system assets to Normal Transfer Criteria post-contingency potentially avoiding out of market actions that may otherwise be needed. Reducing the Zone J reserve requirements to zero in real-time during a TSA is intended to improve the alignment of pricing outcomes with grid conditions.

20 5 Minute Transaction Scheduling—Requested by HQUS

20.1 Problem / Opportunity

Currently, interchange with external control areas is achieved on either a 15-minute or an hourly basis using the NYISO’s Real-Time Commitment (RTC) software. A significant portion of Internal Generation is scheduled every five minutes. More frequent interchange scheduling with external control areas could improve convergence between prices in RTC and Real-Time Dispatch (RTD). More frequent interchange scheduling also provides increased flexibility to RTD, which is important as the penetration of intermittent renewables increases. The NYISO has also determined that five-minute transaction scheduling would be at least one of the prerequisites for external resources to provide operating reserves, and perhaps other ancillary services.

Evaluating external resources every five minutes will create more consistency between internal and external resource scheduling.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 19 of 31

20.2 Project Objective(s) & Anticipated Deliverable(s)

The project builds upon the study completed in 2020 that evaluated the feasibility for scheduling every five minutes with external control areas, specifically Hydro-Quebec (HQ).

The 2021 deliverable will be a Market Design Concept Proposed that provides a mechanism to schedule interchange every five minutes using the RTD with the external control areas identified as being feasible in the 2020 study.

20.3 Project Justification

This market design is expected to improve price convergence between RTC and RTD, improve market efficiency by increasing the amount of available resources for dealing with real-time system changes and/or events, and potentially increase the flexibility of the NYISO's market operations to respond to fluctuations in intermittent output. More frequent interchange scheduling that aligns with internal generation scheduling frequencies will also alleviate top of hour and quarter-hour interchange discrepancies between RTC and RTD.

The added flexibility of more frequent interchange scheduling provides is particularly important with the growing objectives in New York for renewable generation and for the replacement of fossil fuel generation.

21 Carbon Pricing

21.1 Problem / Opportunity

New York State public policy in recent years has been to promote carbon-free resources through the Clean Energy Standard. However, the wholesale electricity markets operated by the NYISO do not fully align with these policy objectives. As a result, the wholesale markets are restricted in their ability to signal cost-effective carbon dioxide ("carbon") abatement options and send effective price signals to retain needed units to sustain the reliable operation of the grid.

In 2017, the Brattle Group published a report detailing how pricing carbon into the NYISO's wholesale markets could help to harmonize wholesale markets and New York State's public policies. After the report was published, a NYISO, New York State Energy Research and Development Authority, and Department of Public Service team worked with the Integrating Public Policy Task Force (IPPTF) to analyze the mechanics and benefits of incorporating carbon pricing into NYISO's wholesale markets. These efforts culminated in the NYISO's publication of a Carbon Pricing Proposal at the end of 2018. In 2019, a complete Market Design proposal was vetted through the NYISO's working group process. The NYISO will seek agreement from the State, as well as approval from stakeholders, the NYISO Board, and FERC on the NYISO carbon pricing proposal.

21.2 Project Objective(s) & Anticipated Deliverable(s)

This phase of the NYISO’s carbon pricing project will develop software to effectuate the NYISO’s carbon pricing proposal.

21.3 Project Justification

Harmonizing state policies and wholesale market design will provide more efficient ways to achieve public policy goals at the lowest possible cost. This project will improve market signals, which increases locational and temporal efficiency. Carbon pricing will also support the orderly entry and exit of resources consistent with state policy objectives and maintaining grid reliability.

22 Constraint Specific Transmission Shortage Pricing (SOM)

22.1 Problem / Opportunity

Transmission facility and line ratings limit the amount of energy that can flow from one location to the next on the bulk electric system. As transmission constraints arise, the NYISO’s energy market software prices the quantity of energy that would be necessary to alleviate them. The existing transmission constraint pricing logic applies a single graduated pricing mechanism to all facilities assigned a non-zero constraint reliability margin (CRM) value. Under the current pricing logic, some transmission constraints are relaxed without being resolved by the graduated mechanism.

In 2018, the NYISO’s Constraint Specific Transmission Demand Curves study concluded that certain enhancements to the current logic would be beneficial and should be further explored with stakeholders. Based on this study, the NYISO proposes to utilize a revised and more graduated transmission demand curve mechanism that better accounts for the various non-zero CRM values assigned to facilities. Under this new construct, transmission demand curve prices would increase proportionally with the severity of transmission overloads. The NYISO also proposes to eliminate most occurrences of constraint relaxation by instead seeking to resolve constraints for internal facilities through use of a graduated transmission demand curve mechanism that includes pricing values for shortages that exceed applicable CRM values.

22.2 Project Objective(s) & Anticipated Deliverable(s)

The 2021 deliverable for this project will be Development Complete.

22.3 Project Justification

The transmission constraint pricing logic enables the NYISO’s market software to re-dispatch suppliers efficiently in the short term to alleviate constraints, and incentivizes long-term investment in locations where suppliers could provide the greatest benefits.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 21 of 31

23 Large Scale Solar on Dispatch

23.1 Problem / Opportunity

Large scale solar installations are just beginning to enter the New York Control Area (NYCA). While solar technology can offer many benefits, it can also pose challenges to reliable grid operation due to its variable nature. Indeed, the NYISO already contracts with solar forecasting entities to provide predictions of output from such resources. As higher levels of intermittent resources like solar connect to the grid, it is important to have appropriate market mechanisms to manage this variability with flexible resources that can follow a dispatch signal. Solar resources have a demonstrated ability to reduce their output in response to a dispatch signal, and the NYISO seeks to implement this capability within its energy markets.

23.2 Project Objective(s) & Anticipated Deliverable(s)

This project will continue the effort first described in NYISO's 2018 Market Design Concept proposal for a Solar Participation model resources. It is anticipated that the 2021 project will consist of the deployment for solar on Economic Dispatch.

23.3 Project Justification

Large scale solar resource entry has the potential to cause reliability issues due to the variable nature of solar resource output, but these resources are also capable of contributing to system reliability due to their flexibility. The NYISO does not have a market construct that allows it to send an economic market basepoint signaling a Solar resource to reduce its output in response to system needs. The ability to send an economic market basepoint signaling a Solar resource to reduce its output in response to system needs increases reliability while decreasing total production cost.

24 Mitigation Thresholds Review

24.1 Problem / Opportunity

Load Pocket Thresholds (LPT) are mitigation measures designed to prevent the exercise of market power by the New York City units that might occur under constrained system conditions. These thresholds strictly limit the bidding leeway of NYC Generators, relative to their energy reference levels. The requirement is explained in Services Tariff Section 23.3.1.2.2. In certain situations, the LPTs, which are based on previous months' data, may over or underestimate the actual conditions experienced and, hence, may lead to over or under mitigation. A review of the mitigation behavior thresholds could identify opportunities to improve upon the current LPT methodology.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 22 of 31

24.2 Project Objective(s) & Anticipated Deliverable(s)

The 2021 project deliverable would be the development of Functional Requirements based on the work conducted in 2020 that performed a comprehensive review of mitigation behavioral thresholds and proposed corresponding market design improvements.

24.3 Project Justification

This project would allow for a comprehensive review of the LPT methodology and process to identify ways to improve the accuracy of and verification process for LPT calculations.

25 Multi-Level References

25.1 Problem / Opportunity

This project supports the gas electric system coordination by providing more sophisticated and efficient methods for Market Participants (MPs) and the NYISO to model generator fuel availability, fuel costs, and operational situations.

The enhanced functionality will also allow the Market Monitoring Unit and Market Mitigation and Analysis Department to more effectively implement tariff requirements, allow greater flexibility in creation of references to meet market conditions, and provide additional transparency to MPs.

25.2 Objective(s) & Anticipated Deliverable(s)

This project will implement several functional enhancements to the Reference Level Software (RLS) web application as well as the Reference Calculation Engine. Some functional enhancements include allowing multiple fuels for a single reference, an increasing bids in real-time screening report, improve screen refreshes, and create a super approver role.

Multiple audit recommendations have included the need for improved documentation explaining the workings of the RLS software.

25.3 Project Justification

The functional enhancements will allow MMA analysts a greater ability to quickly and accurately identify potential problems with reference levels, which could subsequently lead to erroneous mitigations potentially affecting both locational based marginal pricing (LBMP) and uplift.

26 Reserve Enhancements for Constrained Areas (SOM)

26.1 Problem / Opportunity

Based on New York State Reliability Council (NYSRC) rules, the NYISO is also required to ensure that transmission facilities are not loaded above their Long-Term Emergency (LTE) rating, post-contingency. In some cases, within NYC, the NYISO is permitted to operate transmission facilities above LTE, using generating capacity not otherwise scheduled to provide energy and phase angle regulator actions to quickly secure the transmission facilities, post-contingency. This offers

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 23 of 31

opportunities to reduce production costs by relaxing the transmission limits of facilities that feed New York City load pockets. Currently, operating reserve providers in these NYC load pockets are not compensated for the avoided transmission congestion they enable by allowing certain facilities to be secured to a rating that is higher than LTE.

Today, the NYISO procures fixed quantities of operating reserves in specified regions across the state. Under this structure, the static modeling of reserve regions and their associated requirements does not reflect the flexibility of the grid to respond to system needs by utilizing the transmission system to import capacity into generation-constrained regions. As reserve regions become smaller, this static modeling can potentially lead to market inefficiencies and unnecessary price volatility.

The NYISO recently proposed to introduce a Zone J reserve region with 10 and 30-minute reserve requirements beginning in late-June 2019. The Zone J reserve region will provide region-specific market signals consistent with reliability needs in New York City.

The NYISO is also exploring the potential implementation of more granular reserve requirements within certain New York City load pockets that would better represent the value of short-notice resources in desirable locations. As the potential implementation of load pocket reserve requirements is considered, a dynamic reserve procurement methodology that does not exist today could be useful to improve market efficiency, better aligning market outcomes with how the power system is operated, and avoid the potential for unnecessary price volatility..

26.2 Objective(s) & Anticipated Deliverable(s)

The deliverable for this effort in 2021 will be Study Complete. The study will seek to develop potential changes to the NYISO’s market software to facilitate more efficient schedule operating reserves based on system conditions. If determined to be feasible, such enhancements could facilitate the capability for reserves to be scheduled in more cost-effective regions if sufficient transmission capability is available to deliver the reserves to another location/reserve region, post-contingency. This study will also evaluate potential ways to compensate operating reserve providers that help manage transmission congestion to determine if market incentives can be improved to maintain resource flexibility. Finally, the study will explore how to most efficiently incorporate potential reserve requirements within certain load pockets in New York City into the market software.

26.3 Project Justification

The MMU has recommended that the NYISO “[d]ynamically adjust operating reserve requirements to account for factors that increase or decrease the amount of reserves that must be held on internal resources [SOM Recommendation 2015-16].” A dynamic reserve procurement methodology could improve market efficiency by scheduling reserves in a less expensive region using available transmission capability to import power into a more constrained region post-contingency, rather than hold reserves in the more expensive reserve area. By

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 24 of 31

scheduling reserves dynamically, reserves could be shifted to resources in lower cost regions as transmission capacity is made available or shifted to resources that are not export constrained. Dynamic reserves present opportunities to enhance grid resilience, incentivize resource flexibility, lower total production costs, and increase efficiency in meeting applicable reserve requirements.

This project also considers two additional recommendations made by the MMU in past State of the Market Reports. The MMU has recommended that the NYISO “[c]onsider rules for efficient pricing and settlement when operating reserve providers provide congestion relief [Recommendation 2016-1].” The MMU has also recommended that the NYISO “[m]odel local reserve requirements in New York City load pockets [Recommendation 2017-1].”

27 Adjustment of Energy Offer/Bid Floor (SOM)

27.1 Problem/Opportunity

The bid and offer floor for internal resources and external transactions is negative \$1,000/MWh. Under rare conditions, the NYISO operators may have to reduce external interface limits and/or curtail external transactions to maintain transmission security on an external interface. In such cases, external transaction schedulers are effectively able to “buy” power at arbitrarily low price levels, resulting in uplift for NYISO customers. The MMU recommends raising the bid and offer floor to a level that is closer to the range of potential avoided costs of supply for generation resources.

27.2 Project Objective(s) & Anticipated Deliverable(s)

The project deliverable would be a Market Design Complete. The project scope would be to investigate the impacts of increasing the offer floor for resources and also the capping logic required to implement the change.

27.3 Project Justification

This project would potentially reduce uplift for NYISO customers by reducing the level of arbitrary low pricing that is not necessarily reflective of associated costs.

28 Eliminate Fees for CTS Transactions with PJM (SOM)

28.1 Problem / Opportunity

Coordinated Transaction Scheduling (CTS) was introduced as a market design concept to allow wholesale market operators the ability to schedule efficient transactions based on close to real-time price information. The efficiency benefits of the CTS process with PJM have been limited since it was implemented in the fourth quarter of 2014. The 2015 SOM report addresses this issue and makes the observation that there has been a far greater utilization of CTS bidding at the ISO-NE interface since it was implemented in the fourth quarter of 2015. The 2017 SOM

report notes that overall performance of CTS improved significantly between 2016 and 2017 but that participation is still much stronger at the ISO-NE interface (where it is required) than the PJM interface (where it is optional). The lower utilization of CTS with PJM can partially be attributed to the relatively large fees that are charged to transactions between NYISO and PJM, while no substantial transmission charges or uplift charges on transactions are charged between New York and New England. The fees and uplift charges present an economic barrier to achieving potential benefits from CTS process at the PJM border. The cost of these fees are paid by load, regardless of whether it is charged to transactions because MPs facilitating transactions must increase their bids to account for the fees.

28.2 Project Objective(s) & Anticipated Deliverable(s)

This effort would seek to eliminate CTS fees at the NYISO and PJM interface. The 2021 deliverable for this effort will be Market Design Concept Proposed.

28.3 Project Justification

Charging fees for transactions introduces an unnecessary cost into the marketplace. Eliminating transaction fees with PJM would provide a market efficiency gain by setting a LBMP at the border that better reflects the actual marginal cost of energy.

29 Enhanced PAR Modeling (SOM)

29.1 Problem / Opportunity

The external MMU observed variation in loop flows and in flows across certain Phase Angle Regulator(PAR)-controlled lines were among the leading causes of transient price spikes in 2015 and 2016. Discrepancies between modeled and actual loop flows and modeled and actual flows across PAR-controlled lines lead to transient shortages where generation must be ramped up to account for scheduling discrepancies and flexible generators cannot ramp quickly enough to compensate for changes. This subsequently leads to spikes in shadow costs or LBMPs. Mechanisms incorporated into the market solution may help to alleviate these discrepancies between modeled and actual loop flows and flows on PAR-controlled lines.

Adjusting the last telemetered flows on fixed scheduled PARs and using these adjusted values as inputs to RTC and RTD to account for variations in generation, load, interchange, and the operation of other PARs that are located in the NYISO footprint can more accurately model the actual power PAR flows realized. In addition, developing a mechanism to forecast deviations between telemetered and actual loop flows and telemetered and actual fixed PAR flows and incorporating these adjustments within RTC and RTD can more accurately reflect real-time system conditions, resulting in more efficient prices and schedules and reducing unnecessary price spikes. This initiative also involves evaluating improvements to the modeling of day-ahead loop flows and flows on PAR controlled lines.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 26 of 31

29.2 Project Objective(s) & Anticipated Deliverable(s)

The 2021 deliverable for this effort will be Study Complete. The scope of this study will include discussion of the current modeling of loop flows and fixed PAR schedules in the market software. The NYISO will also review potential improvements to PAR Modeling as part of this study.

29.3 Project Justification

This project could lead to more efficient modeling of loop flows and fixed-schedule PAR flows, which has the potential to result in more efficient scheduling of NYCA resources; in addition, this effort has the potential to enhance price transparency by reducing unnecessary price volatility. This project may improve convergence between RTC and RTD, as well as between the Day-Ahead Market (DAM) and Real-Time Market (RTM).

30 Long Island PAR Optimization and Financial Rights (SOM)

30.1 Problem / Opportunity

Scheduling of PAR-controlled lines between New York City and Long Island (*i.e.*, the 901 and 903 lines) is not currently optimized in the NYISO's market software. These lines are scheduled according to the terms of long-standing contracts that predate open access transmission tariffs and the NYISO's markets. This causes power to flow in an inefficient direction for the majority of the time in the DAM. Significant efficiency gains may be achieved by improving the operation of these lines.

30.2 Project Objective(s) & Anticipated Deliverable(s)

The 2021 deliverable for this effort will be Study Complete. The NYISO will investigate the creation of a financial settlement mechanism to compensate the party that would be giving up some of the benefits from the current operation. Completion of this study will necessitate discussions with PSEG-Long Island and ConEd. The NYISO should work with these parties to explore potential changes to wheeling agreements or to identify how the agreements can be accommodated within the markets more efficiently.

In later project phases, the creation of a new financial product to allow the owner of the LI PARs to benefit from Long Island PAR optimization will include an internal determination of the necessary modification/ creation of NYISO credit, settlement, and other processes to facilitate a new financial right and the Long Island PAR optimization. The market software/ processes will also need to be modified to optimize the Long Island PARs and create the new financial product.

30.3 Project Justification

This solution will explore mechanisms to minimize total production cost by ensuring power flows in the economic direction most of the time in the DAM. Optimizing the Long Island PARs and creating a financial right to compensate the affected transmission owners has been cited by the NYISO's external MMU as a recommendation for improvement.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 27 of 31

31 Long Island Reserve Constraint Pricing (SOM)

31.1 Problem/Opportunity

The DAM and RTM schedule resources to satisfy reserve requirements, including specific requirements for 10-minute spinning reserves, 10-minute total reserves, and 30-minute total reserves on Long Island. However, reserve providers on Long Island are currently paid based on the clearing prices for the larger Southeastern New York (SENY) reserve region (Load Zones G-K).

31.2 Project Objective(s) & Anticipated Deliverable(s)

The 2021 project deliverable would be a Market Design Complete. The project scope would include the conduct of a study to further evaluate the current compensation rules for Long Island reserve providers and whether revisions thereto may be reasonable and provide for improved efficiency in pricing outcomes and performance incentives for reserve providers.

31.3 Project Justification

The project would seek to evaluate whether revisions to the current compensation rules for Long Island reserve providers may better reflect the value of reserve capability on Long Island.

32 RTC-RTD Convergence Improvements (SOM)

32.1 Problem / Opportunity

Differences in resource schedules and prices frequently occur between the NYISO's RTC and RTD programs. This divergence influences real-time price volatility and may result in sharp changes in constraint shadow costs or LBMPs. In addition, the look-ahead periods of RTC and RTD are relatively short (2.5 and 1 hours, respectively). As a result of their inability to predict the load shape for longer periods, RTC and RTD may not be capable of scheduling energy to meet load at the least cost in a future that is increasingly reliant on the strategic use of energy storage resources to manage multiple load peaks throughout the day.

A 2018 NYISO study of the drivers of divergences between RTC and RTD concluded that incremental changes to RTC and RTD could improve convergence marginally. The Market Monitoring Unit has also recommended incremental changes that could result in better price convergence. Significant improvements, however, would require a large redesign effort to completely overhaul the structure of the NYISO's RTM software, in preparation for the grid of the future.

32.2 Project Objective(s) & Anticipated Deliverable(s)

The 2021 deliverable for this effort is Study Complete. The NYISO will consider whether RTC and RTD are structurally capable of supporting the RTM market and grid operations in a future with more intermittent resources, higher forecast uncertainty, and a large swath of small distributed resources.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 28 of 31

32.3 Project Justification

The NYISO must prepare for significant grid changes that were not considered when RTC and RTD were designed. Failure to carefully review the fundamental structure of the RTM software could eventually lead to reliability concerns such as the failure to retain resources necessary to address intermittent volatility, and an increase in expensive out of market actions.

TCC Products

33 Reserving Capacity for Balance-of-Period (BoP) Auctions

33.1 Problem / Opportunity

The NYISO currently conducts Centralized TCC Auctions twice each year. In each of those auctions longer duration TCCs (six-month, one-year, and/or two-year) are available for purchase. However, TCCs covering periods shorter than six months are not available in those auctions. Instead, MPs wishing to purchase shorter-term TCCs must do so in the Reconfiguration Auctions, which are held each month. Reconfiguration Auctions may be conducted as either single month auctions or Balance-of-Period (BoP) Auctions. BoP Auctions encompass all remaining months of the applicable Capability Period.

Currently, the NYISO's tariffs require that all transmission capacity not associated with Existing Transmission Agreements or outstanding TCCs and not reserved through conversion of Existing Transmission Capacity for Native Load (ETCNL) to ETCNL TCCs or Residual Capacity Reservation Rights (RCRR) to RCRR TCCs be made available for sale in the Centralized TCC Auctions. As a result, the opportunity for MPs to acquire shorter-term TCCs in BoP Auctions may be significantly limited. Other ISO/RTOs reserve some transmission capacity for sale in their monthly Financial Transmission Right auctions.

Consequently, this proposal seeks to build upon the 2020 project effort related to the development of software and rule/procedure revisions to permit the NYISO to reserve a portion of available system transfer capability, which it would then release into the BoP Auctions. This will permit auction participants to purchase additional shorter-term TCCs in the BoP Auctions.

33.2 Project Objective(s) & Anticipated Deliverable(s)

This project is intended to build on the efforts undertaken in 2020 to develop market rule changes to accommodate the potential for reserving a portion of otherwise available transmission capacity for release in the BoP Auctions. The project will develop the system requirements to the TCC Automated Market System needed to support the market changes.

2020 The New York Independent System Operator, Inc. All Rights Reserved.	
DRAFT – FOR DISCUSSION PURPOSES ONLY	Page 29 of 31

33.3 Project Justification

Today the TCC Automated Market System and other supporting systems do not support the reservation of transmission Capacity for sale in BoP Auctions. Certain stakeholders have previously requested this capability.

The proposed solution is intended to:

- Address stakeholder requests for such enhancements to the current TCC auction design; as auction participants have consistently indicated interest in reserving transfer capability for release in BoP Auctions in surveys of TCC MPs; and
- Provide additional opportunities for interested parties to obtain shorter-duration TCCs because it would remove a constraint that limits the availability of shorter-term TCCs in the BoP Auctions.

34 On-Peak/Off-Peak TCCs—Requested by Calpine

34.1 Problem / Opportunity

The on-peak/off-peak TCC product is a desired featured requested by certain Markets Participants (MPs) who participate in the TCC auctions. The product would allow MPs to bid for TCCs that are effective only during on-peak hours, off-peak hours, or a combination of both in the TCC auctions. Today, NYISO TCCs are awarded and settled across all hours of a day during the time period in which the TCC is active. With an on-peak/off-peak option, MPs would be able to adjust their portfolios to hedge against congestion costs during on-peak or off-peak periods of a day.

34.2 Project Objective(s) & Anticipated Deliverable(s)

This projects deliverable would be a Market Design Concept Proposed and would include working with stakeholders to develop market rule changes for incorporating on-peak/off-peak TCCs into TCC auctions.

Completion of this project would define the following within the TCC market and related systems:

- TCC auction design to support the sale of on-peak/off-peak TCCs.
- Revenue allocation methodology adjustments to support on-peak/off-peak TCCs.

Due to the potential increased complexity of multi-period on-peak/off-peak TCC auctions, the implementation of the on-peak/off-peak TCC product may have a dependency on the automation of the Existing Transmission Capacity for Native Load (ETCNL) feasibility analysis process and the automation of an inventory system to calculate the remaining feasible ETCNL and Original Residual TCCs.

34.3 Project Justification

Breaking out the TCC product into time differentiated products could potentially: (1) provide additional congestion hedging opportunities to MPs; (2) improve the efficiency of TCC market outcomes; and (3) reduce the cost of congestion heading for MPs.