



New York
Independent System Operator

Web Based Reconciliation

draft

User's Guide

Version
August 12, 2003

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.



New York Independent System Operator

NOTE: This is a draft User’s Guide and is distributed solely for the purpose of soliciting comments. This draft User’s Guide does not represent NYISO concepts, techniques or processes.

Table of Contents

	<u>Page</u>
Introduction	I
 Section 1 – Using MIS Upload/Download Batch Procedures	
Upload template for tie line, generator, and sub-zone data.....	1-1
Download template for tie line, generator, and sub-zone data.....	1-2
Upload template for load bus data.....	1-4
Download template for load bus data.....	1-6
Download template for Metering Authority Subzone Load Data.....	1-7
Upload template to indicate Meter Authority Agreement.....	1-8
Download template for Monthly Wholesale Load Verification.....	1-10
Download template for Invoice History.....	1-11
Error messages	1-12
 Section 2 - Access through interactive web displays	
Calculated Subzone Load Query page.....	2-1
Calculated Subzone Load Detail Query page.....	2-4
Gen/Tie Load Detail Query page.....	2-7
Subzone Load Verification Query page.....	2-8
Wholesale Bus Load Detail Query page.....	2-10
Wholesale Load Match query page.....	2-12
User Detail Information.....	2-14
 Section 3 - Market Participant Administrator Web Pages	
Metering Generators permissions page.....	3-2
Metering Loads permissions page.....	3-4
Metering Ties permissions page.....	3-6
Metering Subzones permissions page.....	3-8
 Section 4 - User Account Configuration and Management	
	4-1



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

Web Based Reconciliation

draft User's Guide

Introduction

The MIS web enabled applications described in this User's Guide support upload and download query functions related to hourly tie line, generation, sub-zone and load bus data. **Upon deployment of these applications the NYISO will no longer support the use of FTP, monthly adjustment (XX), or ICCP files.**

This User's Guide assumes prior knowledge in the use of the NYISO MIS and MIS upload/download batch procedures. For information on the NYISO MIS, and the relevant authorization and Digital Certificate requirements, please refer to the [NYISO Market Participant User's Guide](#) (MPUG). For additional information relating to the upload/download process please refer to [Section 8 of the MPUG](#).



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

Section 1 – Using MIS Upload/Download Batch Procedures

Upload template for tie line, generator, and sub-zone data

The "TIE_GEN_SUBZONE_DATA" upload template enables a meter authority to upload tie line, generator and sub-zone hourly MW values to the NYISO MIS for a specific tie line, generator, or sub-zone PTID, or up to all applicable PTIDs assigned to that meter authority.


Data submitted via the TIE_GEN_SUBZONE_DATA upload template is always preceded by a header that defines the "Bid Type" (TIE_GEN_SUBZONE_DATA), the user's ID, the user's password, and the number of rows of data. An ampersand (&) defines the end of each entry field of the header, and data entered may not exceed 3 decimal places.

Data Dictionary for the BID_TYPE = TIE_GEN_SUBZONE_DATA upload template:

Variable Name	Value	Mandatory
USERID	Oracle account user name	Y
PASSWORD	Oracle account password	Y
BID_TYPE	TIE_GEN_SUBZONE_DATA	Y

Parameter	Data Type	Description
Date_Hour	MM/DD/YYYY HH24:MM	Date parameter can be defined as the specific day. Included in the upload per PTID would be 23, 24, or 25 hourly values ¹ . All hours are identified as hour beginning (HB) in 24-hour time. Times are local (New York) time.
TIE/GEN PTID	NUM (6,0)	Unique integer identifier defined by NYISO
Hourly MW Value	NUMBER (20,3)	Hourly MW value reported by the meter authority for each PTID

For example, hourly MW values submitted for HB 00 through HB 23 of October 27, 2002 for PTID 25025 would look like this:



¹ For additional information concerning the treatment of 23 and 25- hour days, please refer to NYISO Technical Bulletins [# 64](#) (25-hour day) and [# 88](#) (23-hour day).



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

Web Based Reconciliation

draft User's Guide

```

10/27/2002 25:00,25025,300.123
10/27/2002 02:00,25025,300.123
      .
      .
      .
10/27/2002 20:00,25025,300.123
10/27/2002 21:00,25025,300.123
10/27/2002 22:00,25025,300.123
10/27/2002 23:00,25025,300.123

```

A line feed/carriage return marks the end of each individual line of data.

Hourly MW

A line feed/carriage return marks the end of each line of upload data.

Following successful submission of "TIE_GEN_SUBZONE_DATA" the NYISO will respond with a three-record header that includes a time stamp, confirmation of the bid type (TIE_GEN_SUBZONE_DATA), and the number of data rows processed. The data will be returned in the following format:

Date & Hour, Billing Date, Version, MA (Metering Authority), PTID, Name of PTID, Metering Authority Hourly MW Value, NYISO Hourly MW Value, Metering Authority Hourly Meter Update Date and Hour, Update User, Billed Flag

For example:

```

TIME_STAMP=10/28/2002 08:41:37
BID_TYPE= TIE_GEN_SUBZONE_DATA
DATA_ROWS=25

```

```

"10/27/2002 00:00",,,,,,"XYZ Company",12345,"ABC",124.23,125.24,"12/15/2002 14:31","scotto","N"
"10/27/2002 01:00",,,,,,"XYZ Company",12345,"ABC",124.381,125.315,"12/15/2002 14:31","scotto","N"
"10/27/2002 25:00",,,,,,"XYZ Company",12345,"ABC",125,125.42,"12/15/2002 14:31","scotto","N"
"10/27/2002 02:00",,,,,,"XYZ Company",12345,"ABC",125,125.42,"12/15/2002 14:31","scotto","N"
"10/27/2002 03:00",,,,,,"XYZ Company",12345,"ABC",125.17,125.6, .....

```

Download template for tie line, generator, and sub-zone data

The "TIE_GEN_SUBZONE_DETAIL" download template enables a generator or meter authority to download their tie line, generator and sub-zone hourly MW data for a specified period of time within a month. The user can enter a single tie line, generator, or sub-zone PTID, or select up to 10 PTIDs at one time. If the PTID field is left blank, then every PTID associated with the meter authority will be included in the output file. If the user is requesting data for a specific time period within a month the user should enter the specific month in the BILLING_MONTH field and use the START_DATE and END_DATE parameters to specify the time period.



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

Data Dictionary for the TIE_GEN_SUBZONE_DETAIL download template:

Variable Name	Value	Mandatory
USERID	Oracle account user name	Y
PASSWORD	Oracle account password	Y
QUERY_TYPE	TIE_GEN_SUBZONE_DETAIL	Y
BILLING_MONTH	MM/YYYY or MM/DD/YYYY	Y
PTID	PTID exactly as shown in MIS	N
SUBZONE_PTID	Subzone PTID exactly as shown in MIS	N
START_DATE	MM/DD/YYYY HH24:MM	N
END_DATE	MM/DD/YYYY HH24:MM	N
VERSION	Version number	N
ADVISORY_DATA	Y for advisory billed data only, N for most current data	N
UPDATE_TIME_START	MM/DD/YYYY HH24:MM	N
UPDATE_TIME_END	MM/DD/YYYY HH24:MM	N

The query to download generator data for generator PTID 12345 for July 04, 2002 would look like this:

```

USERID=your user ID&PASSWORD=your password&
QUERY_TYPE= TIE_GEN_SUBZONE_DETAIL&
BILLING_MONTH=07/2002&PTID=12345&
START_DATE=07/04/2002 00:00&END_DATE=07/05/2002 00:00&
    
```

The MIS response to the download request for TIE_GEN_SUBZONE_DETAIL will provide the following data in csv (comma separated value) format:

Date & Hour, Billing Date, Version, MA (Metering Authority), PTID, Name of PTID, Metering Authority Hourly MW Value, NYISO Hourly MW Value, Metering Authority Hourly Meter Update Date and Hour, Update User, Billed Flag

The returned data will appear as illustrated below.

TIME_STAMP= 07/18/2003 15:50

BID_TYPE= TIE_GEN_SUBZONE_DETAIL

DATA_ROWS=24

```

"07/04/2002 00:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 01:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 02:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 03:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 04:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 05:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 06:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 07:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 08:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
    
```



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

"07/04/2002 09:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 10:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 11:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 12:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,"06/20/2003 08:48","TESTUSER","Y"
"07/04/2002 13:00","07/04/2002",0,"XYZ Company",12345,"ABC",123.456,123.654,.....

For multiple PTID queries a comma “,” is used to separate the PTID values with the ampersand (&) following the last PTID number (For example PTID=12345,34567,56789&). To query all PTIDs, omit the PTID field entirely. For example:

```
USERID=your user ID&PASSWORD=your password&
QUERY_TYPE= TIE_GEN_SUBZONE_DETAIL&
BILLING_MONTH=10/27/2002&
```

To download all data for a specific sub-zone, enter the sub-zone PTID in the SUBZONE_PTID field. For example:

```
USERID=your user ID&PASSWORD=your password&
QUERY_TYPE= TIE_GEN_SUBZONE_DETAIL&
BILLING_MONTH=10/27/2002&SUBZONE_PTID=54321&
```

If the applicable meter authority reports no hourly MW value for a particular PTID, then the *Metering Authority Hourly Value* field will be left blank.

Upload template for load bus data

The LOAD_BUS_HOUR_DATA upload template enables a meter authority to upload its applicable load bus data. The user can upload a single BUS PTID, or up to all applicable BUS PTIDs for all hours of a single day. If the MW value for a load bus is zero for a given hour, then the user must enter a zero in the field. The field should not be left blank. Also, data entered may not exceed 3 decimal places. The LOAD_BUS_HOUR_DATA replaces the data previously identified as TOL, and hourly load bus data.

Data submitted via the LOAD_BUS_HOUR_DATA upload template is always preceded by a header that defines the “Bid Type” (LOAD_BUS_HOUR_DATA), the user’s ID, the user’s password, and the number of rows of data. An ampersand (&) defines the end of each entry field of the header.

Data dictionary for the BID_TYPE = LOAD_BUS_HOUR_DATA upload template:

Variable Name	Value	Mandatory
USERID	Oracle account user name	Y
PASSWORD	Oracle account password	Y
BID_TYPE	LOAD_BUS_HOUR_DATA	Y




New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

Parameter	Data Type	Description
Date_Hour	MM/DD/YYYY HH24:MM	Date parameter can be defined as the specific day. Included in the upload per PTID would be 23, 24, or 25 hourly values. All hours are identified as hour beginning (HB) in 24-hour time. Times are local (New York) time.
BUS PTID	NUM (6,0)	Unique integer identifier defined by NYISO for each load bus.
Hourly MW Value	NUMBER (20,3)	Hourly MW value reported by the Metering Authority for each BUS PTID. (It is mandatory that a value be submitted. If no value is submitted then a null will appear).

For example, hourly load bus MW values submitted for HB 00 through HB 23 of April 7, 2002 for bus PTID 305299 would look like this:



A line feed/carriage return marks the end of each line of upload data.

Following successful submission of "LOAD_BUS_HOUR_DATA" the NYISO will respond with a three-record header that includes a time stamp, confirmation of the bid type (LOAD_BUS_HOUR_DATA), and the number of data rows processed. The data will be returned in the following format:

Date & Hour, Billing Date, Version, Load Bus PTID, Load Bus Name, Metering Authority Hourly Value, Update Date and Hour, Update User, Billed Flag

For example:

```

    TIME_STAMP=06/02/2002 09:27:14
    BID_TYPE= LOAD_BUS_HOUR_DATA
    DATA_ROWS=23

    "04/07/2002 00:00",", , 78901, "XXX West", 125.17,"06/15/2002 14:31", "scotto", "N"
    "04/07/2002 01:00",", , 78901, "XXX West", 125.1, "06/15/2002 14:31", "scotto", "N"
    "04/07/2002 03:00",", , 78901" XXX West", 125.35, "06/15/2002 14:31", "scotto", "N"
  
```




New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

```
"04/07/2002 04:00",,,,,, 78901,"XXX West", 131.678, "06/15/2002 14:31", "scotto","N"
"04/07/2002 05:00",,,,,, 78901,"XXX West", 131.327, "06/15/2002 14:31", "scotto","N"
"04/07/2002 06:00",,,,,, 78901,"XXX West", 132.1, "06/15/2002 14:31", "scotto","N"
"04/07/2002 07:00",,,,,, 78901,"XXX West", 136.53, "06/15/2002 14:31", "scotto","N"
"04/07/2002 08:00",,,,,, 78901,"XXX West", 130.86, "06/15/2002 14:31", "scotto","N"
"04/07/2002 09:00",,,,,, 78901,"XXX West", 132.186, "06/15/2002 14:31", "scotto","N"
"04/07/2002 10:00",,,,,, 78901,"XXX West", .....
```

If the data is not entered or received properly the NYISO MIS will provide an error message indicating that the data must be checked and resubmitted.

Download template for load bus data

The "LOAD_BUS_HOUR_DETAIL" download template enables load serving entities to download their applicable load bus data. This download query can provide load bus data for a specified period of time within a given month. The user may query a single BUS PTID, select up to 10 BUS PTIDs at one time, or select all BUS PTIDs associated with the user by leaving the BUS PTID field blank. The returned information will also specify the last time that the data was updated, and identify the party that performed the most recent update. If the user is requesting data for a specific time period within a month the user should enter the specific month in the BILLING_MONTH field and use the START_DATE and END_DATE parameters to specify the time period.

Data dictionary for the LOAD_BUS_HOUR_DETAIL download template:

Variable Name	Value	Mandatory
USERID	Oracle account user name	Y
PASSWORD	Oracle account password	Y
QUERY_TYPE	LOAD_BUS_HOUR_DETAIL	Y
BILLING_MONTH	MM/YYYY or MM/DD/YYYY	Y
PTID	PTID exactly as shown in MIS	N
START_DATE	MM/DD/YYYY HH24:MM	N
END_DATE	MM/DD/YYYY HH24:MM	N
VERSION	Version number	N
ADVISORY_DATA	Y for advisory billed data only, N for most current data	N
UPDATE_TIME_START	MM/DD/YYYY HH24:MM	N
UPDATE_TIME_END	MM/DD/YYYY HH24:MM	N

The query to download load bus data for load bus PTID 78901 for January 4, 2003 would look like this:

```
USERID=your user ID&PASSWORD=your password&
QUERY_TYPE= LOAD_BUS_HOUR_DETAIL&
BILLING_MONTH=01/07/2003&PTID=12345&
START_DATE=01/04/2003 00:00&END_DATE=01/05/2003 00:00&
```



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

The MIS response to the LOAD_BUS_HOUR_DETAIL query will provide the following data in csv format:

Date & Hour, Billing Date, Version, Load Bus PTID, Load Bus Name, Metering Authority Hourly Value, Update Date and Hour, Update User, Billed Flag

The returned data will appear as illustrated below.

TIME_STAMP=07/18/2003 15:57
BID_TYPE= LOAD_BUS_HOUR_DETAIL
DATA_ROWS=24

"01/04/2003 00:00","01/04/2003",0,"XYZ Company",123456,"ABCD",123.456,"06/26/2003 08:17","TESTUSER","N"
"01/04/2003 01:00","01/04/2003",0,"XYZ Company",123456,"ABCD",123.456,"06/26/2003 08:17","TESTUSER","N"
"01/04/2003 02:00","01/04/2003",0,"XYZ Company",123456,"ABCD",123.456,"06/26/2003 08:17","TESTUSER","N"
"01/04/2003 03:00","01/04/2003",0,"XYZ Company",123456,"ABCD",123.456,"06/26/2003 08:17","TESTUSER","N"
"01/04/2003 04:00","01/04/2003",0,"XYZ Company",123456,"ABCD",123.456,"06/26/2003 08:17","TESTUSER","N"
"01/04/2003 05:00","01/04/2003",0,"XYZ Company",123456,"ABCD",123.456,"06/26/2003 08:17","TESTUSER","N"
"01/04/2003 06:00","01/04/2003",0,"XYZ Company",123456,"ABCD",123.456,"06/26/2003 08:17","TESTUSER","N"
"01/04/2003 07:00","01/04/2003",0,"XYZ Company",123456,"ABCD",123.456,"06/26/2003 08:17","TESTUSER","N"
"01/04/2003 08:00","01/04/2003",0,"XYZ Company",123456,"ABCD",123.456,"06/26/2003 08:17","TESTUSER","N"
"01/04/2003 09:00","01/04/2003",0,"XYZ Company",123456,"ABCD",123.456,"06/26/2003 08:17","TESTUSER","N"
"01/04/2003 10:00","01/04/2003",0,"XYZ Company",123456,"ABCD",123.456,.....

For multiple PTID queries a comma “,” is used to separate the PTID values with the ampersand (&) following the last PTID number (For example PTID=12345,34567,56789&). To query all PTIDs, omit the PTID field entirely. For example:

USERID=your user ID&PASSWORD=your password&
QUERY_TYPE= LOAD_BUS_HOUR_DETAIL&
BILLING_MONTH=04/07/2002&

Download template for Metering Authority Subzone Load Data

The “Subzone Load” download template enables a Metering Authority to download its Subzone Load data. The user can enter a single subzone PTID, select up to 10 subzone PTIDs at one time, or select every subzone PTID associated with the user by leaving the PTID field blank, and the MIS will return data for a specific date, or an entire month, as specified by the user. The metering authority subzone load data replaces the data previously identified as MLOAD data.



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

Data dictionary for the Metering Authority Subzone Load Data download template:

Variable Name	Value	Mandatory
USERID	Oracle account user name	Y
PASSWORD	Oracle account password	Y
QUERY_TYPE	SUBZONE_LOAD	Y
DATE	MM/YYYY or MM/DD/YYYY	Y
PTID	Subzone PTID exactly as shown in MIS	N

The query to download sub-zone load data for sub-zone PTID 12345 for September 1, 2002 would look like this:

```
USERID=your user ID&PASSWORD=your password&
QUERY_TYPE= SUBZONE_LOAD&
DATE=09/01/2002&PTID=12345&
```

The MIS response to an "Metering Authority Subzone Load Data" query will include the following in csv format:

Date & Hour, Billing Date, Version, Subzone PTID, Load Data (integrated MWhr), Losses value, Subzone Load Verified

The returned data will appear as illustrated below.

```
TIME_STAMP=09/02/2002 08:41:37
BID_TYPE= SUBZONE_LOAD
DATA_ROWS=24

"09/01/2001 00:00", "09/01/2001", 0, 12345, 716.906, 5.234, "Y"
"09/01/2001 01:00", "09/01/2001", 0, 12345, 684.652, 4.2134, "Y"
"09/01/2001 02:00", "09/01/2001", 0, 12345, 658.39, 10.221, "Y"
"09/01/2001 03:00", "09/01/2001", 0, 12345, 641.323, 7.23, "Y"
"09/01/2001 04:00", "09/01/2001", 0, 12345, 642.829, 9.216, "Y"
"09/01/2001 05:00", "09/01/2001", 0, 12345, 633.675, 8.176, "Y"
"09/01/2001 06:00", "09/01/2001", 0, 12345, 654.738, 5.231, "Y"
"09/01/2001 07:00", "09/01/2001", 0, 12345, 706.675, 5, "Y"
"09/01/2001 08:00", "09/01/2001", 0, 12345, 770.594, 5.987, "Y"
"09/01/2001 09:00", "09/01/2001", 0, 12345, 811.354, 5.121, "Y"
"09/01/2001 10:00", "09/01/2001", 0, 12345, 822.451, 4.216, "Y"
"09/01/2001 11:00", "09/01/2001", 0, 12345, .....
```

For multiple PTID queries a comma "," is used to separate the PTID values with the ampersand (&) following the last PTID number (For example PTID=12345,34567,56789&). To query all PTIDs, omit the PTID field entirely. For example:

```
USERID=your user ID&PASSWORD=your password&
QUERY_TYPE= SUBZONE_LOAD &DATE=09/01/2002&
```



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

Upload template to indicate Meter Authority Agreement

The METER_AUTHORITY_AGREEMENT upload template enables the metering authority to indicate agreement with the subzone load calculation for a given subzone. This template gives the metering authority the ability to indicate agreement on a single day, or multiple days. An ampersand (&) defines the end of each entry field of the header.

Data dictionary for the BID_TYPE = METER_AUTHORITY_AGREEMENT upload template:

Variable Name	Value	Mandatory
USERID	Oracle account user name	Y
PASSWORD	Oracle account password	Y
BID_TYPE	METER_AUTHORITY_AGREEMENT	Y

Parameter	Data Type	Description
Date	MM/DD/YYYY	Date parameter can be defined as the specific day.
PTID	NUM (6,0)	Unique integer identifier defined by NYISO for each subzone
Agreement Flag	Y, N	A flag signifying, for the subzone identified, that the meter authority signifies agreement (Y) with their subzone load value. An "N" signifies that the meter authority does not agree with their subzone load value.

For example, if a meter authority wanted to indicate agreement with the data the submitted message would look like this:

```
BID_TYPE= METER_AUTHORITY_AGREEMENT&
USERID=your user id&
PASSWORD=your password&
DATA_ROWS=3&
```

```
06/01/2002, 305299, Y
```

```
06/02/2002, 305299, Y
```

```
06/03/2002, 305299, Y
```

A line feed/carriage return marks the end of each line of upload data.

Following successful submission of "METER_AUTHORITY_AGREEMENT" the NYISO will respond with a three-record header that includes a time stamp, confirmation of the bid type (METER_AUTHORITY_AGREEMENT), and the number if data rows processed. The data will be returned in the following format:

Date, Subzone PTID, Subzone Name, Agreement Flag



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

For example:

TIME_STAMP=06/02/2002 07:35:16
 BID_TYPE=METER_AUTHORITY_AGREEMENT
 DATA_ROWS=3

"04/07/2002",12345,"SUBZONE_A","Y"
 "04/08/2002",12345,"SUBZONE_A","Y"
 "04/09/2002",12345,"SUBZONE_A","N"

Download template for Monthly Wholesale Load Verification

The "WHOLESALE_VERIFICATION" download template enables a meter authority to download wholesale load data for each specified subzone if their wholesale loads match their calculated subzone load value (within tolerance). This template will return results on a monthly basis, displaying each day of the month as one row, and each subzone as one column. The user can enter a single Subzone PTID, multiple Subzone PTIDs, or all Subzone PTIDs associated with the meter authority.

Data dictionary for the Monthly Wholesale Load Verification download template:

Variable Name	Value	Mandatory
USERID	Oracle account user name	Y
PASSWORD	Oracle account password	Y
QUERY_TYPE	WHOLESALE_VERIFICATION	Y
DATE	MM/YYYY	Y
PTID	Subzone PTID exactly shown in MIS	N
START_DATE	MM/DD/YYYY HH24:MM	N
END_DATE	MM/DD/YYYY HH24:MM	N

The query to download monthly wholesale load data for verification would look like this:

USERID=your user ID&PASSWORD=your password&
 QUERY_TYPE= WHOLESALE_VERIFICATION&
 DATE=09/2002&PTID=12345&

The MIS response to a WHOLESALE_VERIFICATION query will include the following in csv format:

Date & Hour,Subzone PTID, Subzone name, Within Tolerance Flag

The returned data will appear as illustrated below.

TIME_STAMP=09/02/2001 07:35:16
 BID_TYPE= WHOLESALE_VERIFICATION
 DATA_ROWS=13

"09/01/2001 00:00", 12345,"XYZ East","Y"
 "09/01/2001 01:00", 12345,"XYZ East","Y"
 "09/01/2001 02:00", 12345,"XYZ East","Y"



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

```
"09/01/2001 03:00", 12345,"XYZ East","Y"
"09/01/2001 04:00", 12345,"XYZ East","Y"
"09/01/2001 05:00", 12345,"XYZ East","Y"
"09/01/2001 06:00", 12345,"XYZ East","Y"
"09/01/2001 07:00", 12345,"XYZ East","Y"
"09/01/2001 08:00", 12345,"XYZ East","Y"
"09/01/2001 09:00", 12345,"XYZ East","Y"
"09/01/2001 10:00", 12345,"XYZ East","Y"
"09/01/2001 11:00", 12345,"XYZ East","Y"
"09/01/2001 12:00", 12345,"XYZ East","Y"
```

For multiple PTID queries a comma “,” is used to separate the PTID values with the ampersand (&) following the last PTID number (For example PTID=12345,34567,56789&). To query all PTIDs, omit the PTID field entirely. For example:

```
USERID=your user ID&PASSWORD=your password&
QUERY_TYPE= WHOLESALE_VERIFICATION&DATE=09/2002&
```

Download template for Invoice History

The “INVOICE_HIST” download template enables a user to download invoice history data for a specified date range.

Data dictionary for the Invoice History download template:

Variable Name	Value	Mandatory
USERID	Oracle account user name	Y
PASSWORD	Oracle account password	Y
QUERY_TYPE	INVOICE_HIST	Y
START_DATE	MM/DD/YYYY	Y
END_DATE	MM/DD/YYYY	Y

The query to download monthly wholesale load data for verification would look like this:

```
USERID=your user ID&PASSWORD=your password&
QUERY_TYPE=INVOICE_HIST&
START_DATE=06/01/2002&END_DATE=06/30/2002&
```

The MIS response to an INVOICE_HISTORY query will include the following in csv format:

Invoice Date, Billing Date, Version Number, Last Updated

The returned data will appear as illustrated below.

```
TIME_STAMP=08/02/2002 07:35:16
BID_TYPE= INVOICE_HISTORY
DATA_ROWS=3

"06/01/2002","06/02/2002",0,"07/02/2002 11:34"
"06/01/2002",06/02/2002",1,"07/02/2002 11:34"
"06/01/2002","06/02/2002",2,"07/02/2002 11:34"
```



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

Error Messages

If the data is not entered or received properly the NYISO MIS will provide an error message indicating that the data must be resubmitted. The error message is structured such that the first error listed in an error message represents the actual data entry error, and the subsequent lines within an error message represent other lines of data that are impacted by that error. The following are examples of some typical error messages:

ORACLE error--

At data row 530.

ORA-20998: Error: User TESTUSER is not authorized to submit meter data for Bus with PT ID: 123456. In INSERT_HRLY_BUS_LOAD_DATA from INSERT_HRLY_BUS_LOAD_UP_DN

ORA-06512: at "BIDBOX.RAISE_ERROR", line 260

ORA-06512: at "BIDBOX.INSERT_HRLY_BUS_LOAD_UP_DN", line 29

ORA-06512: at line 1

ORACLE error--

At data row 806.

ORA-20998: Bus 123456 not found. In INSERT_HRLY_BUS_LOAD_DATA from INSERT_HRLY_BUS_LOAD_UP_DN

ORA-06512: at "BIDBOX.RAISE_ERROR", line 260

ORA-06512: at "BIDBOX.INSERT_HRLY_BUS_LOAD_UP_DN", line 29

ORA-06512: at line 1

ORACLE error--

At data row 0.

ORA-01017: invalid username/password; login denied

For a complete listing of possible error messages, please refer to the OASIS page of the NYISO web site at <http://mis.nyiso.com/public/P-10list.htm>.

Section 2 - Access through interactive web displays

Tie line, generator, subzone, and load bus data may also be accessed, reviewed and updated via an interactive MIS web based feature. To utilize this feature it is first necessary to login to the NYISO MIS through the User Login page at <https://marketplace.nyiso.com/pgLogin.jsp>. With the proper NYISO Digital Certificate, the User Login display will appear allowing the user to log into the NYISO MIS. For additional information related to logging into the NYISO MIS please refer to Section 7 of the [NYISO MPUG](#).

Once logged into the NYISO MIS select *Metering Reconciliation* as illustrated in Figure 2-1.



Figure 2-1

The *Calculated Subzone Load* query page (Figure 2-2) is the default page when the user first enters the Metering Reconciliation application. Clicking on the “Report Type” button accesses the other Metering Reconciliation query pages. A drop down menu lists the query options.


The *Calculated Subzone Load* query page enables the user to select the date, start and stop times, and the PTID of interest for viewing calculated subzone load data. If no PTID is selected, then all PTIDs that the user has access to will be provided for the date and times entered. After the query information is entered click on *Update* to retrieve the specified report, or *Reset* to clear the query fields.

The *Calculated Subzone Load* query page, as well as the other query pages includes a “Show Invoice History” button that provides the option of choosing a specific invoice version. When this button is clicked, the query page will be regenerated with an additional menu providing a list of all available versions for the specified billing month. By default, a report will represent the current metering information.

Calculated Subzone Load Query Page

This query allows a meter authority to view their ISO calculated subzone load for a specific month. The *Calculated Subzone Load* query page includes a drop down menu that is populated with all subzones owned by the meter authority. The user has the ability to

choose a single subzone, or all of their subzones by selecting the appropriate choice from the drop down menu.



The screenshot shows the IISO web interface. At the top left is the IISO logo. A navigation bar contains links for NEWSROOM, SERVICES, OASIS, and THE MARKETS. Below this is a breadcrumb trail: [Metering Generators](#) - [Metering Loads](#) - [Metering Subzones](#) - [Metering Ties](#) - [Log Out](#) - [Metering Reconciliation](#) - [Organization Detail](#) - [User Detail](#). On the right side, it says 'Page Ref: B-14'. The main heading is 'Calculated SubZone Load'. Below this is a form titled 'Enter Query Parameters' with the following fields:

Report Type:	SubZone Load
Billing Month:	Dec 2002 <input type="button" value="Show Invoice History"/>
Start Date:	01
End Date:	31
SubZone:	All Selected

Below the form is a 'SUBMIT' button. At the bottom of the page, it says 'COPYRIGHT © 2001 NEW YORK INDEPENDENT SYSTEM OPERATOR'.

Figure 2-2

After the query parameters have been entered the *Calculated Subzone Load* results page (Figure 2-3) is displayed. For each day in the specified data range the ISO calculated MWh data is displayed, sorted by hour. If there are multiple days in the date range, each day will be displayed separately with its own ISO MWh subtotal. A checkbox enables the meter authority to indicate their acceptance of the ISO data.



[Metering Generators](#) - [Metering Loads](#) - [Metering Subzones](#) - [Metering Ties](#) - [Log Out](#) - [Metering Reconciliation](#) - [Organization Detail](#) - [User Detail](#) -

Page Ref: Z-3

Calculated SubZone Load

Query Criteria:

Query Type: SubZone Calculated Load
PTID: 12345 **Name:** North
Start Date/Time: 01-DEC-02 00:00:00 **Bill Date:** 06-JAN-03
End Date/Time: 01-DEC-02 23:00:00

Date/Time	ISO Calculated MWH	Losses MWH
01-DEC-02 00:00:00	65.8178	5.51
01-DEC-02 01:00:00	71.5960	5.51
01-DEC-02 02:00:00	67.9883	5.51
01-DEC-02 03:00:00	66.1126	5.51
01-DEC-02 04:00:00	64.2527	5.51
01-DEC-02 05:00:00	64.3877	5.51
01-DEC-02 06:00:00	75.8684	5.51
01-DEC-02 07:00:00	85.9617	5.51
01-DEC-02 08:00:00	87.3126	5.51
01-DEC-02 09:00:00	93.7651	5.51
01-DEC-02 10:00:00	101.4694	5.51
01-DEC-02 11:00:00	78.0311	5.51
01-DEC-02 12:00:00	85.9503	5.51
01-DEC-02 13:00:00	84.1502	5.51
01-DEC-02 14:00:00	84.8896	5.51
01-DEC-02 15:00:00	83.7733	5.51
01-DEC-02 16:00:00	91.4859	5.51
01-DEC-02 17:00:00	500.0000	5.51
01-DEC-02 18:00:00	104.4003	5.51
01-DEC-02 19:00:00	96.9589	5.51
01-DEC-02 20:00:00	101.6689	5.51
01-DEC-02 21:00:00	98.4676	5.51
01-DEC-02 22:00:00	91.6832	5.51
01-DEC-02 23:00:00	84.4575	5.51

Click on a date/hour to view detailed data for that hour. (Figure 2-5)

Click on the Agree? checkbox to indicate approval of the data. Then click on the submit button to submit the approval.


Total: 2430.449 Agree?

Submit Reset

Figure 2-3

Calculated Subzone Load Detail Query page

This report allows a meter authority to view how the ISO calculated their subzone load for a specific hour. The *Calculated Subzone Load Detail* query page includes a drop down menu that is populated with all subzones owned by the meter authority. The meter authority also has the ability to filter the query by day and hour.



Page Ref: B-15

SubZone Load Detail


Enter Query Parameters

Report Type:	SubZone Load Detail
Billing Month:	Dec 2002 <input type="button" value="Show Invoice History"/>
Start Date/Time:	01 00:00
End Date/Time:	01 23:00
SubZone:	55523 - CON ED NY CITY

COPYRIGHT © 2001 NEW YORK INDEPENDENT SYSTEM OPERATOR

Figure 2-4

After the query parameters have been submitted the results page is displayed (Figure 2-5). Each hour included in the report will be separated by page breaks with their own heading. For each hour every tie and generator that affects the specified subzone will be displayed. From this display, the user is able to update their reported values for the ties or generators that they own. Clicking on the submit button at the bottom of the display will submit the updated values.


NEWSROOM SERVICES OASIS THE MARKETS

[Metering Generators](#) - [Metering Loads](#) - [Metering Subzones](#) - [Metering Ties](#) - [Log Out](#) - [Metering Reconciliation](#) - [Organization Detail](#) - [User Detail](#) -

Page Ref: Z6

SubZone Load Detail - Hourly SubZone Gens/Ties/Losses

Query Criteria:
 Query Type: SubZone Reported Load Name: North
 PTID: 123456
 Start Date/Time: 01-DEC-02 17:00:00
 End Date/Time: 01-DEC-02 17:00:00


Click on a PTID name to view details of that PTID (Figure 2-6).

Date/Time: 01-DEC-02 17:00:00		Bill Date: 06-JAN-03		Loss: 10		Calculated SubZone Load: 500	
Ptid	Ptid Name	Type	MA Reported MWH	ISO PTS MWH	Last Updated	Last Updated User	
2502_	HARLEY DAVIDSON M32J	Tie	-134	129.8158	02-DEC-02 17:08:05		
2502_	GOTHAM ATLANTIS RJ23	Tie	92	91.4292	02-DEC-02 17:08:05		
2503_	HARLEY DAVIDSON G56L	Tie	-101	101.7066	02-DEC-02 17:08:07		
2407_	ATLANTIS ELDORADO	Tie	15	26.9657	02-DEC-02 17:08:12		
2520_	ACME ATLANTIS Y5407	Tie	-41	38.3258	02-DEC-02 17:08:42		
2522_	ELDORADO ACME	Tie	-494.731	-492.1542	02-DEC-02 17:08:42		
2522_	GOTHAM ELDORADO	Tie	17.731	-17.7617	02-DEC-02 17:08:42		
2522_	HARLEY GOTHAM	Tie	18.231	-18.1798	02-DEC-02 17:08:42		
2523_	ACME GOTHAM	Tie	-4.723	-6542	02-DEC-02 17:08:43		
2524_	SPRINGFIELD SHELBYVILLE	Tie	-28.676	28.5488	02-DEC-02 17:08:43		
2526_	ACME SPRINGFIELD	Tie	17.705	8.7672	02-DEC-02 17:08:44		
2527_	ACME SHELBYVILLE	Tie	0	9.0537	02-DEC-02 17:08:44		
2530_	ELDORADO SHELBYVILLE	Tie	881	889.0653	02-DEC-02 17:08:03		
2568_	GOTHAM SHELBYVILLE	Tie	217	67.33	02-DEC-02 17:08:12		
2568_	GOTHAM SPRINGFIELD	Tie	0	72.3892	02-DEC-02 17:09:12		
2568_	ELDORADO SPRINGFIELD	Tie	0	72.8893	02-DEC-02 17:09:12		
2584_	ATLANTIS SPRINGFIELD	Tie	-44	43.635	02-DEC-02 17:08:13		
2584_	ATLANTIS SHELBYVILLE	Tie	-154	155.1503	02-DEC-02 17:08:13		
2620_	MAYBERRY SPRINGFIELD	Tie	2	2.5038	02-DEC-02 17:08:12		
2621_	MAYBERRY SHELBYVILLE	Tie	36	35.2011	02-DEC-02 17:08:12		
2632_	MAYBERRY GOTHAM	Tie	0	85.7574	02-DEC-02 17:09:12		
2633_	ACME MAYBERRY	Tie	260	84.6829	02-DEC-02 17:08:12		
2633_	MAYBERRY ELDORADO	Tie	0	90.9617	02-DEC-02 17:09:12		
2642_	NINGUNA PARTE	Tie	12	11.9075	02-DEC-02 17:08:14		
2646_	NIRGENDW 461	Tie	495	35.3712	02-DEC-02 17:08:12		
2663_	NESSUN POSTO	Tie	0		03-DEC-02 13:15:30		
2665_	NENHUMA PARTE	Tie	0		03-DEC-02 13:15:24		
2360_	HARLEY 1	Gen	698	698.6871	02-DEC-02 17:08:11		
2364_	HARLEY 2	Gen	10	9.5783	02-DEC-02 17:08:27		
2390_	GOTHAM 1	Gen	0	0	02-DEC-02 17:08:30		
2404_	GOTHAM 2	Gen	3.62	3.6994	03-DEC-02 13:15:16		
2405_	SPRINGFIELD SECTOR 7 G	Gen	1.273	1	03-DEC-02 13:15:17		
2405_	SHELBYVILLE GERBIL TREADMILL 1	Gen			02-DEC-02 17:12:44		

::: COPYRIGHT © 2001 NEW YORK INDEPENDENT SYSTEM OPERATOR

Figure 2-5

The user can view details of a particular tie, bus, or subzone by clicking on the PTID name of the desired tie, bus, or subzone. An example of the detail view is shown in Figure 2-6.



NEWSROOM **SERVICES** **OASIS** **THE MARKETS**

[Metering Generators](#) - [Metering Loads](#) - [Metering Subzones](#) - [Metering Ties](#) - [Log Out](#) - [Metering Reconciliation](#) - [Organization Detail](#) - [User Detail](#) -

Page Ref: B-18

Subzone Details

Select Sub Zone:

Sub Zone:	<input type="text" value="NORTHWEST"/>	Tolerance (MWh):	<input type="text" value="0.5"/>
Zone:	<input type="text" value="NORTH"/>	LSE:	<input type="text" value="None Selected"/>
Last Updated By:	<input type="text" value="1"/>	Last Update Time:	<input type="text" value="07/24/1998"/>
PTID:	<input type="text" value="12345"/>	Active:	<input checked="" type="checkbox"/>

Memo

Populate SVT database


Metering Authority History	
Name	Effective Date
Meters'R'Us	6/31/1998

COPYRIGHT © 2001 NEW YORK INDEPENDENT SYSTEM OPERATOR

Figure 2-6

Gen/Tie Load Detail Query page

This report allows a meter authority to focus on an individual generator or tie. *The Gen/Tie Load Detail* query screen (Figure 2-7) includes a drop down menu of all generators and ties for which the user has the authorization to update the metering data. This report only displays the generators or ties that were selected, and provides the user with the ability to update the meter authority reported MWH.



The screenshot shows the NYISO web application interface. At the top is the NYISO logo and navigation tabs for NEWSROOM, SERVICES, OASIS, and THE MARKETS. Below the navigation is a breadcrumb trail: Metering Generators - Metering Loads - Metering Subzones - Metering Ties - Log Out - Metering Reconciliation - Organization Detail - User Detail. The main content area is titled "Gen/Tie Load Detail" and contains a form titled "Enter Query Parameters".


Enter Query Parameters	
Report Type:	Gen/Tie Load Detail
Billing Month:	Dec 2002 <input type="button" value="Show Invoice History"/>
Start Date/Time:	01 00:00
End Date/Time:	01 23:00
Gen/Tie:	23600 - ST_LAWRENCE

At the bottom of the page, there is a copyright notice: COPYRIGHT © 2001 NEW YORK INDEPENDENT SYSTEM OPERATOR.

Figure 2-7

Subzone Load Verification Query page


This report provides the meter authority with a summary view of a single month, where the current state of the approval flags for each day can be examined. The user can set or remove the flags that indicate whether or not they accept the ISO calculated MWh data. From the query screen the user can select one, or all of their subzones.



Page Ref: B-17

Figure 2-8

This query produces a *Monthly Load Verification for Subzones* results page (Figure 2-9) that displays one subzone per column, and each row displays a different day of the month. At the intersection of each day and each subzone there is a checkbox and a magnifying glass icon. A checked check box, indicates that the user has accepted the current ISO calculated MWh. An unchecked box indicates that either the user has not accepted the current data, or a neighboring generator or tie has updated their information, which recalculates the ISO MWh and will uncheck the box for the user. Clicking on the magnifying glass will forward the user to the *Calculated Subzone Load* results page (Figure 2-3) for that subzone and day combination. Click on the submit button on the bottom of the display to submit the completed *Monthly Load Verification for Subzones* form.




The screenshot shows the AISO (New York Independent System Operator) web interface. At the top, there is a navigation menu with tabs for NEWSROOM, SERVICES, OASIS, and THE MARKETS. Below the menu are several links: Metering Generators, Metering Loads, Metering Subzones, Metering Ties, Log Out, Metering Reconciliation, Organization Detail, and User Detail. The page title is 'Monthly Load Verification for SubZones'. Under 'Query Criteria', the 'Query Type' is set to 'SubZone Load Verification'. There are 'Check All' and 'Clear All' buttons. The main content is a table with columns for Date, Billing Date, and eight SubZones: North, Northeast, East, Southeast, South, Southwest, and West. Each cell in the table contains a checkbox and a magnifying glass icon. A callout box with an arrow pointing to a magnifying glass icon in the 'Southeast' column for the date '12/9/2002' contains the text: 'Click on a magnifying glass icon to view calculated subzone load data for that subzone for that day.' At the bottom of the table are 'Submit' and 'Reset' buttons. A footer at the very bottom reads 'COPYRIGHT © 2001 NEW YORK INDEPENDENT SYSTEM OPERATOR'.

Figure 2-9

Wholesale Bus Load Detail Query page

After a meter authority approves their ISO calculated subzone load figures they then proceed to upload their Wholesale Load Bus information. From the *Wholesale Bus Load Detail* query page the user has the ability to choose a date or date/time frame, and a specific subzone for which they wish to enter their wholesale load bus data. Once the query criteria are entered the *Wholesale Load Bus Detail* results page (Figure 2-11) is displayed with the PTIDs for which the meter authority is responsible. The user can report and submit wholesale load bus data from this display.



The screenshot shows the NY ISO website interface. At the top is the NY ISO logo and navigation menu with links for NEWSROOM, SERVICES, OASIS, and THE MARKETS. Below the menu is a breadcrumb trail: Metering Generators - Metering Loads - Metering Subzones - Metering Ties - Log Out - Metering Reconciliation - Organization Detail - User Detail. The page title is "Wholesale Load Bus Detail". The main content area is a form titled "Enter Query Parameters" with the following fields:

Report Type:	Wholesale Load Bus Detail
Billing Month:	Dec 2003 <input type="button" value="Show Invoice History"/>
Start Date/Time:	01 00:00
End Date/Time:	01 23:00
SubZone:	55523 - CON ED NY CITY

Below the form is a button. At the bottom of the page is a copyright notice: "COPYRIGHT © 2001 NEW YORK INDEPENDENT SYSTEM OPERATOR".

Figure 2-10



[Metering Generators](#) -
 [Metering Loads](#) -
 [Metering Subzones](#) -
 [Metering Ties](#) -
 [Log Out](#) -
 [Metering Reconciliation](#) -
 [Organization Detail](#) -
 [User Detail](#) -

Page Ref: Z-7

Wholesale Load Bus Detail

Query Criteria:

Query Type: SubZone Wholesale Bus Loads **PTID:** 12345
Start Date/Time: 01-JAN-02 05:00:00 **Name:** Southern Northeast
End Date/Time: 01-JAN-02 05:00:00

Date/Time: 01-JAN-02 05:00:00

Bill Date: 06-JAN-03


Click on a PTID name to view details of that PTID (Figure 2-6).

	PTid Name	MA Reported MWH	ISO Calculated MWH	Last Updated	Last Updated User
	JARRY-PSL STD DELLCRK	<input type="text" value="0"/>	0	19-OCT-02 14:45:47	
	PRNGFLD-PSL STD SPRNGFLD	<input type="text" value="0"/>	0	19-OCT-02 14:45:49	
	PC KG GOTHAM	<input type="text" value="123.45"/>	123.45	19-OCT-02 14:46:04	
	PC-GRPTK12 KG GOTHAM	<input type="text" value="12.34"/>	12.34	19-OCT-02 14:46:03	
345_4_	DF-PFJOBS KG GOTHAM	<input type="text" value="12"/>	12	19-OCT-02 14:45:46	
345_4_	DF-DRJ-SU KG GOTHAM	<input type="text" value="0"/>	0	19-OCT-02 14:45:46	
345_4_	DF-DRJ-NA KG GOTHAM	<input type="text" value="0"/>	0	19-OCT-02 14:45:46	
345_5_	KES KG GOTHAM	<input type="text" value="12.345"/>	12.345	19-OCT-02 14:45:46	
345_6_	SPRNGFLD KG GOTHAM	<input type="text" value="12.345"/>	12.345	19-OCT-02 14:45:46	
345_7_	DF-APX KG GOTHAM	<input type="text" value="0"/>	0	19-OCT-02 14:45:46	
345_8_	CEDS KG GOTHAM	<input type="text" value="12.345"/>	12.345	19-OCT-02 14:45:46	
345_0_	QUARRY-CTR KG GOTHAM	<input type="text" value="12.345"/>	12.345	19-OCT-02 14:45:46	
345_2_	GPC-SHIELD12 KG GOTHAM	<input type="text" value="12.345"/>	12.345	19-OCT-02 14:45:46	
345_3_	SHELBY KG GOTHAM	<input type="text" value="0"/>	0	19-OCT-02 14:45:46	
345_7_	FPLES KG GOTHAM	<input type="text" value="12.345"/>	12.345	19-OCT-02 14:45:46	
789_2_	WIGRQZ XK GOTHAM	<input type="text" value="0"/>	0	19-OCT-02 14:45:46	
789_2_	AEPQZ XK GOTHAM	<input type="text" value="0"/>	0	19-OCT-02 14:45:46	
789_3_	PGETQZ XK GOTHAM	<input type="text" value="0"/>	0	19-OCT-02 14:45:46	
789_3_	EKT-QZ XK GOTHAM	<input type="text" value="0"/>	0	19-OCT-02 14:45:46	
Hourly Totals		12.345	12.345	Tolerance: 0.5 Within Tolerance? <input checked="" type="checkbox"/>	
		<input type="button" value="Submit"/>	<input type="button" value="Reset"/>		

Figure 2-11

Wholesale Load Match query page

Once a meter authority submits their wholesale load bus information for a given subzone for a given month, then they can proceed to the *Wholesale Load Match* query page. From this query page the user has the ability to choose a date and a specific subzone for which they would like to see if the sum of the wholesale loads matches the sum of the subzone (within tolerance).



The screenshot shows the NYISO web application interface. At the top is the NYISO logo and navigation menu with links for NEWSROOM, SERVICES, OASIS, and THE MARKETS. Below the menu is a breadcrumb trail: [Metering Generators](#) - [Metering Loads](#) - [Metering Subzones](#) - [Metering Ties](#) - [Log Out](#) - [Metering Reconciliation](#) - [Organization Detail](#) - [User Detail](#). The page title is "Load Match Verification". The main content area contains a form titled "Enter Query Parameters" with the following fields:

Report Type:	Load Match Verification
Billing Month:	Dec 2002
SubZone:	All Selected

Below the form is a "SUBMIT" button. At the bottom of the page is a copyright notice: "COPYRIGHT © 2001 NEW YORK INDEPENDENT SYSTEM OPERATOR".

Figure 2-12

The Wholesale Load Match query yields a table (Figure 2-13) that signifies if the sum of the wholesale loads matches the subzone load value (within tolerance) for all subzones selected for each day for the month selected. A checkmark (√) indicates that the values agree, and an X indicates that the values are not within the tolerance.




Figure 2-13

User Detail Information

A user may review information pertaining to the privileges assigned to the user via the *User Detail* (Figure 2-14) page.




Figure 2-14

Links at the top of the *User Detail* page provide access to additional displays that define the specific loads, ties, subzones, and generators (Figure 2-15) that the individual user is authorized to view, as well as information about the organization (Figure 2-16).




Figure 2-15

The *Metering Generators* page (Figure 2-15) displays the generators for which the user is authorized to view metering data. Similar pages display the same information with respect to loads, subzones, and ties. An *Organization Detail* page (Figure 2-16) displays information about the organization.

New York Independent System Operator

NEWSROOM SERVICES OASIS THE MARKETS

[Metering Generators](#) - [Metering Loads](#) - [Metering Subzones](#) - [Metering Ties](#) - [Log Out](#) - [Metering Reconciliation](#) - [Organization Detail](#) - [User Detail](#)

Page Ref: 0-7

Organization Detail

Organization: Gotham Power Corp. **Type:** METER AUTHORITY **Active:**

Contact Information

Name: Bruce Wayne	Address:
Primary Phone: 888-555-1212	Wayne Estate
Secondary Phone: 877-555-1212	One Gotham View
FAX: 866-555-1212	
E-Mail: bruce@batcave.com	Gotham
Pager:	

Purchaser Seller Entity Number: NYET **Maximum Allowed Members:** 30 **Metering**

Authorized to Bid:	DAM	HAM	Physical	Virtual	Virtual	DAM	HAM	Non-	TCC	ICAP	Update	Billing
	Units	Units	Loads	Load	Supply	Transactions	Transactions	Firm			UC	Data
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

[Organization Administrators](#)


Figure 2-16



Section 3 - Market Participant Administrator Web Pages

The Market Participant Administrator web pages enable the meter authority's system administrator to assign and control access to the web based reconciliation functions. Through the use of these administrator web pages the system administrator can permit or deny access to select bus, load and subzone information, and readily alter the assigned permissions. For additional information about administrative tasks please refer to Section 6 of the NYISO Market Participant User's Guide.

To access the Market Participant Administrator web pages login via the Administrator login page from the NYISO MIS home page. Select "Organization Users" from the Administrator Menu frame, and then select the desired organization and click on "Display" to view the users associated with that organization. Select the desired user to access the *User Detail* page (Figure 3-1) for that user.



Click here to assign "upload metering data" privileges to an individual user.

Hyperlinks to individual metering permissions pages.

Figure 3-1



To assign meter data submission privileges to an individual user click on the "Metering" checkbox on the lower left of the *User Detail* page.

The *User Detail* page includes hyperlinks to additional administrative web pages that enable the system administrator to grant permissions to an individual user to view metering data for specific generators, loads, ties and subzones.

Metering Generators permissions page

This page is accessed via the hyperlink located at the bottom of the *User Detail* page (Figure 3-1). The *Metering Generators* page (Figure 3-2) enables the system administrator to view the generators that the selected user is authorized to submit metering data for, and provides the mechanism to change the authorizations.

NEWSROOM **SERVICES** **OASIS** **THE MARKETS**

[Administrators](#) - [Generators](#) - [Load Parameters](#) - [Load Serving Entities \(LSEs\)](#) - [Log Out](#) - [New User](#) - [Organization Users](#) - [Organizations](#) - [Sub-Zone Parameters](#) - [Zone Parameters](#) -

Page Ref: M-5.1

Metering Generators

User Name: BRUCE **Organization Name:** Gotham Power Company **Type:** METER AUTHORITY

Generators for which User is currently authorized to submit meter data:

[THERMOPOLIS REACTOR 1](#) [GOTHAM FLYWHEEL 1](#) [PONDS/FLEISCHMAN DESKTOP FUSION A](#) [SHELBYVILLE GERBIL TREADMILL 1](#) [SHELBYVILLE GERBIL TREADMILL 2](#)

Add Generators: **Remove Generators:**

GOTHAM PERPETUAL MOTION MACHINE 1
SPRINGFIELD SPRINGWORKS 1

THERMOPOLIS REACTOR 1
GOTHAM FLYWHEEL 1
PONDS/FLEISCHMAN DESKTOP FUSION A
SHELBYVILLE GERBIL TREADMILL 1
SHELBYVILLE GERBIL TREADMILL 2

[Organization Users](#) [User Detail](#)

COPYRIGHT © 2001 NEW YORK INDEPENDENT SYSTEM OPERATOR

Figure 3-2



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

To add a generator to the authorized list, select the generator from the "Add Generators" list and click on submit. The selected generator will be added to the authorized list for that user. To remove authorization for a generator, select the generator to be removed from the "Remove Generators" list and click on submit. The approved generators list for that user will reflect the change.

The generators listed as "Generators for which user currently authorized to view data" also serve as hyperlinks to Generator Details pages (Figure 3-3) that provide additional information about the selected generator.




Figure 3-3



Metering Loads permissions page

This page is accessed via the hyperlink located at the bottom of the *User Detail* page (Figure 3-1). The *Metering Loads* page (Figure 3-4) enables the system administrator to view the loads that the selected user is authorized to submit metering data for, and provides the mechanism to change the authorizations.




Figure 3-4

To add a load to the authorized list, select the load from the “Add Loads” list and click on submit. The selected loads will be added to the authorized list for that user. To remove authorization for a load, select the load to be removed from the “Remove Loads” list and click on submit. The approved loads list for that user will reflect the change.



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

The loads listed as "Loads for which user currently authorized to view" also serve as hyperlinks to Load Details pages (Figure 3-5) that provide additional information about the selected load.

NYISO
New York Independent System Operator

NEWSROOM SERVICES OASIS THE MARKETS

[Metering Generators](#) - [Metering Loads](#) - [Metering Subzones](#) - [Metering Ties](#) - [Log Out](#) - [Metering Reconciliation](#) - [Organization Detail](#) - [User Detail](#) -

Page Ref: G-11

Load Details

User Name: BRUCE Active:

Station Name	Voltage Class	Load Name
WRGB	HIGH	GREYHOUND

LSE: [LOADS'R'US](#) Zone: NORTH Subzone: NORTHEAST
 EDC Area: A PTID: 123456

Log:

Meter Authority History	
Name	Effective Date
Meters'R'Us	6/31/1998

COPYRIGHT © 2001 NEW YORK INDEPENDENT SYSTEM OPERATOR

Figure 3-5



Metering Ties permissions page

This page is accessed via the hyperlink located at the bottom of the *User Detail* page (Figure 3-1). The *Metering Ties* page (Figure 3-6) enables the system administrator to view the ties that the selected user is authorized to submit metering data for, and provides a mechanism to change the authorizations.




Figure 3-6

To add a tie to the authorized list, select the tie from the “Add Ties” list and click on submit. The selected ties will be added to the authorized list for that user. To remove authorization for a tie, select the tie to be removed from the “Remove Ties” list and click on submit. The approved ties list for that user will reflect the change.



New York Independent System Operator

NOTE: This is a draft User's Guide and is distributed solely for the purpose of soliciting comments. This draft User's Guide does not represent NYISO concepts, techniques or processes.

The ties listed as "Ties for which user currently authorized to view" also serve as hyperlinks to Tie Details pages (Figure 3-7) that provide additional information about the selected tie.

View Tie Detail

PTID: 12345
 Name: ASCOT
 TIE ID: 54321
 Metering Authority Sign Convention: Minus
 PTS Sign Convention: Yes

Active?
 To SubZone: NORTHEAST External?
 From SubZone: SOUTHWEST External?
 To Zone: EAST
 From Zone: SOUTH

Tie Log:

Metering Authority History			
Name	Effective Date	Meter Authority	Sign Convention
Meters'R'Us	6/31/1998	Minus	Yes

Page Ref: Q-3

Copyright © 2001 New York Independent System Operator

Figure 3-7



Metering Subzones permissions page

This page is accessed via the hyperlink located at the bottom of the *User Detail* page (Figure 3-1). The *Metering Subzones* page (Figure 3-8) enables the system administrator to view the subzones that the selected user is authorized to submit metering data for, and provides a mechanism to change the authorizations.

NYISO
New York Independent System Operator

NEWSROOM SERVICES OASIS THE MARKETS

[Administrators](#) - [Generators](#) - [Load Parameters](#) - [Load Serving Entities \(LSEs\)](#) - [Log Out](#) - [New User](#) - [Organization Users](#) - [Organizations](#) - [Sub-Zone Parameters](#) - [Zone Parameters](#) -

Page Ref: M-5

Metering Subzones

User Name: BRUCE **Organization Name:** Gotham Power Company **Type:** METER AUTHORITY

Subzones for which User is currently authorized to submit meter data:

[NORTHWEST SUBZONE](#) [UPPER SOUTHEAST SUBZONE](#) [LOWER NORTHWEST SUBZONE](#) [WESTNORTHWEST SUBZONE](#) [NORTHNORTHWEST SUBZONE](#)

Add Subzones: LOWER CORNER NORTHWEST SUBZONE
EASTNORTHEAST

Remove Subzones: NORTHWEST SUBZONE
UPPER SOUTHEAST SUBZONE
LOWER NORTHWEST SUBZONE
WESTNORTHWEST SUBZONE
NORTHNORTHWEST SUBZONE

[Organization Users](#) [User Detail](#)

COPYRIGHT © 2001 NEW YORK INDEPENDENT SYSTEM OPERATOR

Figure 3-8

To add a subzone to the authorized list, select the subzone from the “Add Subzone” list and click on submit. The selected subzone will be added to the authorized list for that user. To remove authorization for a subzone, select the subzone to be removed from the “Remove Subzones” list and click on submit. The approved subzones list for that user will reflect the change.



The subzones listed as "Subzones for which user currently authorized to view" also serve as hyperlinks to Subzone Details pages (Figure 3-9) that provide additional information about the selected subzone.

The screenshot displays the NYISO web interface for Subzone Details. At the top, there is a red navigation bar with the NYISO logo and menu items: NEWSROOM, SERVICES, OASIS, and THE MARKETS. Below the navigation bar, there are several links: Metering Generators, Metering Loads, Metering Subzones, Metering Ties, Log Out, Metering Reconciliation, Organization Detail, and User Detail. The page reference is B-18.

Subzone Details

Select Sub Zone: NORTHWEST

Sub Zone:	<input type="text" value="NORTHWEST"/>	Tolerance (MWh):	<input type="text" value="0.5"/>
Zone:	<input type="text" value="NORTH"/>	LSE:	<input type="text" value="None Selected"/>
Last Updated By:	<input type="text" value="1"/>	Last Update Time:	<input type="text" value="07/24/1998"/>
PTID:	<input type="text" value="12345"/>	Active:	<input checked="" type="checkbox"/>

Memo

Populate SVT database

Metering Authority History	
Name	Effective Date
Meters'R'Us	6/31/1998

Copyright © 2001 New York Independent System Operator

Figure 3-9



Section 4 - User Account Configuration and Management

The NYISO MIS provides a Market Participant (MP) with significant flexibility in establishing user accounts to meet the specific roles and responsibilities that their staff may have within their organization. The types of actions allowed have been developed over time with input from MPs concerning what they would like to see. Web Based Reconciliation is built on top of the MIS and offers similar flexibility to what has been offered in the other areas. Understanding some of the basics will help an MP establish a plan for how they want to manage the account. The following description is a response to questions asked in the Meter Authority Task Force.

The Meter Authority administrator responsible for establishing accounts should understand the following points. The individual accounts for Web Based Reconciliation are configured and maintained by their Meter Authority Administrator(s) (individuals within their own company) via Web Based Screens on the MIS. Users need to be authorized by their Meter Authority Administrator(s) to access specific items such as gens, ties, and loads, to see data.

Users must be authorized to submit various types of data such as meter data for Web Based Reconciliation. In order to submit data for a certain item, users need authorizations for both submitting the meter data, and the gen, tie or load that the data is submitted for. In WBR, a user must be authorized to submit meter data and also authorized for that particular gen, tie or load.

There are no separate permissions established between users of the Web interface and the upload/download interface. An account that works on one will allow same features as the other.

Example Objectives

- An automated user that submits tie, gen, and load data for particular MA.
- Web users that can indicate the subzone load is verified.
- Web users that can look at tie, gen, subzone data.
- Web users that can look at load.
- Individual user accountability on all accounts.

Proposed Solution

1. The Meter Authority Administrator will establish an account for upload/download that will not be shared with anyone, and will only be used by their automated program. The Meter Authority Administrator will authorize to the account all of the ties, gens, and loads authorized to their organization, and check the submit meter data flag. The NYISO has configured which ties, gens, subzones, and loads belong to which MAs.
2. For each Web user, the Meter Authority Administrator will create an individual account authorized to their subzones with the submit meter data flag checked. No ties, gens, or loads authorized in this example.
3. If these Web users have an account so that they can verify the subzone load in item 2 above, then that account will allow them to see all tie, gen, and subzone data such that no additional account is needed. As these accounts have the submit flagged turned on, they should not be authorized to any gens or ties. If the Web user does not already exist, the



Meter Authority Administrator will create an individual account authorized to their subzones. If it was only specific gens or ties the user should see, they would be authorized to a subset of the list by the Meter Authority Administrator.

4. For each Web user, the Meter Authority Administrator will create an individual account authorized to their loads or subset of loads they should be able to see. If this was created under item 3 (not item 2 to verify subzone load) to see ties, gens, and subzone data, then the loads can be added and the user will have one account. If this user was created under item 2, then a second account would need to be provided.
5. The MIS maintains individual user accountability on accounts providing the users do not share them. There is no way for the NYISO to ensure users are not sharing accounts amongst themselves, but the NYISO would highly encourage MAs to have their own policies against this.