## 15.4 Rate Schedule 4 - Payments for Supplying Operating Reserves

This Rate Schedule applies to payments to Suppliers that provide Operating Reserves to the ISO. Transmission Customers will purchase Operating Reserves from the ISO under Rate Schedule 5 of the ISO OATT.

## 15.4.1 General Responsibilities and Requirements

### 15.4.1.1 ISO Responsibilities

The ISO shall procure on behalf of its Customers a sufficient quantity of Operating Reserve products to comply with the Reliability Rules and with other applicable reliability standards. These quantities shall be established under Section 15.4.7 of this Rate Schedule. To the extent that the ISO enters into Operating Reserve sharing agreements with neighboring Control Areas its Operating Reserves requirements shall be adjusted as, and where, appropriate.

The ISO shall define requirements for Spinning Reserve, which may be met only by Suppliers that are eligible, under Section 15.4.1.2 of this Rate Schedule, to provide Spinning Reserve; 10-Minute Reserve, which may be met by Suppliers that are eligible to provide either Spinning Reserve or 10-Minute Non-Synchronized Reserve; and 30-Minute Reserve, which may be met by Suppliers that are eligible to provide any Operating Reserve product. The ISO shall also define locational requirements for Spinning Reserve, 10-Minute Reserve, and 30-Minute Reserve located East of Central-East and on Long Island. In addition to being subject to the preceding limitations on Suppliers that can meet each of these requirements, the requirements for Operating Reserve located East of Central-East may only be met by eligible Suppliers that are located East of Central-East, and requirements for Operating Reserve located on Long Island may only be met by eligible Suppliers located on Long Island. Each of these Operating Reserve

requirements shall be defined consistent with the Reliability Rules and other applicable reliability standards. The ISO shall select Suppliers of Operating Reserves products to meet these requirements, including the locational Operating Reserves requirements, as part of its overall co-optimization process.

The ISO shall select Operating Reserves Suppliers that are properly located electrically so that all locational Operating Reserves requirements determined consistently with the requirements of Section 15.4.7 of this Rate Schedule are satisfied, and so that transmission Constraints resulting from either the commitment or dispatch of Generators do not limit the ISO's ability to deliver Energy to Loads in the case of a Contingency. The ISO will ensure that Suppliers that are compensated for using Capacity to provide one Operating Reserve product are not simultaneously compensated for providing another Operating Reserve product, or Regulation Service, using the same Capacity (consistent with the additive market clearing price calculation formulae in Sections 15.4.5.1 and 15.4.6.1 of this Rate Schedule).

#### 15.4.1.2 Supplier Eligibility Criteria

The ISO shall enforce the following criteria, which define which types of Suppliers are eligible to supply particular Operating Reserve products.

#### 15.4.1.2.1 Spinning Reserve:

Suppliers that are ISO Committed Flexible or Self-Committed Flexible, are operating within the dispatchable portion of their operating range, are capable of responding to ISO instructions to change their output level within ten minutes, and that meet the criteria set forth in the ISO Procedures shall be eligible to supply Spinning Reserve (except for Demand Side Resources that are Local Generators).

### 15.4.1.2.2 10-Minute Non-Synchronized Reserve:

Off-line Generators that are capable of starting, synchronizing, and increasing their output level within ten (10) minutes and that meet the criteria set forth in the ISO Procedures, and, Demand Side Resources that are capable of reducing their Energy usage within ten (10) minutes and that meet the criteria set forth in the ISO Procedures, shall be eligible, to supply 10-Minute Non-Synchronized Reserve.

#### **15.4.1.2.3 30-Minute Reserve:**

(i) Generators that are ISO-Committed Flexible or Self-Committed Flexible and operating within the dispatchable portion of their operating range and Demand Side Resources, that are not Local Generators, that are capable of reducing their Energy usage within thirty (30) minutes shall be eligible to supply synchronized 30-Minute Reserves; (ii) Off-line Generators that are capable of starting, synchronizing, and increasing their output level within thirty (30) minutes and that meet the criteria set forth in the ISO Procedures, and Demand Side Resources that are capable of reducing their Energy usage within thirty (30) minutes and that meet the criteria set forth in the ISO Procedures, shall be eligible to supply non-synchronized 30-Minute Reserves.

#### 15.4.1.2.4 Self-Committed Fixed and ISO-Committed Fixed Generators:

Shall not be eligible to provide any kind of Operating Reserve.

#### 15.4.1.3 Other Supplier Requirements

All Suppliers of Operating Reserve must be located within the NYCA and must be under ISO Operational Control. Each Supplier bidding to supply Operating Reserve or reduce demand

must be able to provide Energy or reduce demand consistent with the Reliability Rules and the ISO Procedures when called upon by the ISO.

All Suppliers that are selected to provide Operating Reserves shall ensure that their Resources maintain and deliver the appropriate quantity of Energy, or reduce the appropriate quantity of demand, when called upon by the ISO during any interval in which they have been selected.

Generators or Demand Side Resources that are selected to provide Operating Reserve in the Day-Ahead Market or any supplemental commitment may increase their Incremental Energy Bids or Demand Reduction Bids for portions of their Resources that have been scheduled through those processes; provided however, that they are not otherwise prohibited from doing so pursuant to other provisions of the ISO's Tariffs. They may not, however, reduce their Day-Ahead Market or supplemental commitments in real-time except to the extent that they are directed to do so by the ISO. Generators and Demand Side Resources may enter into alternate sales arrangements utilizing any Capacity that has not been scheduled to provide Operating Reserve.

#### 15.4.2 General Day-Ahead Market Rules

#### 15.4.2.1 Bidding and Bid Selection

Resources capable of providing Spinning Reserve, 10-Minute Non-Synchronized Reserve and/or 30-Minute Reserve in the Day-Ahead commitment may submit Availability Bids for each hour of the upcoming day. If a Supplier offers Resources that are capable, based on their indicated commitment status, of providing Operating Reserves but does not submit an Availability Bid, its Day-Ahead Bid will be rejected in its entirety. A Supplier may resubmit a complete Day-Ahead Bid, provided that the new bid is timely.

The ISO may schedule Suppliers that make themselves available to provide Operating Reserves up to the following maximum Operating Reserve levels: (i) for Spinning Reserves, the Resource's emergency response rate multiplied by ten; (ii) for 10-Minute Non-Synchronized Reserves, or for non-synchronized 30-Minute Reserves, the Resource's UOLN or UOLE, whichever is applicable at the relevant time (the Resource may offer one product or the other depending on the time required for it to start-up and synchronize to the grid; and (iii) for synchronized 30-Minute Reserves, the Resource's emergency response rate multiplied by twenty.

However, the sum of the amount of Energy or Demand Reduction each Resource is scheduled to provide, the amount of Regulation Service it is scheduled to provide, and the amount of each Operating Reserves product it is scheduled to provide shall not exceed its UOLN or UOLE, whichever is applicable.

The ISO shall select Operating Reserve Suppliers for each hour of the upcoming day through a co-optimized Day-Ahead commitment process that minimizes the total bid cost of Energy, Operating Reserves and Regulation Service, using Bids submitted pursuant to Article 4.2 of, and Attachment D to, this ISO Services Tariff. As part of the co-optimization process, the ISO shall determine how much of each Operating Reserves product particular Suppliers will be required to provide in light of the Reliability Rules and other applicable reliability standards, including the locational Operating Reserves requirements specified above.

#### 15.4.2.2 ISO Notice Requirement

The ISO shall notify each Operating Reserve Supplier that has been selected in the Day-Ahead Market of the amount of each Operating Reserve product that it has been scheduled to provide.

# 15.4.2.3 Real-Time Market Responsibilities of Suppliers Scheduled to Provide Operating Reserves in the Day-Ahead Market

Suppliers that are scheduled Day-Ahead to provide Operating Reserves shall either provide Operating Reserve, Energy or Demand Reductions in real-time when scheduled by the ISO in all hours for which they have been selected to provide Operating Reserve and are physically capable of doing so. However, Suppliers that are scheduled Day-Ahead to provide Operating Reserves and have startup periods of two hours or less may advise the ISO no later than three hours prior to the first hour of their Day-Ahead schedule that they will not be available to provide Operating Reserves or Energy in real-time under normal conditions. Such Suppliers will be required to settle their Day-Ahead schedule at real-time prices pursuant to Section 15.4.6.3 of this Rate Schedule. The only restriction on Suppliers' ability to exercise this option is that all Suppliers with Day-Ahead Operating Reserves schedules must make the scheduled amount of Capacity available to the ISO for dispatch in the RTD if the ISO initiates a Supplemental Resource Evaluation.

#### 15.4.3 General Real-Time Market Rules

#### **15.4.3.1 Bid Selection**

The ISO will automatically select Operating Reserves Suppliers in real-time from eligible Resources, that submit Real-Time Bids pursuant to Section 4.4 of, and Attachment D to, this ISO Services Tariff. Each Supplier will automatically be assigned a real-time Operating Reserves Availability bid of \$0/MW for the quantity of Capacity that it makes available to the ISO in its Real-Time Bid. The ISO may schedule Suppliers that make themselves available to provide Operating Reserves up to the following maximum Operating Reserve levels: (i) for Spinning Reserves, the Resource's emergency response rate multiplied by ten; (ii) for 10-Minute Non-

Synchronized Reserves, or for non-synchronized 30-Minute Reserves, the Resource's  $UOL_N$  or  $UOL_E$ , whichever is applicable at the relevant time (the Resource may offer one product or the other depending on the time required for it to start-up and synchronize to the grid); and (iii) for synchronized 30-Minute Reserves, the Resource's emergency response rate multiplied by twenty. However, the sum of the amount of Energy or Demand Reduction, that each Resource is scheduled to provide, the amount of Regulation Service it is scheduled to provide, and the amount of each Operating Reserves product it is scheduled to provide shall not exceed its  $UOL_N$  or  $UOL_E$ , whichever is applicable.

Suppliers will thus be selected on the basis of their response rates, their applicable upper operating limits, and their Energy Bids (which will reflect their opportunity costs) through a cooptimized real-time commitment process that minimizes the total bid cost of Energy, or Demand Reduction, Regulation Service, and Operating Reserves. As part of the process, the ISO shall determine how much of each Operating Reserves product particular Suppliers will be required to provide in light of the Reliability Rules and other applicable reliability standards, including the locational Operating Reserves requirements specified above.

#### 15.4.3.2 ISO Notice Requirement

The ISO shall notify each Supplier of Operating Reserve that has been scheduled by RTD of the amount of Operating Reserve that it must provide.

# 15.4.3.3 Obligation to Make Resources Available to Provide Operating Reserves

Any Resource that is eligible to supply Operating Reserves and that is made available to ISO for dispatch in Real-Time must also make itself available to provide Operating Reserves.

### **15.4.3.4** Activation of Operating Reserves

All Resources that are selected by the ISO to provide Operating Reserves shall respond to the ISO's directions to activate in real-time.

## 15.4.3.5 Performance Tracking and Supplier Disqualifications

When a Supplier committed to supply Operating Reserves is activated, the ISO shall measure and track its actual Energy production or its Demand Reduction against its expected performance in real-time. The ISO may disqualify Suppliers that consistently fail to provide Energy or Demand Reduction when called upon to do so in real-time from providing Operating Reserves in the future. If a Resource has been disqualified, the ISO shall require it to pass a requalification test before accepting any additional Bids to supply Operating Reserves from it. Disqualification and re-qualification criteria shall be set forth in the ISO Procedures.

#### 15.4.4 Operating Reserves Settlements - General Rules

## 15.4.4.1 Establishing Locational Reserve Prices

Except as noted below, the ISO shall calculate separate Day-Ahead Market and Real-Time Market prices for each of the products inf fourthree locations: (i) West of Central-East ("West" or "Western"); (ii) East of Central-East excluding Long Island; (iii) Southeastern New York excluding Long Island; and (ivi) Long Island ("L.I."). The ISO will thus calculate twelvenine different locational Operating Reserve prices in both the Day-Ahead Market and the Real-Time Market. Day-Ahead locational reserve prices shall be calculated pursuant to Section 15.4.5 of this Rate Schedule. Real-Time locational reserve prices shall be calculated pursuant to Section 15.4.6 of this Rate Schedule

# 15.4.4.2 Settlements Involving Suppliers of Operating Reserves Located on Long Island

Suppliers of Operating Reserves located on Long Island shall receive settlement payments as if they were providing Operating Reserves located in the East. The ISO will calculate separate locational Long Island Operating Reserves prices but will not post them or use them for settlement purposes.

# 15.4.4.3 "Cascading" of Operating Reserves

The ISO will deem Spinning Reserve to be the "highest quality" Operating Reserve, followed by 10-Minute Non-Synchronized Reserve and by 30-Minute Reserve. The ISO shall substitute higher quality Operating Reserves in place of lower quality Operating Reserves, when doing so lowers the total as-bid cost, *i.e.*, when the marginal cost for the higher quality Operating Reserve product is lower than the marginal cost for the lower quality Operating Reserve product, and the substitution of a higher quality for the lower quality product does not cause locational Operating Reserve requirements to be violated. To the extent, however, that reliability standards require the use of higher quality Operating Reserves, substitution cannot be made in the opposite direction.

The market clearing price of higher quality Operating Reserves will not be set at a price below the market clearing price of lower quality Operating Reserves in the same location. Thus, the market clearing price of Spinning Reserves will not be below the price for 10-Minute Non-Synchronized Reserves or 30-Minute Reserves and the market clearing price for 10-Minute Non-Synchronized Reserves will not be below the market clearing price for 30-Minute Reserves.

### 15.4.5 Operating Reserve Settlements – Day-Ahead Market

# 15.4.5.1 Calculation of Day-Ahead Market Clearing Prices

The ISO shall calculate hourly Day-Ahead Market clearing prices for each Operating Reserve product at each location. Each Day-Ahead Market clearing price shall equal the sum of the relevant Day-Ahead locational Shadow Prices for that product in that hour, subject to the restriction described in Section 15.4.4.3 of this Rate Schedule.

The Day-Ahead Market clearing price for a particular Operating Reserve product in a particular location shall reflect the Shadow Prices associated with all of the ISO-defined Operating Reserve requirements, including locational requirements, that a particular Operating Reserves product from a particular location may be used to satisfy in a given hour. The ISO shall calculate Day-Ahead Market clearing prices using the following formulae:

Market clearing price for Western 30-Minute Reserves = SP1

Market clearing price for Western 10-Minute-Non-Synchronized Reserves = SP1 + SP2

Market clearing price for Western Spinning Reserves = SP1 + SP2 + SP3

Market clearing price for Eastern 30-Minute Reserves = SP1 + SP4

Market clearing price for Eastern 10-Minute Non-Synchronized Reserves = SP1 + SP2 + SP4 + SP5

Market clearing price for Eastern Spinning Reserves = SP1 + SP2 + SP3 + SP4 + SP5 + SP6

<u>Market clearing price for Southeastern New York 30-Minute Reserves = SP1 + SP4 + SP7</u>

<u>Market clearing price for Southeastern New York 10-Minute Non-Synchronized</u> Reserves = SP1 + SP2 + SP4 + SP5 + SP7 + SP8

# Market clearing price for Southeastern New York Spinning Reserves = SP1 + SP2 + SP3 + SP4 + SP5 + SP6 + SP7 + SP8 + SP9

Market clearing price for L.I. 30-Minute Reserves = SP1 + SP4 + SP7 + SP10

Market clearing price for L.I. 10-Minute Non-Synchronized Reserves = 
$$SP1 + SP2 + SP4 + SP5 + SP7 + SP8 + SP10 + SP11$$

#### Where:

- SP1 = Shadow Price for total 30-Minute Reserve requirement constraint for the hour
- SP2 = Shadow Price for total 10-Minute Reserve requirement constraint for the hour
- SP3 = Shadow Price for total Spinning Reserve requirement constraint for the hour
- SP4 = Shadow Price for Eastern or L.I. 30-Minute Reserve requirement constraint for the hour
- SP5 = Shadow Price for Eastern or L.I. 10-Minute Reserve requirement constraint for the hour
- SP6 = Shadow Price for Eastern or L.I. Spinning Reserve requirement constraint for the hour
- SP7 = Shadow Price for Southeastern New York 30-Minute Reserve requirement constraint for the hour
- <u>SP8</u> = Shadow Price for Southeastern New York 10-Minute Reserve requirement constraint for the hour
- SP9 =Shadow Price for Southeastern New York Spinning Reserve requirement constraint for the hour
- SP<u>10</u>7 = Shadow Price for Long Island 30-Minute Reserve requirement constraint for the hour

SP<u>118</u> = Shadow Price for Long Island 10-Minute Reserve requirement constraint for the hour

SP<u>12</u>9 = Shadow Price for Long Island Spinning Reserve requirement constraint for the hour

Day-Ahead locational Shadow Prices will be calculated by SCUC. Each hourly Day-Ahead Shadow Price for each Operating Reserves requirement shall equal the marginal Bid cost of scheduling Resources to provide additional Operating Reserves to meet that requirement in that hour, including any impact on the Bid Production Cost of procuring Energy or Regulation Service that would result from procuring an increment of Operating Reserve to meet the requirement in that hour, as calculated during the fifth SCUC pass described in Section 17.1.3 of Attachment B to this Services Tariff. As a result, the Shadow Price for each Operating Reserves requirement shall include the Day-Ahead Availability Bid of the marginal Resource selected to meet that requirement (or the applicable price on the Operating Reserve Demand Curve for that requirement during shortage conditions), plus any margins on the sale of Energy or Regulation Service in the Day-Ahead Market that that Resource would forego if scheduling it to provide additional Operating Reserve to meet that requirement would lead to it being scheduled to provide less Energy or Regulation Service. Shadow Prices will also be consistent with the Operating Reserve Demand Curves described in Section 15.4.7 of this Rate Schedule, which will ensure that Operating Reserves are not scheduled by SCUC at a cost greater than the relevant Operating Reserve Demand Curve indicates should be paid. If more Operating Reserve of a particular quality than is needed is scheduled to meet a particular locational Operating Reserve requirement, the Shadow Price for that Operating Reserve requirement constraint shall be set at zero.

Each Supplier that is scheduled Day-Ahead to provide Operating Reserve shall be paid the applicable Day-Ahead Market clearing price, based on its location and the quality of Operating Reserve scheduled, multiplied by the amount of Operating Reserve that the Supplier is scheduled to provide in each hour.

#### 15.4.5.2 Other Day-Ahead Payments

A Supplier that bids on behalf of (i) a Generator that provides Operating Reserves or (ii) a Demand Side Resource that provides Operating Reserves may be eligible for a Day-Ahead Bid Production Cost guarantee payment pursuant to Section 4.6.6 and Attachment C of this ISO Services Tariff.

### 15.4.6 Operating Reserve Settlements – Real-Time Market

# 15.4.6.1 Calculation of Real-Time Market Clearing Prices

The ISO shall calculate Real-Time Market clearing prices for each Operating Reserve product for each location in every interval. Except when the circumstances described below in Section 15.4.6.2 apply, each real-time market-clearing price shall equal the sum of the relevant real-time locational Shadow Prices for a given product, subject to the restriction described in Section 15.4.4.3 of this Rate Schedule.

The Real-Time Market clearing price for a particular Operating Reserve product for a particular location shall reflect the Shadow Prices associated with all of the ISO-defined Operating Reserve requirements, including locational requirements, that a particular Operating Reserves product from that location may be used to satisfy in a given interval. The ISO shall calculate the Real-Time Market clearing prices using the following formulae:

Market clearing price for Western 30-Minute Reserves = SP1

Market clearing price for Western 10-Minute-Non-Synchronized Reserves = SP1 + SP2

Market clearing price for Western Spinning Reserves = SP1 + SP2 + SP3

Market clearing price for Eastern 30-Minute Reserves = SP1 + SP4

Market clearing price for Eastern 10-Minute Non-Synchronized Reserves = SP1 + SP2 + SP4 + SP5

Market clearing price for Eastern Spinning Reserves = SP1 + SP2 + SP3 + SP4 + SP5 + SP6

<u>Market clearing price for Southeastern New York 30-Minute Reserves = SP1 + SP4 + SP7</u>

<u>Market clearing price for Southeastern New York 10-Minute Non-Synchronized</u> <u>Reserves = SP1 + SP2 + SP4 + SP5 + SP7 + SP8</u>

Market clearing price for Southeastern New York Spinning Reserves = SP1 + SP2 + SP3 + SP4 + SP5 + SP6 + SP7 + SP8 + SP9

Market clearing price for L.I. 30-Minute Reserves = SP1 + SP4 + SP7 + SP10

Market clearing price for L.I. 10-Minute Non-Synchronized Reserves = SP1 + SP2 + SP4 + SP5 + SP7 + SP8 + SP10 + SP11

Market clearing price for L.I. Spinning Reserves = SP1 + SP2 + SP3 + SP4 + SP5 + SP6 + SP7 + SP8 + SP9 + SP10 + SP11 + SP12

Where:

SP1 = Shadow Price for total 30-Minute Reserve requirement constraint for the interval

SP2 = Shadow Price for total 10-Minute Reserve requirement constraint for the interval

SP3 = Shadow Price for total Spinning Reserve requirement constraint for the interval

- SP4 = Shadow Price for Eastern or L.I. 30-Minute Reserve requirement constraint for the interval
- SP5 = Shadow Price for Eastern or L.I. 10-Minute Reserve requirement constraint for the interval
- SP6 = Shadow Price for Eastern or L.I. Spinning Reserve requirement constraint for the interval
- <u>SP7</u> = <u>Shadow Price for Southeastern New York 30-Minute Reserve requirement</u> constraint for the hour
- <u>SP8</u> = Shadow Price for Southeastern New York 10-Minute Reserve requirement <u>constraint for the hour</u>
- SP9 =Shadow Price for Southeastern New York Spinning Reserve requirement constraint for the hour
- SP<u>107</u> = Shadow Price for Long Island 30-Minute Reserve requirement constraint for the interval
- SP<u>118</u> = Shadow Price for Long Island 10-Minute Reserve requirement constraint for the interval
- SP<u>129</u> = Shadow Price for Long Island Spinning Reserve requirement constraint for the interval

Real-time locational Shadow Prices will be calculated by the ISO's RTD. Each Real-Time Shadow Price for each Operating Reserves requirement in each RTD interval shall equal the marginal Bid cost of scheduling Resources to provide additional Operating Reserves to meet that requirement in that interval, including any impact on the Bid Production Cost of procuring Energy or Regulation Service that would result from procuring an increment of Operating Reserve to meet the requirement in that interval, as calculated during the third RTD pass described in Section 17.1.2.1.2.3 of Attachment B to this ISO Services Tariff. As a result, the Shadow Price for each Operating Reserves requirement shall include the Real-Time Availability Bid of the marginal Resource selected to meet that requirement (or the applicable price on the

Operating Reserve Demand Curve for that requirement during shortage conditions), plus any margins on the sale of Energy or Regulation Service in the Real-Time Market that that Resource would forego if scheduling it to provide additional Operating Reserve to meet that requirement would lead to it being scheduled to provide less Energy or Regulation Service. Shadow Prices will also be consistent with the Operating Reserve Demand Curves described in Section 15.4.7 of this Rate Schedule, which will ensure that Operating Reserves are not scheduled by RTC at a cost greater than the relevant Operating Reserve Demand Curve indicates should be paid. If there is more Operating Reserve of the required quality than is needed to meet a particular locational Operating Reserve requirement then the Shadow Price for that Operating Reserve requirement constraint shall be zero.

Each Supplier that is scheduled in real-time to provide Operating Reserve shall be paid the applicable Real-Time Market clearing price, based on its location and the quality of Operating Reserve scheduled, multiplied by the amount of Operating Reserve that the Supplier is scheduled to provide in each interval that was not scheduled Day-Ahead.

# 15.4.6.2 Calculation of Real-Time Market Clearing Prices for Operating Reserves During EDRP/SCR Activations

During any interval in which the ISO is using scarcity pricing to calculate LBMPs under Section 17.1.2.2 of Attachment B to this ISO Services Tariff, the ISO shall also determine whether scarcity conditions for Operating Reserves exist, as defined below and shall apply the appropriate scarcity pricing rule for Operating Reserves as indicated. When scarcity conditions for pricing Operating Reserves exist, as described below the real-time market clearing prices for some Operating Reserves products may be recalculated in light of the Lost Opportunity Costs of Resources that are scheduled to provide Spinning Reserves and synchronized 30-Minute Reserves in the manner described below. The ISO shall also consider the Lost Opportunity

Costs of Resources providing lower quality Operating Reserves to ensure that the requirements of Section 15.4.4.3 of this Rate Schedule are not violated.

The ISO shall use the scarcity pricing rule described in Section 15.4.6.2.1. below, for each interval in which EDRP/SCR Resources have been called in response to a reliability need in any Load Zone in the NYCA, and the NYISO uses the scarcity pricing rule described in Section 17.1.2.2 of this Services Tariff in the interval, and the aggregate of Available Reserves in all Load Zone(s) in the NYCA are less than the number of EDRP/SCR MW called for that event.

If the NYISO does not use the scarcity pricing rule described in Section 15.4.6.2.1 in an interval in which EDRP/SCR Resources have been called only in a Load Zone or Load Zones East of Central East, the ISO shall use the scarcity pricing rule described in Section 15.4.6.2.2, below, for each interval in which EDRP/SCR Resources have been called in response to a reliability need only in a Load Zone or Load Zones East of Central East, and the NYISO uses the scarcity pricing rule described in Section 17.1.2.2 of this Services Tariff in the interval, and the aggregate of Available Reserves in all Load Zone(s) East of Central East are less than the number of EDRP/SCR MW called for that event.

If no scarcity pricing rule is indicated under either test described above, the NYISO shall apply the pricing rules contained in Section 14.4.6.1 for each Operating Reserves product.

# 15.4.6.2.1 Pricing of Operating Reserves During Intervals of Statewide Scarcity

The Eastern Spinning Reserve market clearing price shall be the higher of: (i) the highest Lost Opportunity Cost of any provider of Spinning Reserve or synchronized 30-Minute Reserve that is scheduled by RTD and is not located on Long Island; and (ii) the original market clearing price calculated under Section 15.4.6.1 above.

The Eastern 10-Minute Non-Synchronized Reserve market clearing price shall be the higher of: (i) the highest Lost Opportunity Cost of any provider of synchronized 30-Minute Reserve that is scheduled by RTD and is not located on Long Island; and (ii) the original market clearing price calculated under Section 15.4.6.1 above.

The Eastern 30-Minute Reserve market clearing price shall be the higher of: (i) the highest Lost Opportunity Cost of any provider of synchronized 30-Minute Reserve that is scheduled by RTD and is not located on Long Island; and (ii) the original market clearing price calculated under Section 15.4.6.1 above.

The Southeastern New York 30-Minute Reserve market clearing price shall be the higher of: (i) the highest Lost Opportunity Cost of any provider of synchronized 30-Minute Reserve that is scheduled by RTD and is not located on Long Island; and (ii) the original market clearing price calculated under Section 15.4.6.1 above.

The Western Spinning Reserve market clearing price shall be the higher of: (i) the highest Lost Opportunity Cost of any provider of Western Spinning Reserve or Western synchronized 30- Minute Reserves that is scheduled by RTD; and (ii) the original market clearing price calculated under Section 15.4.6.1 above.

The Western 10-Minute Non-Synchronized Reserve market clearing price shall be the higher of: (i) the highest Lost Opportunity Cost of any provider of Western synchronized 30 Minute-Reserve that is scheduled by RTD; and (ii) the original market clearing price calculated under Section 15.4.6.1 above.

The Western 30-Minute Reserve market clearing price shall be the higher of: i) the highest Lost Opportunity Cost of any provider of Western synchronized 30-Minute Reserve that

is scheduled by RTD; and (ii) the original market clearing price calculated under Section 15.4.6.1 above.

#### 15.4.6.2.2 Pricing Operating Reserves During Intervals of Eastern Scarcity

The Eastern Spinning Reserve market clearing price shall be the higher of: (i) the highest Lost Opportunity Cost of any provider of Eastern Spinning Reserve or Eastern synchronized 30-Minute Reserve that is scheduled by RTD and is not located on Long Island; and (ii) the original market clearing price calculated under Section 15.4.6.1 above.

The Eastern 10-Minute Non-Synchronized Reserve market clearing price shall be the higher of: (i) the highest Lost Opportunity Cost of any provider of Eastern synchronized 30-Minute Reserve that is scheduled by RTD and is not located on Long Island; and (ii) the original market clearing price calculated under Section 15.4.6.1 above.

The Eastern 30-Minute Reserve market clearing price shall be the higher of: (i) the highest Lost Opportunity Cost of any provider of Eastern synchronized 30-Minute Reserve that is scheduled by RTD and is not located on Long Island; and (ii) the original market clearing price calculated under Section 15.4.6.1 above.

# 15.4.6.2.3 Pricing Operating Reserves During Intervals of Southeastern New York Scarcity

The Southeastern New York 30-Minute Reserve market clearing price shall be the higher of: (i) the highest Lost Opportunity Cost of any provider of Southeastern New York synchronized 30-Minute Reserve that is scheduled by RTD and is not located on Long Island; and (ii) the original market clearing price calculated under Section 15.4.6.1 above.

## **15.4.6.3** Operating Reserve Balancing Payments

Any deviation in performance from a Supplier's Day-Ahead schedule to provide

Operating Reserves, including deviations that result from schedule modifications made by the

ISO, shall be settled pursuant to the following rules.

- (a) When the Supplier's real-time Operating Reserves schedule is less than its Day-Ahead Operating Reserves schedule, the Supplier shall pay a charge for the imbalance equal to the product of: (i) the Real-Time Market clearing price for the relevant Operating Reserves Product in the relevant location; and (ii) the difference between the Supplier's Day-Ahead and real-time Operating Reserves schedules.
- (b) When the Supplier's real-time Operating Reserves schedule is greater than its

  Day-Ahead Operating Reserves schedule, the ISO shall pay the Supplier an

  amount to compensate it for the imbalance equal to the product of: (i) the

  Real-Time Market clearing price for the relevant Operating Reserve product in
  the relevant location; and (ii) the difference between the Supplier's Day-Ahead
  and real-time Operating Reserves schedules.

## 15.4.6.4 Other Real-Time Payments

The ISO shall pay Generators that are selected to provide Operating Reserves Day-Ahead, but are directed to convert to Energy production in real-time, the applicable Real-Time LBMP for all Energy they are directed to produce in excess of their Day-Ahead Energy schedule.

A Supplier that bids on behalf of (i) a Generator that provides Operating Reserves or (ii) a Demand Side Resource that provides Operating Reserves may be eligible for a Bid Production Cost guarantee payment pursuant to Section 4.6.6 and Attachment C of this ISO Services Tariff.

A Supplier that provides Operating Reserves may also be eligible for a Day-Ahead Margin Assurance Payment pursuant to Section 4.6.5 and Attachment J of this ISO Services Tariff.

### 15.4.7 Operating Reserve Demand Curves

The ISO shall establish nine Operating Reserve Demand Curves, one for each Operating Reserves requirement. Specifically, there shall be a demand curve for: (i) Total Spinning Reserves; (ii) Eastern or Long Island Spinning Reserves; (iii) Southeastern New York Spinning Reserves (iviii) Long Island Spinning Reserves; (iv) Total 10-Minute Non-Synchronized Reserves; (vi) Eastern or Long Island 10-Minute Non-Synchronized Reserves; (vii) Southeastern New York 10-Minute Non-Synchronized Reserves; (viii) Long Island 10-Minute Non-Synchronized Reserves; (ixvii) Total 30-Minute Reserves; (xviii) Eastern or Long Island 30-Minute Reserves; (xi) Southeastern New York 30-Minute Reserves; and (ixii) Long Island 30-Minute Reserves. Each Operating Reserve Demand Curve will apply to both the Day-Ahead Market and the Real-Time Market for the relevant product and location.

The market clearing pricing for Operating Reserves shall be calculated pursuant to Sections 15.4.5.1 and 15.4.6.1 of this Rate Schedule and in a manner consistent with the demand curves established in this Section so that Operating Reserves are not purchased by SCUC or RTC at a cost higher than the relevant demand curve indicates should be paid.

The ISO Procedures shall establish and post a target level for each Operating Reserves requirement for each hour, which will be the number of MW of Operating Reserves meeting that requirement that the ISO would seek to maintain in that hour. The ISO will then define an Operating Reserves demand curve for that hour corresponding to each Operating Reserves requirement as follows:

- (a) Total Spinning Reserves: For quantities of Operating Reserves meeting the total Spinning Reserves requirement that are less than or equal to the target level for that requirement, the price on the total Spinning Reserves demand curve shall be \$500775/MW. For all other quantities, the price on the total Spinning Reserves demand curve shall be \$0/MW.
- (b) Eastern or Long Island Spinning Reserves: For quantities of Operating Reserves meeting the Eastern or Long Island Spinning Reserves requirement that are less than or equal to the target level for that requirement, the price on the Eastern or Long Island Spinning Reserves demand curve shall be \$25/MW. For all other quantities, the price on the Eastern or Long Island Spinning Reserves demand curve shall be \$0/MW.
- (c) Southeastern New York Spinning Reserves: For quantities of Operating Reserves meeting the Southeastern New York requirement that are less than or equal to the target level for that requirement, the price on the Southeastern New York
  Spinning Reserves demand curve shall be \$25/MW. For all other quantities, the price on the Southeastern New York Spinning Reserve demand curve shall be \$0/MW.
- (de) Long Island Spinning Reserves: For quantities of Operating Reserves meeting the Long Island Spinning Reserves requirement that are less than or equal to the target level for that requirement, the price on the Long Island Spinning Reserves demand curve shall be \$25/MW. For all other quantities, the price on the Long Island Spinning Reserves demand curve shall be \$0/MW.

- Total 10-Minute Reserves: For quantities of Operating Reserves meeting the total 10-minute reserves requirement that are less than or equal to the target level for that requirement, the price on the total 10-minute reserves demand curve shall be \$450750/MW. For all other quantities, the price on the total 10-minute reserves demand curve shall be \$0/MW.
- Eastern or Long Island 10-Minute Reserves: For quantities of Operating

  Reserves meeting the Eastern or Long Island 10-minute reserves requirement that are less than or equal to the target level for that requirement, the price on the Eastern or Long Island 10-minute reserves demand curve shall be \$500775/MW.

  For all other quantities, the price on the Eastern or Long Island 10-Minute Reserves demand curve shall be \$0/MW.
- Reserves meeting the Southeastern New York requirement that are less than or equal to the target level for that requirement, the price on the Southeastern New York Spinning Reserves demand curve shall be \$25/MW. For all other quantities, the price on the Southeastern New York 10-Minute Reserve demand curve shall be \$0/MW.
- (hf) Long Island 10-Minute Reserves: For quantities of Operating Reserves meeting the Long Island 10-minute reserves requirement that are less than or equal to the target level for that requirement, the price on the Long Island 10-minute reserves demand curve shall be \$25/MW. For all other quantities, the price on the Long Island 10-minute reserves demand curve shall be \$0/MW.

- (ig)Total 30-Minute Reserves: For quantities of Operating Reserves meeting the total 30-Minute Reserves requirement that are less than or equal to the target level for that requirement minus 755400 MW, the price on the total 30-Minute Reserves demand curve shall be \$750200/MW. For quantities of Operating Reserves meeting the total 30-Minute Reserves requirement that are less than or equal to the target level for that requirement minus 455200 MW but that exceed the target level for that requirement minus 755400 MW, the price on the total 30-Minute Reserves demand curve shall be \$200<del>100</del>/MW. For quantities of Operating Reserves meeting the total 30-Minute Reserves requirement that are less than or equal to the target level for that requirement minus 100 MW but that exceed the target level for that requirement minus 455 MW, the price on the total <u>30-Minute Reserves demand curve shall be \$100/MW</u>. For quantities of Operating Reserves meeting the total 30-Minute Reserves requirement that are less than or equal to the target level for that requirement but that exceed the target level for that requirement minus 100200 MW, the price on the total 30-Minute Reserves demand curve shall be \$2550/MW. For all other quantities, the price on the total 30-Minute Reserves demand curve shall be \$0/MW. However, the ISO will not schedule more total 30-Minute Reserves than the level defined by the requirement for that hour.
- (jh) Eastern or Long Island 30-Minute Reserves: For quantities of Operating Reserves meeting the Eastern or Long Island 30-Minute Reserves requirement that are less than or equal to the target level for that requirement, the price on the Eastern or Long Island 30-Minute Reserves demand curve shall be \$25/MW. For

- all other quantities, the price on the Eastern or Long Island 30-Minute Reserves demand curve shall be \$0/MW.
- (k) Southeastern New York 30-Minute Reserves: For quantities of Operating

  Reserves meeting the Southeastern New York requirement that are less than or
  equal to the target level for that requirement, the price on the Southeastern New

  York Spinning Reserves demand curve shall be \$25/MW. For all other quantities,
  the price on the Southeastern New York 30-Minute Reserve demand curve shall
  be \$0/MW.
- (li) Long Island 30-Minute Reserves: For quantities of Operating Reserves meeting the Long Island 30-Minute Reserves requirement that are less than or equal to the target level for that requirement, the price on the Long Island 30-Minute Reserves demand curve shall be \$25/MW. For all other quantities, the price on the Long Island 30-Minute Reserves demand curve shall be \$0/MW.

In order to respond to operational or reliability problems that arise in real-time, the ISO may procure any Operating Reserve product at a quantity and/or price point different than those specified above. The ISO shall post a notice of any such purchase as soon as reasonably possible and shall report on the reasons for such purchases at the next meeting of its Business Issues Committee. The ISO shall also immediately initiate an investigation to determine whether it is necessary to modify the quantity and price points specified above to avoid future operational or reliability problems. The ISO will consult with its Market Monitoring Unit when it conducts this investigation.

If the ISO determines that it is necessary to modify the quantity and/or price points specified above in order to avoid future operational or reliability problems it may temporarily

modify them for a period of up to ninety days. If circumstances reasonably allow, the ISO will consult with its Market Monitoring Unit, the Business Issues Committee, the Commission, and the PSC before implementing any such modification. In all circumstances, the ISO will consult with those entities as soon as reasonably possible after implementing a temporary modification.

Not later than 90 days after the implementation of the Operating Reserves Demand

Curves the ISO, in consultation with its Market Advisor, shall conduct an initial review of them
in accordance with the ISO Procedures. The scope of the review shall include, but not be limited
to, an analysis of whether any Operating Reserve Demand Curve should be adjusted upward or
downward in order to optimize the economic efficiency of any, or all, of the ISO Administered

Markets. The ISO and the Market Advisor shall perform additional quarterly reviews, subject to
the same scope requirement, during the remainder of the first year that this Section 15.4.7 is in
effect. After the first year, the ISO shall perform periodic reviews, subject to the same scope
requirement, and the Market Monitoring Unit shall be given the opportunity to review and
comment on the ISO's periodic reviews of the Operating Reserve Demand Curves.

The responsibilities of the Market Monitoring Unit that are addressed in the above section of Rate Schedule 4 to the Services Tariff are also addressed in Section 30.4.6.4.2 of Attachment O.

#### 15.4.8 Self-Supply

Transactions may be entered into to provide for Self-Supply of Operating Reserves.

Except as noted in the next paragraph, Customers seeking to Self-Supply Operating Reserves must place the Generator(s) supplying any one of the Operating Reserves under ISO control. The Generator(s) must meet ISO rules for acceptability. The amount that any such Customer will be

charged for Operating Reserves will be reduced by the market value of the services provided by the specified Generator(s) as determined in the ISO Services Tariff.

Alternatively, Customers, including LSEs, may enter into Day-Ahead Bilateral financial Transactions, *e.g.*, contracts-for-differences, in order to hedge against price volatility in the Operating Reserves markets.