

# Voltage Support Service Requirements

Kathy Whitaker

Manager, Auxiliary Market Operations
New York Independent System Operator

SOAS and MIWG Meetings
October 28, 2008 and November 3, 2008



## **Current Requirements**

- Generating Resources are required to provide and demonstrate both lagging and leading reactive power support in order to qualify for the NYISO's Voltage Support Service
  - Section 1.1 of Rate Schedule 2 in the Market Services Tariff
  - Sections 3.2 and 3.6 in the Ancillary Services Manual



## **Need for Changes**

- The NYISO has identified a small number of generating units needed for reactive power support that do not qualify for Voltage Support Service
  - Lagging support of these units is needed for system reliability
  - They are unable to provide leading support (absorb VARs)
    - Their leading support is not critical for system operation



## **Proposed Revisions**

- Define provisions for the NYISO, with input from the affected Transmission Owner, to waive the requirement for voltage support providers to absorb reactive power
  - Limited to providers needed for reliability concerns
  - Reflected in the Market Services Tariff and the Ancillary Services Manual



#### **Additional Manual Revisions**

- Administrative change to separate bulleted requirements for the VSS qualification form in Section 3.2
- Similar administrative changes to Attachment A (Qualifications Request Form) to clarify documentation needed
- Format change to separate the third paragraph of Section 3.6.1 into two paragraphs



#### **Schedule**

- October 28 Review by SOAS
- November 3 Review by MIWG
- November 17 Approval by OC
- November 19 Approval by BIC
- December 3 Approval by MC
- January 13 Approval by NYISO Board
- January 20 Submittal to FERC



The New York Independent System Operator (NYISO) is a not-for-profit corporation that began operations in 1999. The NYISO operates New York's bulk electricity grid, administers the state's wholesale electricity markets, and provides comprehensive reliability planning for the state's bulk electricity system.

www.nyiso.com