

modify these allocations, as necessary, based on determinations made pursuant to the Expedited Dispute Resolution Procedures set forth in Section 5.16 of this Tariff, or the Transmission Owner's retail access procedures, as applicable.

5.11.4 LSE Locational Minimum Installed Capacity Requirements

The ISO will determine the Locational Minimum Installed Capacity Requirements, stated as a percentage of the Locality's forecasted Capability Year peak Load and expressed in Unforced Capacity terms, that shall be uniformly applicable to each LSE serving Load within a Locality. In establishing Locational Minimum Installed Capacity Requirements, the ISO will take into account all relevant considerations, including the total NYCA Minimum Installed Capacity Requirement, the NYS Power System transmission Interface Transfer Capability, [the election by the holder of rights to UDRs that can provide Capacity from an External Control Area with a capability year start date that is different than the corresponding ISO Capability Year start date \("dissimilar capability year"\)](#), the Reliability Rules and any other FERC-approved Locational Minimum Installed Capacity Requirements.

[Each Installed Capacity Supplier holding rights to UDRs from an External Control Area with a dissimilar capability year shall have one opportunity during the course of holding the rights to the UDRs to elect that the ISO determine Locational Minimum Installed Capacity Requirements without the UDR for a certain month or consecutive months during one Capability Period, and as Unforced Capacity for the remaining month or months, in each case in accordance with ISO Procedures. Absent this one-time election, the UDRs shall be modeled consistently for all months in each Capability Year as elected by the UDR rights holder in its notification to the ISO in](#)

accordance with ISO Procedures. Upon such an election, the ISO shall determine the Locational Minimum Unforced Capacity Requirement (a) for the elected month or consecutive months without any Capacity associated with the UDRs, and (b) for the other month or months, as Unforced Capacity. After the Installed Capacity Supplier has made its one-time election, such UDRs shall be modeled consistently for all months in any future Capability Period during the course of holding the rights to such UDRs.

The Locational Minimum Unforced Capacity Requirement represents a minimum level of Unforced Capacity that must be secured by LSEs in the NYCA Localities for each Obligation Procurement Period. For each Capability Period, or for the month or months during the Capability Period for which a rights holder of rights to the UDRs makes the election described in the preceding paragraph, consistent with such election, the Locational Minimum Unforced Capacity Requirement for each Locality shall equal the product of the Locational Minimum Installed Capacity Requirement for a given Locality (with or without the UDRs if there is an election by a rightsholder) and the ratio of (1) the total amount of Unforced Capacity that the specified Resources are qualified to provide (with or without the UDRs associated with dissimilar capability periods, as so elected by the rightsholder) during each month in the Capability Period, as of the time the Locational Minimum Unforced Capacity Requirement is determined as specified in ISO Procedures,

Issued by: Stephen G. Whitley, President

Effective: October 17, 2008

Issued on: August 18, 2008

Filed to comply with order of the Federal Energy Regulatory Commission, Docket No. EL05-17-003, issued July 18, 2008, 124 FERC ¶ 61,062 (2008).

to (2) the sum of the DMNCs used to determine the Unforced Capacities of such Resources for such Capability Period [\(with or without the DMNCs associated with the UDRs, as so elected by the rightsholder\)](#). The foregoing calculation shall be determined using the Resources in the given Locality in the most recent final version of the ISO's annual Load and Capacity Data Report, with the addition of Resources commencing commercial operation since completion of that report and the deletion of Resources with scheduled or planned retirement dates before or during such Capability Period. Under the provisions of this Services Tariff and the ISO Procedures, each LSE will be obligated to procure its LSE Unforced Capacity Obligation. The LSE Unforced Capacity Obligation will be determined for each Obligation Procurement Period by the ICAP Spot Market Auction, in accordance with the ISO Procedures.

Filed to comply with order of the Federal Energy Regulatory Commission, Docket No. EL05-17-003, issued July 18, 2008, 124 FERC ¶ 61,062 (2008).

Qualified Resources will have the opportunity to supply amounts of Unforced Capacity to meet the LSE Unforced Capacity Obligation as established by the ICAP Spot Market Auction.

To be counted towards the locational component of the LSE Unforced Capacity Obligation, Unforced Capacity owned by the holder of UDRs or contractually combined with UDRs must be deliverable to the NYCA interface with the UDR transmission facility pursuant to NYISO requirements and consistent with the election of the holder of the rights to the UDRs for the Capability Period to which the election applies.

~~Unforced Capacity associated with certain generation~~

~~located in the New York City Locality that is subject to capacity market mitigation measures may not be sold at a price greater than the annual mitigated price cap, except as explicitly provided in Sections 5.13.2, 5.13.3 and 5.14.1 of this Tariff.~~

In addition, any Customer that purchases Unforced Capacity associated with any generation that is subject to capacity market mitigation measures in an ISO-administered auction may not resell that Unforced Capacity in a subsequent auction at a price greater than the annual mitigated price cap, as applied in accordance with the ISO Procedures in accordance with Sections 5.13.2, 5.13.3, and 5.14.1 of this Tariff. The ISO shall inform Customers that purchase Unforced Capacity in an ISO-administered auction of the amount of Unforced Capacity they have purchased that is subject to capacity market mitigation measures.

The ISO shall have the right to audit all executed Installed Capacity contracts and related documentation of arrangements by an LSE to use its own generation to meet its Locational Minimum Installed Capacity Requirement for an upcoming Obligation Procurement Period.

5.12 Requirements Applicable to Installed Capacity Suppliers

5.12.1 Installed Capacity Supplier Qualification Requirements

In order to qualify as an Installed Capacity Supplier in the NYCA, each generator and merchant transmission facility interconnected to the New York State Transmission System must, commencing with the 2009 Summer Capability Period, have elected Capacity Resource Interconnection Service and been found deliverable, or must have been grandfathered as deliverable, pursuant to the applicable provisions of Attachment X, Attachment Z and Attachment S to the ISO OATT. In addition, to qualify as an Installed Capacity Supplier in the NYCA, Energy Limited Resources, Generators, Installed

Capacity Marketers, Intermittent Power Resources, Limited Control Run-of-River Hydro
Resources and System Resources rated 1 MW or greater, other than

Issued by: ~~Mark S. Lynch, President~~~~Elaine D. Robinson, Dir. Reg. Affairs~~ Stephen G. Whitley, President

Effective: ~~July~~~~November 1~~ October 5, 2006~~8~~

Issued on: ~~April~~~~May 14~~ May 4, 2006~~8~~9

Filed to comply with order of the Federal Energy Regulatory Commission, Docket No. ~~EL07-39~~ER04-449-0005, et al., issued ~~March 7~~ January 15, 2008~~9~~, 1226 FERC ¶ 61,211046 (2008~~9~~).