



MMU Evaluation of the Proposed Public Policy Transmission Projects in Western NY

Pallas LeeVanSchaick
NYISO Market Monitoring Unit
Potomac Economics

Management Committee Meeting
September 27, 2017




Principles for Evaluating of Market Impacts of Public Policy Projects

- MMU must “review and consider” impact on NYISO markets of proposed solutions
- Projects provide wholesale market *and* public policy benefits
 - ✓ PPTN seeks economic, environmental, and reliability benefits
- But uneconomic transmission investment can harm markets by:
 - ✓ Inefficiently altering energy and capacity prices,
 - ✓ Crowding-out efficient private investment, and
 - ✓ Raising the cost of satisfying public policy objectives
- Criteria for determining whether a transmission project is uneconomic:
 - ✓ *Priced and unpriced benefits exceed project costs*

Evaluation of the Economics of Proposed Public Policy Transmission Projects

- *Economic benefit:* lower fuel & other production costs
- *Environmental benefit:* value of CO₂ abatement
- These benefits capture some of the qualitative metrics and reliability benefits

Figure 1: Results for Tier 1 Projects





Estimating Economic and Environmental Benefits

- Example 1:
 - ✓ Increase NY unit: \$2 of fuel/VOM costs and no emissions
 - ✓ Reduce NY unit: \$20 of fuel/VOM costs and \$8 of allowances
 - ✓ Environmental Benefit = \$8 = \$8 minus \$0
 - ✓ Economic Benefit = \$18 = \$20 minus \$2
 - ✓ NYISO Prod Cost Saving = \$26 = Enviro + Economic Benefit
- Example 2:
 - ✓ Increase Ontario unit and reduce PJM unit with same fuel/VOM costs and emission rates.
 - ✓ GE MAPS simulation has no allowance cost for PJM unit, so NYCA Production Cost Savings = \$18 = \$20 minus \$2
 - ✓ Environmental Benefit + Economic Benefit = \$26



Conclusions

- Regarding estimated impacts:
 - ✓ Estimated economic and environmental benefits exceed overnight cost for Tier 1 projects
 - ✓ Project T014 exhibits highest economic benefits, which are less subject to uncertainty regarding future allowance prices
 - ✓ Recommended project will not harm the NYISO markets
 - ✓ We find that the NYISO's recommendation of T014 is reasonable
- The MMU Report also recommends several enhancements to the NYISO's methodology for future PPTP processes