

ATTACHMENT J

DETERMINATION OF DAY-AHEAD MARGIN ASSURANCE PAYMENTS

1.0 General Rule

If an eligible Supplier buys out of a Day-Ahead Energy, Regulation Service or Operating Reserve schedule in a manner that reduces its Day-Ahead Margin it shall receive a Day-Ahead Margin Assurance Payment, except as noted in Sections 4.0, and 5.0 of this Attachment J. The purpose of such payments is to protect Suppliers' Day-Ahead Margins associated with real-time reductions after accounting for: (i) any real-time profits associated with offsetting increases in real-time Energy, Regulation Service, or Operating Reserve Schedules; and (ii) any Supplier-requested real-time de-rate granted by the ISO.

2.0 Eligibility for Receiving Day-Ahead Margin Assurance Payments

The following categories of Suppliers shall be eligible to receive Day-Ahead Margin Assurance Payments: (i) all Self-Committed Flexible and ISO-Committed Flexible Generators that are online and dispatched by RTD; (ii) any Supplier that is scheduled out of economic merit order by the ISO in response to an ISO or Transmission Owner system security need or to permit the ISO to procure additional Operating Reserves; and (iii) any Supplier that is derated or decommitted by the ISO in response to an ISO or Transmission Owner system security need or to permit the ISO to procure additional Operating Reserves.

Issued by: William J. Museler, President
Issued on: January 28, 2005

Effective: February 1, 2005

Filed to comply with order of the Federal Energy Regulatory Commission, Docket No. ER04-230-000, et. al., issued February 11, 2004, 106 FERC ¶ 61,111 (2004).

3.0 Calculation of Day-Ahead Margin Assurance Payments

Day-Ahead Margin Assurance Payments for Suppliers shall be determined by applying the following equations to each individual Generator (or, when applicable, to each individual Demand Side Resource):

$$DMAP_{hu} = \max\left(0, \sum_{i \in h} CDMAP_{iu}\right) \text{ where:}$$

$$CDMAP_{iu} = CDMAPen_{iu} + \sum_p CDMAPres_{iup} + CDMAPreg_{iu},$$

If the Supplier's real-time Energy schedule is lower than its Day-Ahead Energy schedule then:

$$CDMAPen_{iu} = \left\{ \begin{array}{l} [DASen_{hu} - LL_{iu}] \times RTPen_{iu} \\ - \int_{LL_{iu}}^{DASen_{hu}} DABen_{hu} \end{array} \right\} * \frac{Seconds_i}{3600},$$

If the Supplier's real-time Energy schedule is greater than or equal to its Day-Ahead Energy schedule then:

$$CDMAPen_{iu} = \text{MIN} \left(\left\{ \begin{array}{l} [DASen_{hu} - UL_{iu}] \times RTPen_{iu} \\ + \int_{DASen_{hu}}^{UL_{iu}} RTBen_{iu} \end{array} \right\} * \frac{Seconds_i}{3600}, 0 \right)$$

Issued by: William J. Museler, President
 Issued on: January 28, 2005

Effective: February 1, 2005

Filed to comply with order of the Federal Energy Regulatory Commission, Docket No. ER04-230-000, et. al., issued February 11, 2004, 106 FERC ¶ 61,111 (2004).

If the Supplier's real-time schedule for a given Operating Reserve product, p , is lower than its Day-Ahead Operating Reserve schedule for that product then:

$$CDMAPres_{iup} = \left[(DASres_{hup} - RTSres_{iup}) \times (RTPres_{iup} - DABres_{hup}) \right] * \frac{Seconds_i}{3600}$$

If the Supplier's real-time schedule for a given Operating Reserve product, p , is greater than or equal to its Day-Ahead Operating Reserve schedule for that product then:

$$CDMAPres_{iup} = \left[(DASres_{hup} - RTSres_{iup}) \times (RTPres_{iup}) \right] * \frac{Seconds_i}{3600}$$

If the Supplier's real-time Regulation Service schedule is less than its Day-Ahead Regulation Service schedule then:

$$CDMAPreg_{iu} = \left[(DASreg_{hu} - RTSreg_{iu}) \times (RTPreg_{iu} - DABreg_{hu}) \right] * \frac{Seconds_i}{3600}$$

If the Supplier's real-time Regulation Schedule is greater than or equal to the Day-Ahead Regulation Service schedule then:

$$CDMAPreg_{iu} = \left[(DASreg_{hu} - RTSreg_{iu}) \times \text{MAX}((RTPreg_{iu} - RTBreg_{iu}), 0) \right] * \frac{Seconds_i}{3600};$$

where:

h is the hour that includes interval i ;

$DMAP_{hu}$ = the Day-Ahead Margin Assurance Payment attributable in any hour h to any Supplier u ;

$CDMAP_{iu}$ = the contribution of RTD interval i to the Day-Ahead Margin Assurance Payment for Supplier u ;

$CDMAPen_{iu}$ = the Energy contribution of RTD interval i to the Day-Ahead Margin Assurance Payment for Supplier u ;

$CDMAPreg_{iu}$ = the Regulation Service contribution of RTD interval i to the Day-Ahead Margin Assurance Payment for Supplier u ;

$CDMAPres_{iup}$ = the Operating Reserve contribution of RTD interval i to the Day-Ahead Margin Assurance Payment for Supplier u determined separately for each Operating Reserve product p ;

$DASen_{hu}$ = Day-Ahead Energy schedule for Supplier u in hour h ;

$DASreg_{hu}$ = Day-Ahead schedule for Regulation Service for Supplier u in hour h ;

$DASres_{hup}$ = Day-Ahead schedule for Operating Reserve product p , for Supplier u in hour h ;

$DABen_{hu}$ = Day-Ahead Energy bid curve for Supplier u in hour h ;

$DABreg_{hu}$ = Day-Ahead Availability Bid for Regulation Service for Supplier u in hour h ;

$DABres_{hup}$ = Day-Ahead Availability Bid for Operating Reserve product p for Supplier u in hour h ;

$RTSen_{iu}$ = Real-time Energy scheduled for Supplier u in interval i , and calculated as the arithmetic average of the 6-second AGC Base Point Signals sent to Supplier u during the course of interval i ;

$RTSreg_{iu}$ = Real-time schedule for Regulation Service for Supplier u in interval i .

$RTSres_{iup}$ = Real-time schedule for Operating Reserve product p for Supplier u in interval i .

$RTBreg_{iu}$ = Real-time Availability Bid for Regulation Service for Supplier u in interval i .

$RTBen_{iu}$ = Real-time Energy bid curve for Supplier u in interval i .

AEI_{iu} = average Actual Energy Injection by Supplier u in interval i but not more than $RTSen_{iu}$ plus Compensable Overgeneration;

$RTPen_{iu}$ = real-time price of Energy at the location of Supplier u in interval i ;

$RTPreg_{iu}$ = real-time price of Regulation Service at the location of Supplier u in interval i ;

$RTPres_{iup}$ = real-time price of Operating Reserve product p at the location of Supplier u in interval i ;

$LL_{iu} = \max (RTSen_{iu}, \min(AEI_{iu}, EOP_{iu}))$, but not more than $DASen_{hu}$ if $RTSen_{iu} < EOP_{iu}$ and
 $\min (RTSen_{iu}, \max(AEI_{iu}, EOP_{iu}))$, but not more than $DASen_{hu}$ otherwise;

$UL_{iu} = \min (RTSen_{iu}, \max(AEI_{iu}, EOP_{iu}))$ but not less than $DASen_{hu}$ if $RTSen_{iu} \geq EOP_{iu} \geq$
 $DASen_{hu}$ and $\max (RTSen_{iu}, \min(AEI_{iu}, EOP_{iu}))$ but not less than $DASen_{hu}$ otherwise;

EOP_{iu} = the Economic Operating Point of Supplier u in interval i calculated without regard to ramp rates;

$Seconds_i$ = number of seconds in interval i .

Issued by: William J. Museler, President
Issued on: January 28, 2005

Effective: February 1, 2005

Filed to comply with order of the Federal Energy Regulatory Commission, Docket No. ER04-230-000, et. al., issued February 11, 2004, 106 FERC ¶ 61,111 (2004).

The AGC Base Point Signal for a Generator that is not providing Regulation Service during a given RTD interval shall be initialized by either: (i) the Generator's last AGC Base Point Signal from the prior RTD interval; or (ii) the Generator's actual metered generation at the time new RTD Base Point Signals are received by the ISO's AGC software, whichever is closer to the Generator's new RTD Base Point Signal. AGC Base Point Signals for a Generator that is not providing Regulation Service will ramp evenly over the course of the RTD interval starting at the initialized AGC Base Point Signal and ending at the level of its new RTD Base Point Signal. AGC Base Point Signals for Generators providing Regulation Service during a given RTD interval are determined based on the ISO's need to minimize the NYCA area control error.

Issued by: William J. Museler, President
Issued on: January 28, 2005

Effective: February 1, 2005

Filed to comply with order of the Federal Energy Regulatory Commission, Docket No. ER04-230-000, et. al., issued February 11, 2004, 106 FERC ¶ 61,111 (2004).

4.0 Exception for Suppliers Lagging Behind RTD Base Point Signals

An otherwise eligible Supplier that does not respond to, or that lags behind, the ISO's RTD Base Point Signals in a given interval, as determined below, shall not be eligible for Day-Ahead Margin Assurance Payments for that interval. If such a Supplier's average Actual Energy Injection in an RTD interval (*i.e.*, its Actual Energy Injections averaged over the RTD interval) is less than or equal to its penalty limit for under-generation value for that interval, as computed below, it shall not be eligible for Day-Ahead Margin Assurance Payments for that interval.

The penalty limit for under-generation value is the tolerance described in Section 1.0 of Rate Schedule 3-A of this ISO Services Tariff, which is used in the calculation of the persistent under-generation charge applicable to Suppliers that are not providing Regulation Service.

Issued by: William J. Museler, President
Issued on: January 28, 2005

Effective: February 1, 2005

Filed to comply with order of the Federal Energy Regulatory Commission, Docket No. ER04-230-000, et. al., issued February 11, 2004, 106 FERC ¶ 61,111 (2004).

5.0 Rules Applicable to Generator Derates

Generators that request and are granted a derate of their real-time Operating Capacity, but that are otherwise eligible to receive Day-Ahead Margin Assurance Payments may receive a payment up to a Capacity level consistent with their revised Emergency Upper Operating Limit or Normal Upper Operating Limit, whichever is applicable. If a Generator's

Issued by: William J. Museler, President
Issued on: January 28, 2005

Effective: February 1, 2005

Filed to comply with order of the Federal Energy Regulatory Commission, Docket No. ER04-230-000, et. al., issued February 11, 2004, 106 FERC ¶ 61,111 (2004).

derated real-time Operating Capacity is lower than the sum of its Day-Ahead Energy Regulation Services and Operating Reserve schedules then when the ISO conducts the calculations described in Section 3.0 above, the DASen, DASeg and DASres_p variables will be reduced by REDen, REDreg and REDres_p respectively. REDen, REDreg and REDres_p shall be calculated using the formulas below:

$$REDtot_{iu} = \max(DASen_{iu} + DASreg_{iu} + \sum_p DASres_{hup} - RTUOL_{iu}, 0)$$

$$POTREDen_{iu} = \max(DASen_{iu} - RTSen_{iu}, 0)$$

$$POTREDreg_{iu} = \max(DASreg_{iu} - RTSreg_{iu}, 0)$$

$$POTREDres_{iup} = \max(DASres_{hup} - RTSres_{iup}, 0)$$

$$REDen_{iu} = ((POTREDen_{iu} / (POTREDen_{iu} + POTREDreg_{iu} + \sum_p POTREDres_{iup})) * REDtot_{iu})$$

$$REDreg_{iu} = ((POTREDreg_{iu} / (POTREDen_{iu} + POTREDreg_{iu} + \sum_p$$

$$POTREDres_{iup})) * REDtot_{iu}$$

$$REDres_{iup} = ((POTREDres_{iup} / (POTREDen_{iu} + POTREDreg_{iu} + \sum_p$$

$$POTREDres_{iup})) * REDtot_{iu}$$

where:

RTUOL_{iu} = The real-time Emergency Upper Operating Limit or Normal Upper Operating Limit whichever is applicable of Supplier u in interval i

$RED_{tot_{iu}}$ = The total amount in MW that Day-Ahead schedules need to be reduced to account for the derate of Supplier u in interval i;

$RED_{en_{iu}}$ = The amount in MW that the Day-Ahead Energy schedule is reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier u in interval i;

$RED_{reg_{iu}}$ = The amount in MW that Supplier u's Day-Ahead Regulation Service schedule is reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment in interval i;

$RED_{res_{iup}}$ = The amount in MW that Supplier u's Day-Ahead Operating Reserve schedule for Operating Reserves product p is reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment in interval i;

$POTRED_{en_{iu}}$ = The potential amount in MW that Supplier u's Day-Ahead Energy schedule could be reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier u in interval i;

$POTRED_{reg_{iu}}$ = The potential amount in MW that Supplier u's Day-Ahead Regulation Service Schedule could be reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier u in interval i;

$POTRED_{res_{iup}}$ = The potential amount in MW that Supplier u's Day-Ahead Operating Reserve Schedule for Operating Reserve product p could be reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier u in interval i;

All other variables are as defined above.

Issued by: William J. Museler, President
Issued on: January 28, 2005

Effective: February 1, 2005

Filed to comply with order of the Federal Energy Regulatory Commission, Docket No. ER04-230-000, et. al., issued February 11, 2004, 106 FERC ¶ 61,111 (2004).