


Price Validation

Day Ahead Market Zonal LBMP													
Date: 05/09/2018													
Zonal Prices	LBMP S												
	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00
Name	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL 61757	17.59	13.88	12.08	11.32	12.26	15.18	22.91	25.81	25.79	26.32	26.21	26.69	27.00
	0.87	0.67	0.59	0.55	0.62	0.76	1.07	1.07	1.05	1.06	1.03	1.00	0.99
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.40	-0.40	-0.14	-0.19	0.00	0.00
CENTRL 61754	16.94	13.41	11.69	10.93	11.84	14.72	22.81	25.31	25.54	26.34	26.42	27.18	27.99
	0.22	0.20	0.20	0.16	0.20	0.30	0.55	0.51	0.56	0.63	0.63	0.67	0.70
	0.00	0.00	0.00	0.00	0.00	0.00	-0.42	-0.46	-0.64	-0.59	-0.80	-0.82	-1.28
DUNWOD 61760	18.21	14.36	12.46	11.67	12.60	15.61	23.70	26.61	26.64	27.47	27.31	28.04	28.40
	1.49	1.15	0.97	0.89	0.97	1.20	1.86	2.26	2.31	2.39	2.32	2.36	2.39
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.05	0.01	0.01	0.00
GENESE 61753	16.36	12.97	11.32	10.60	11.49	14.32	21.71	24.82	25.62	25.77	26.45	26.78	
	-0.37	-0.24	-0.17	-0.17	-0.15	-0.10	-0.13	-0.22	-0.15	-0.10	-0.13	-0.11	
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.45	0.70	-0.65	-0.68	-0.68	
H Q 61844	16.19	12.79	11.13	10.44	11.27	13.93	20.10	20.84	20.84	21.33	21.85	24.85	23.95
	-0.54	-0.42	-0.37	-0.33	-0.37	-0.49	-0.75	-0.75	-0.75	-0.80	-0.80	-0.83	
	0.00	0.00	0.00	0.00	0.00	0.00	0.75	2.75	2.75	1.34	0.05	1.22	

Price Validation supports the accuracy, transparency, and certainty of both Day-Ahead and Real-Time **energy** and **ancillary services** prices.



What Makes a Price Accurate?

- ✓ Correctly calculated pursuant to the NYISO's tariff
- ✓ Based on the appropriate price setting resource
- ✓ Posted to OASIS correctly

Price Validation Process:

